



Family Child Care Complaint Inspection Summary Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <http://jfs.ohio.gov/CDC/childcare.stm>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details		
Program Name COLLINS, REBECCA	Program Number 000000970005100	Program Type FCC - Type B Home
Address 825 EUCLID AVE. TORONTO OH 43964		County JEFFERSON

Inspection Information			
Inspection Type Complaint		Inspection Scope Partial	Inspection Notice Unannounced
Reviewer(s) Shawn Hannan	Inspection Day 06/23/2021	Begin Time 9:05 AM	End Time 10:50 AM

Summary of Findings				
No. Rules Verified 1	No. Rules with Non-compliances 1	No. Serious Risk 0	No. Moderate Risk 1	No. Low Risk 0

Staff-Child Ratios at the Time of Inspection			
Group	Age Group/Range	Ratio Observed	Comment
Collins		1 to 6	



Complaint Allegations

If the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited. Ohio Administrative Code 5101:2-13-03 details the process for submitting a request for a review if a program disagrees with a licensing finding. The request for review must be submitted within seven days from the receipt of the licensing report.

Domain: 04 Indoor/Outdoor Space

Rule: 5101:2-13-11 Fall Zone

Code: The program is required to have an adequate fall surface on the outdoor playground.

Allegation: At the time of the inspection, a Little Tykes climbing unit was observed outside with fall surface only covering under the two slides.

Determination: Substantiated

Findings: "During the inspection, it was determined that the playground did not have adequate fall surface under and around equipment as noted in the following number 3 below:

1. No fall surface
2. Adequate fall surface to soften the impact of a fall
3. Other: At the time of the inspection, a Little Tykes climbing unit was observed outside with fall surface only covering under the two slides. The fall surface was not placed under and around the entire piece of equipment as required per rule 5101:2-13-11.

Any equipment designed for climbing, swinging, bouncing, or sliding needs a fall zone of protective material resilient under and around the equipment in order to protect children in the event of a fall. Submit the program's corrective action plan, which includes written verification of the discontinued use of this equipment until corrections are made along with a description of the resilient material added, to the Department to verify compliance with the requirements of this rule."

Risk Level: Moderate

Corrective Action Plan Due: 08/21/2021

Summary of Additional Non-Compliances

Serious Risk Non-Compliances

No Additional Serious Risk Non-Compliances were observed during this inspection



Moderate Risk Non-Compliances

No Additional Moderate Risk Non-Compliances were observed during this inspection

Gray rectangular box for notes.

White rectangular box for notes.

Low Risk Non-Compliances

No Additional Low Risk Non-Compliances were observed during this inspection

Gray rectangular box for notes.

White rectangular box for notes.