



Center Licensing Inspection Full Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <http://jfs.ohio.gov/CDC/childcare.stm>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details			
Program Name Nightingale Montessori North Campus	Program Number 2200023127	Program Type Child Care Center	
Address 2525 North Limestone St Springfield OH 45503			County CLARK
Building Approval Date 02/26/2020	Use Group/Code E	Occupancy Limit 49	Maximum Under 2 ½
Fire Inspection Approval Date 08/24/2020	Food Service Risk Level Level IV		

Inspection Information		
Inspection Type Provisional	Inspection Scope Full	Inspection Notice Unannounced
Inspection Date 04/21/2022	Begin Time 10:15 AM	End Time 2:53 PM
Reviewer: JO ELLEN MORTON-CONRAD		

Summary of Findings				
No. Rules Verified 58	No. Rules with Non-compliances 5	No. Serious Risk 0	No. Moderate Risk 3	No. Low Risk 5

License Capacity and Enrollment at the Time of Inspection				
Age Group	License Capacity	Enrollment		
	Totals	Full Time	Part Time	Total
Infant (Birth to < 18 m)	0	0	0	0
Young Toddler		0	0	0
Total Under 2 ½ Years		0	0	0
Older Toddler	39	0	0	0
Preschool		23	0	23
School Age		0	0	0
Total Capacity/Enrollment	39	23	0	23

Staff-Child Ratios at the Time of Inspection			
Group	Age Group/Range	Ratio Observed	Comment
Preschool	3 years to < 4 years	1 to 5	



Preschool	3 years to < 4 years	1 to 4	
Preschool	3 years to < 4 years	1 to 4	
Preschool	3 years to < 4 years	1 to 10	

Summary of Non-Compliances

If the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited. Ohio Administrative Code 5101: 2-12-03 details the process for submitting a request for a review if a program disagrees with a licensing finding. The request for review must be submitted within seven days from the receipt of the licensing report.

Serious Risk Non-Compliances

No Serious Risk Non-Compliances were observed during this inspection

Moderate Risk Non-Compliances

Domain: 04 Indoor/Outdoor Space

Rule: 5101:2-12-11 Outdoor Space Requirements

Code: The program is required to have an outdoor play space free from immediate risk.

Finding: During the inspection, it was determined that an area was used which was not protected from traffic and other hazards by a continuous fence in good condition, or natural barrier, that ensured children were not able to leave the playground area. The fence or natural barrier was determined to present an immediate risk for a child to be able to leave the playground as noted in number 9 below:

1. The fence, natural barrier, or combination of fence and natural barrier was not continuous.
2. The fencing had missing slat boards through which children could leave the playground.
3. The gate was broken and did not close.
4. The latch on the gate was broken.
5. The gate had no latch.
6. The fencing was broken.
7. The latch was easily opened by children on the playground.
8. The portable fencing approved for use by the Department was not being used.
9. Other Fencing not sturdy and is open which allows children space to leave the playground.



Discontinue use of the playground and provide a space for outdoor play which is well defined by a continuous fence or natural barrier and protected from other hazards. Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 05/21/2022

Domain: 04 Indoor/Outdoor Space

Rule: 5101:2-12-11 Outdoor Play Fall Zones

Code: The program is required to provide adequate fall surface for the outdoor play space.

Finding: During the inspection, it was determined that the playground did not have adequate fall surface under and around equipment as noted in number(s) 3 below:

1. No fall surface
2. Adequate fall surface to soften the impact of a fall
3. Adequate fall surface to soften the impact of a fall that extended the length of the required fall zone
4. Other []

With any equipment designed for climbing, swinging, bouncing, or sliding, resilient material, as specified in Appendix A, needs to be added in order to protect children in the event of a fall. Submit the program's corrective action plan, which includes written verification of the discontinued use of this equipment until corrections are made along with a description of the resilient material added, to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 05/21/2022

Domain: 08 Staff Files

Rule: 5101:2-12-09 Background Check Requirements

Code: The program is required to have documentation from ODJFS, indicating the individual is eligible to be employed in child care, on file before allowing the staff to have sole responsibility of children.

Finding: During the inspection, it was determined that child care staff member(s) had sole responsibility of children in the preschool group(s) and neither a preliminary approval nor the JFS 01176 "Program Notification of Background Check Review for Child Care" were on file as required. Submit the program's corrective action plan, which includes a copy of the JFS 01176 or a statement that the child care staff member(s) no longer have sole responsibility of children, to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 05/21/2022



Low Risk Non-Compliances

Domain: 03 Postings & Equipment

Rule: 5101:2-12-16 Medical, Dental, and General Emergency Plan

Code: The program is required to post and implement the JFS 01242 "Medical, Dental, and General Emergency Plan" when necessary.

Finding: During the inspection, it was determined the requirements for the JFS 01242 "Medical, Dental, and General Emergency Plan for Child Care" were not followed as noted in number(s) 8 below:

1. The plan was not posted in each classroom.
2. The plan was not posted in other spaces used by children.
3. The name, address and telephone number of the program were not complete.
4. The location of first aid kit, fire extinguishers and fire alarm system, fire alarm pull stations and electrical circuit box were not complete.
5. The telephone number for emergency squad, fire department, hospital, poison control program, public children services agency, local health department, local emergency management agency, and police department were not complete.
6. Location of children's records was not complete.
7. Emergency information including any medications or supplies needed in the event of an evacuation was not complete.
8. The current version of the prescribed form was not used.
9. The plan was not implemented when necessary in that [].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 05/21/2022

Domain: 04 Indoor/Outdoor Space

Rule: 5101:2-12-11 Outdoor Play Equipment

Code: The program is required to provide a barrier on equipment that is 30 inches or more from the ground to prevent falling.



Finding: During the inspection, it was determined that some stumps and logs were 30 inches or more from the ground and did not have a protective barrier as required, that would prevent a child from falling off this piece of equipment. In order to prevent a fall, discontinue use of this equipment until a barrier has been installed. Submit the program's corrective action plan, which includes a statement verifying a protective barrier has been installed or that the equipment will no longer be used, to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 05/21/2022

Domain: 04 Indoor/Outdoor Space

Rule: 5101:2-12-11 Outdoor Play Fall Zones

Code: The program is required to provide fall zones around equipment to prevent injury if a child were to fall.

Finding: During the inspection, it was determined that stumps and logs positioned such that the fall zone requirement in number(s) 2 and 6 below was not met:

1. The fall zone was less than 3 feet from the fence for equipment used by children 23 months of age and younger.
2. The fall zone was less than 6 feet from the fence for equipment used by children 24 months of age and older.
3. There was not a fall zone of 3 feet in all directions from the perimeter of the equipment used by children 23 months of age and younger.
4. There was not a fall zone of 6 feet in all directions from the perimeter of the equipment used by children 24 months of age and older.
5. The fall zone was less than 4 1/2 feet from each piece of applicable equipment used by children 23 months of age and younger.
6. The fall zone was less than 9 feet from each piece of applicable equipment used by children 24 months of age and older.
7. Other [].

The program is required to provide equipment that is safe with adequate fall zones. Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 05/21/2022

Domain: 04 Indoor/Outdoor Space

Rule: 5101:2-12-11 Outdoor Play Equipment

Code: The program is required to provide enough space between equipment to not pose a risk of injury.



Finding: During the inspection, it was determined that the outdoor play equipment was positioned too closely together, posing a risk of injury if a child were to fall from one piece of equipment into another. Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 05/21/2022

Domain: 04 Indoor/Outdoor Space

Rule: 5101:2-12-11 Outdoor Play Equipment

Code: The program is required to provide equipment that does not pose a safety risk.

Finding: During the inspection, it was determined that outdoor play equipment was unsafe as noted in number(s) 9 below:

1. There was rust exposed;
2. There was protruding bolts;
3. There were cracks;
4. There were holes;
5. There was splintering wood;
6. There were sharp edges or points;
7. There were lead hazards;
8. There were toxic substances;
9. There were tripping hazards;
10. There was chipped and/or peeling paint;
11. Other [].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 05/21/2022

Rules In-Compliance/Not Verified



Rule	Status	Documenting Statement(s), If applicable
5101:2-12-02 License Posted	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-02 Current Information	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-03 Inspection Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-04 Building Department Inspection	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-04 Fire Inspection	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-04 Food Service Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-05 Denial, Revocation and Suspension	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-07 Administrator Qualifications	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-07 Administrator Responsibilities/Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-07 Written Program Policies and Procedures	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-08 Medical Statement	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-08 Orientation Training & Whistle Blower Protection	Compliant	
Rule	Status	Documenting Statement(s), If applicable



5101:2-12-10 Health Training Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-10 Professional Development Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-11 Indoor Space Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-12 Safe Equipment	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-12 Safe Environment	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-13 Sanitary Equipment and Environment	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-13 Handwashing Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-13 Smoke Free Environment	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-15 Child Medical and Enrollment Records	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-15 Medical/Physical Care Plans	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-16 Emergency Drills	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-16 First Aid/Standard Precautions	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-16 Management of Communicable Disease	Compliant	



Rule	Status	Documenting Statement(s), If applicable
5101:2-12-16 Incident/Injury Reporting	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-16 Written Disaster Plan	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-17 Daily Schedule	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-17 Materials and Equipment	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-17 Daily Outdoor Play	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-18 License Capacity	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-18 Ratio	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-18 Group Size	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-18 Attendance Records	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-19 Supervision	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-19 Child Guidance	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-20 Cots and Napping	Compliant	
Rule	Status	Documenting Statement(s), If applicable



5101:2-12-22 Meal and Snack Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-22 Fluid Milk Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-22 Safe Food Handling/Storage	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-25 Medication Administration	Compliant	