



## Center Complaint Inspection Summary Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <http://jfs.ohio.gov/CDC/childcare.stm>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details		
Program Name All About Kids Childcare and Learning Center	Program Number 2210024159	Program Type Child Care Center
Address 96 North High Street New Albany OH 43054		County FRANKLIN

Inspection Information				
Inspection Type Complaint		Inspection Scope Partial	Inspection Notice Unannounced	
Reviewer(s) CRYSTAL LUSE	Inspection Day 01/13/2023	Begin Time 9:50 AM	End Time 10:50 AM	
Summary of Findings				
No. Rules Verified 6	No. Rules with Non-compliances 1	No. Serious Risk 0	No. Moderate Risk 0	No. Low Risk 1

Staff-Child Ratios at the Time of Inspection			
Group	Age Group/Range	Ratio Observed	Comment
Room 1	0 to < 12 months	1 to 3	
Room 3	0 to < 12 months	3 to 7	
Room 5	18 months to < 30 months	1 to 4	
Room 6	30 months to < 36 months	2 to 7	
Room 7	3 years to < 4 years	1 to 7	



### Complaint Allegations

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

#### Domain:07 Diapering & Infant Care

Rule: 5101:2-12-23 Infant Bottle and Food Preparation

Code: The program staff is required to heat bottles in water 120 degrees or less.

Allegation: Complainant alleges that the container of water used to warm bottles was heated to a temperature hotter than the rule allows.

Determination: Substantiated

Findings: During the inspection, it was determined the container of water used to warm bottles was heated to a temperature hotter than 120 degrees Fahrenheit. Bottles shall be placed in a container of water not hotter than 120 degrees Fahrenheit or in a commercial bottle warmer. Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Risk Level: Low

Corrective Action Plan Due: 02/12/2023

### Summary of Additional Non-Compliances

#### Serious Risk Non-Compliances

No Additional Serious Risk Non-Compliances were observed during this inspection

#### Moderate Risk Non-Compliances

No Additional Moderate Risk Non-Compliances were observed during this inspection



--

**Low Risk Non-Compliances**

**No Low Additional Risk Non-Compliances were observed during this inspection**

--

--