



Center Complaint Inspection Summary Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <http://jfs.ohio.gov/CDC/childcare.stm>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details		
Program Name CHILDTIME LEARNING CENTER	Program Number 000000101081	Program Type Child Care Center
Address 2145 EASTWOOD AVENUE AKRON OH 44305		County SUMMIT

Inspection Information			
Inspection Type Complaint		Inspection Scope Partial	Inspection Notice Unannounced
Reviewer(s) BETH RAGLE	Inspection Day 09/03/2024	Begin Time 1:25 PM	End Time 3:45 PM

Summary of Findings				
No. Rules Verified 3	No. Rules with Non-compliances 2	No. Serious Risk 0	No. Moderate Risk 0	No. Low Risk 2

Staff-Child Ratios at the Time of Inspection			
Group	Age Group/Range	Ratio Observed	Comment
Infant 1	0 to < 12 months	2 to 4	Tummy time
Infant 2	12 months to < 18 months	1 to 6	Nap
Toddlers	18 months to < 30 months	2 to 12	Nap
Early Preschool	30 months to < 36 months	1 to 7	Nap
Preschool and PreK Combined	3 years to < 4 years	2 to 15	Nap



Complaint Allegations

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

Domain:01 Ratio & Supervision

Rule: 5101:2-12-19 Child Guidance

Code: The program staff shall use developmentally appropriate techniques when managing children's behavior. Corporal punishment is prohibited, as well as any cruel, harsh, unusual or extreme techniques.

Allegation: Child care staff members use inappropriate language and tone when managing child behavior.

Determination: Substantiated

Findings: During the inspection, it was determined that a child care staff member used a discipline technique to guide or discipline children that was not developmentally appropriate, consistent, or occurred at the time of the incident. During the investigation it was confirmed staff have yelled at children and said phrases that were inappropriate. Provide staff training. Submit the program's corrective action plan, which includes a statement that training was provided, to the Department to verify compliance with the requirements of this rule.

Risk Level: Low

Corrective Action Plan Due: 10/13/2024

Domain:02 Safe & Sanitary Environment

Rule: 5101:2-12-12 Safe Environment

Code: The program is required to provide an environment that protects the children in care from any items and conditions that may threaten their health, safety, and well-being.

Allegation: An area of the preschool bathroom wall above the sink is damaged and black.

Determination: Substantiated

Findings: During the inspection, it was determined that children were not protected from item(s) or condition(s) which may threaten their health, safety, or well-being as noted in number 22 below:

1. Surge protectors/outlets did not have childproof receptacle covers.
2. Open pull cords that are not closed loop.
3. Toys or other items small enough to be swallowed were present in the space where infants and/or toddlers were in care.
4. Electrical/extension cords attached to an object that would not likely result in a severe injury if pulled.
5. Stacked chairs.
6. Employee(s) purse(s).
7. Diaper bags.
8. Television not securely anchored.
9. Small or lightweight pieces of shelving units are not securely anchored to the wall.
10. Smoke detector needing batteries replaced.
11. An area rug did not have a nonskid backing.
12. An area rug presented a tripping hazard.
13. A floor surface that was unsafe.
14. No platform was provided for the sink or toilet in the classroom.
15. The platform provided for the sink or toilet in the classroom was not sturdy.



- 16. The platform provided for the sink or toilet in the classroom posed a safety hazard.
- 17. Telephone cords.
- 18. Staff member stepped over a barrier/gate while holding a child.
- 19. Emergency exits were blocked by the classroom furniture.
- 20. A mercury thermometer was being used to take a child's temperature.
- 21. Methods of ventilation used did not provide protection from rodents, insects, or other hazards.
- 22. Other: An area above the sink in the preschool restroom is damaged and back in color.

Submit the program's corrective action plan, which includes a statement that this area has been repaired, to the Department to verify compliance with the requirements of this rule.

Risk Level: Low

Corrective Action Plan Due: 10/12/2024

Summary of Additional Non-Compliances

Serious Risk Non-Compliances

No Additional Serious Risk Non-Compliances were observed during this inspection

[Greyed out text box]

[Empty text box]

Moderate Risk Non-Compliances

No Additional Moderate Risk Non-Compliances were observed during this inspection

[Greyed out text box]

[Empty text box]

Low Risk Non-Compliances



No Low Additional Risk Non-Compliances were observed during this inspection

--

--