



Center Complaint Inspection Summary Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <http://jfs.ohio.gov/CDC/childcare.stm>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details		
Program Name YOUTHLAND ACADEMY OF PRICE HILL	Program Number 000000201400	Program Type Child Care Center
Address 4500 GLENWAY AVE. CINCINNATI OH 45205		County HAMILTON

Inspection Information			
Inspection Type Complaint		Inspection Scope Partial	Inspection Notice Unannounced
Reviewer(s) BRIAN CHASTAIN	Inspection Day 01/05/2024	Begin Time 8:15 AM	End Time 11:38 AM

Summary of Findings				
No. Rules Verified 6	No. Rules with Non-compliances 1	No. Serious Risk 0	No. Moderate Risk 0	No. Low Risk 1

Staff-Child Ratios at the Time of Inspection			
Group	Age Group/Range	Ratio Observed	Comment
Preschool/Pre-K	3 years to < 4 years	2 to 12	
School Age	School-Age to < 11 years	1 to 7	
Infant	0 to < 12 months	2 to 5	
Toddler 1	18 months to < 30 months	2 to 10	
Toddler 2	18 months to < 30 months	1 to 6	



Complaint Allegations

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

No Complaints were observed during this inspection.

Summary of Additional Non-Compliances

Serious Risk Non-Compliances

No Additional Serious Risk Non-Compliances were observed during this inspection

Moderate Risk Non-Compliances

No Additional Moderate Risk Non-Compliances were observed during this inspection



Low Risk Non-Compliances

Domain:02 Safe & Sanitary Environment

Rule: 5101:2-12-12 Safe Equipment

Code: The program is required to refrain from placing indoor swings, slides, climbers, and climbing apparatus directly over a hard surface. Shock absorbent protective covering, intended to be a fall surface per manufacturer's guidelines, shall be placed and used under the equipment.

Findings: During the inspection, it was determined that indoor swings, slides, climbers, and climbing apparatus did not have required shock absorbent protective covering under and around the equipment as noted in number 1 below:

1. A shock absorbent protective covering was not used for the slide in the Toddler 1 room.
2. The mats were not at least one and one-half inches thick for equipment over three feet high.
3. The mats were not used according to the manufacturer's guidelines.
4. Other [].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 02/04/2024