



## Center Complaint Inspection Summary Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <http://jfs.ohio.gov/CDC/childcare.stm>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details		
Program Name POOH COUNTY CHILD CARE CENTER INC.	Program Number 000000300655	Program Type Child Care Center
Address 17201 MILES AVENUE CLEVELAND OH 44128	County CUYAHOGA	

Inspection Information			
Inspection Type Complaint		Inspection Scope Partial	Inspection Notice Unannounced
Reviewer(s) Sara Davis	Inspection Day 01/28/2025	Begin Time 12:00 PM	End Time 12:30 PM

Summary of Findings				
No. Rules Verified 5	No. Rules with Non-compliances 2	No. Serious Risk 0	No. Moderate Risk 1	No. Low Risk 1

Staff-Child Ratios at the Time of Inspection			
Group	Age Group/Range	Ratio Observed	Comment
Preschool	3 years to < 4 years	1 to 3	Lunch
Infants	0 to < 12 months	1 to 3	

### Complaint Allegations

*If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.*

#### Domain:02 Safe & Sanitary Environment

Rule: 5180:2-12-12 Safe Equipment

Code: The program is required to refrain from using space heaters unless it has been approved by a fire official.

Allegation: A space heater was in use in the classroom and was not approved.

Determination: Substantiated

Findings: During the inspection, it was determined that a space heater which had not been approved by a fire official was in use in the area identified in number(s) 2 below:

1. The administrator's office.
2. A classroom. (School Age)
3. The break room.
4. Several classrooms.
5. The hallway.
6. The entry way.
7. Other [ ].

The use of this space heater must be discontinued until approval for its use has been obtained. Submit the program's corrective action plan, which includes written fire approval for use of this space heater or a written statement that the space heater is no longer being used at the program, to the Department to verify compliance with the requirements of this rule.

Risk Level: Moderate

Corrective Action Plan Due: 02/27/2025

#### Domain:04 Indoor/Outdoor Space

Rule: 5180:2-12-11 Separation of Children Under 2 1/2 Years

Code: The program is required to separate children younger and older than 2 1/2 years of age.

Allegation: A group was occupying space not previously approved by the Department for children less than two and one-half years of age.

Determination: Substantiated

Findings: During the inspection, it was determined that a group was occupying space not previously approved by the Department for children less than two and one-half years of age. Building and fire department approvals do not prohibit the use of this space for children less than two and one-half years. Technical assistance was provided at the time of the inspection, and as discussed, please correct this rule noncompliance. A written response for this rule noncompliance is required at this time.

Risk Level: Low

Corrective Action Plan Due: 02/27/2025

### Summary of Additional Non-Compliances

#### Serious Risk Non-Compliances

No Additional Serious Risk Non-Compliances were observed during this inspection

#### Moderate Risk Non-Compliances

No Additional Moderate Risk Non-Compliances were observed during this inspection

#### Low Risk Non-Compliances

No Low Additional Risk Non-Compliances were observed during this inspection

