



Center Complaint Inspection Summary Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <http://jfs.ohio.gov/CDC/childcare.stm>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details		
Program Name HEAVEN SENT CHILDREN'S ACADEMY II	Program Number 000000400523	Program Type Child Care Center
Address 5624 GENDER RD CANAL WINCHESTE OH 43110		County FRANKLIN

Inspection Information			
Inspection Type Complaint		Inspection Scope Partial	Inspection Notice Unannounced
Reviewer(s) BEVERLY JAMES	Inspection Day 12/04/2023	Begin Time 8:00 AM	End Time 10:15 AM

Summary of Findings				
No. Rules Verified 6	No. Rules with Non-compliances 3	No. Serious Risk 0	No. Moderate Risk 2	No. Low Risk 1

Staff-Child Ratios at the Time of Inspection			
Group	Age Group/Range	Ratio Observed	Comment
Toddler	18 months to < 30 months	3 to 4	
4's	Mixed Age Group	1 to 15	3's, 4's and 5's classroom combined. Out of ratio
Infant	0 to < 12 months	1 to 1	
School Age	School-Age to < 11 years	1 to 14	
Infant 2	12 months to < 18 months	1 to 5	



Complaint Allegations

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

Domain:01 Ratio & Supervision

Rule: 5101:2-12-18 Ratio

Code: The program is required to maintain the appropriate staff to child ratio for each group served.

Allegation: The program does not maintain the appropriate staff to child ratio for each group served.

Determination: Substantiated

Findings: During the inspection, a ratio of 1 child care staff member(s) for 15 children was determined to have occurred for the mixed Preschool group when the situation in number(s) 15 below occurred:

1. A child care staff member stepped out of the room.
2. A child care staff member had not arrived at work on time.
3. Children were present who were not scheduled to be there.
4. A child care staff member was unable to work.
5. A child was injured in that group.
6. A child arrived in the group before a second staff member was scheduled to arrive with the group.
7. Two groups were combined, and the program did not follow the ratio for the youngest child in the group.
8. A child was transitioning to the next older age group, and the program did not follow the ratio for the youngest child in the group.
9. Ratio was doubled for more than two hours while children were napping.
10. Ratio was doubled while children were napping for a group that included at least one infant.
11. Ratio was doubled while children were napping and there were not enough staff members in the building to meet staff/child ratio.
12. Ratio was doubled in the school age group to allow access to the program, however, the program does not serve only school age children.
13. Both child care staff members did not have a working communication device when one staff member left the group to allow access to the school age only program.
14. The child care staff member did not return to the group after allowing access to the school age only program.
15. Other (CCSM left group to open up door.)

Additional child care staff members must be hired or current child care staff members must be rescheduled to maintain compliance. Provide staff training. Submit the program's corrective action plan, which includes a statement that training was provided, to the Department to verify compliance with the requirements of this rule.

Risk Level: Moderate

Corrective Action Plan Due: 01/03/2024

Summary of Additional Non-Compliances

Serious Risk Non-Compliances

No Additional Serious Risk Non-Compliances were observed during this inspection



Moderate Risk Non-Compliances

Domain:01 Ratio & Supervision

Rule: 5101:2-12-19 Supervision

Code: The program staff is required to supervise children in their assigned group by sight and hearing. Supervision includes being near enough to respond and reach children immediately and protecting them from harm.

Findings: During the inspection, it was determined that children were left unattended while inside the program as noted in number(s) 3 below:

1. Child(ren) were left unattended once.
2. Child(ren) were left unattended more than once.
3. Child(ren) left the group and were unattended. (Child left the 4's room to go to the the 5's room to put something in his cubby. (Rooms are connected and door was unlocked.)
4. Child care staff were using a baby monitor to supervise children.
5. Child care staff were using a walkie talkie to supervise children.
6. Child care staff were using mirrors to view children in another room.
7. Child care staff were using a video camera instead of physically being present in the room.
8. Other [].

Children must be supervised and within sight and hearing of a child care staff member at all times. Provide staff training. Submit the program's corrective action plan, which includes a statement that training was provided, to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 01/03/2024

Low Risk Non-Compliances

Domain:02 Safe & Sanitary Environment

Rule: 5101:2-12-12 Safe Equipment

Code: The program is required to use equipment, that is safe and hazard free, according to the manufacturer's guidelines. Fans, air conditioners, heat pumps, and space heaters must be inaccessible to children. The program is required to refrain from using trampolines, ball pits and inflatable equipment intended for climbing and bouncing, including but not limited to slides and bounce houses.



Findings: During the inspection, equipment was determined to be unsafe, hazardous to children, or in need of repair as noted in number(s) 3 below:

1. Manufacturer's guidelines for the [] were not followed in that [].
2. The straps were missing on the [].
3. The straps were attached, but were not used on the moon table in the Infant 2 room for special needs child.
4. The straps were attached and were used, but were not used in a safe manner.
5. The equipment had sharp points or corners.
6. The equipment had splinters.
7. The equipment had protruding nails.
8. The equipment had loose or rusty parts.
9. The equipment had paint which contains lead or other poisonous materials.
10. The equipment had hazardous features.
11. A fan was unstable and could easily tip over.
12. A fan had openings a finger could enter.
13. The pipes from the heat pump felt hot to the touch
14. A space heater felt hot to the touch
15. The position of a space heater was a tripping hazard
16. The air conditioning unit was not enclosed and was accessible to children on the playground.
17. A ball pit, trampoline, inflatable bounce house, inflatable slide, or inflatable equipment used for climbing and bouncing was used.
18. Other [].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 01/03/2024