



## Center Licensing Inspection Full Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <http://jfs.ohio.gov/CDC/childcare.stm>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details			
Program Name ECE AND FAMILY CENTER - CDC HEAD START	Program Number 000000408866	Program Type Child Care Center	
Address 2879 JOHNSTOWN ROAD COLUMBUS OH 43215		County FRANKLIN	
Building Approval Date	Use Group/Code E	Occupancy Limit	Maximum Under 2 ½
Fire Inspection Approval Date 03/24/2023	Food Service Risk Level Level IV		

Inspection Information		
Inspection Type Annual	Inspection Scope Full	Inspection Notice Unannounced
Inspection Date 03/05/2024	Begin Time 9:30 AM	End Time 12:08 PM
Reviewer: AMY HILLARD		

Summary of Findings				
No. Rules Verified 58	No. Rules with Non-compliances 4	No. Serious Risk 0	No. Moderate Risk 0	No. Low Risk 4

License Capacity and Enrollment at the Time of Inspection				
Age Group	License Capacity	Enrollment		
	Totals	Full Time	Part Time	Total
Infant ( Birth to < 18 m)		0	0	0
Young Toddler		0	0	0
<b>Total Under 2 ½ Years</b>	0	0	0	0
Older Toddler		0	0	0
Preschool		14	100	114
School Age		0	0	0
<b>Total Capacity/Enrollment</b>	100	14	100	114

Staff-Child Ratios at the Time of Inspection			
Group	Age Group/Range	Ratio Observed	Comment



204	3 years to < 4 years	3 to 12	
204	3 years to < 4 years	3 to 12	
502	3 years to < 4 years	3 to 11	
205	3 years to < 4 years	3 to 16	
205	3 years to < 4 years	3 to 16	
403	3 years to < 4 years	3 to 13	
500	3 years to < 4 years	3 to 12	
501	3 years to < 4 years	3 to 16	
501	3 years to < 4 years	3 to 16	

### Summary of Non-Compliances

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

#### Serious Risk Non-Compliances

**No Serious Risk Non-Compliances were observed during this inspection**

#### Moderate Risk Non-Compliances

**No Moderate Risk Non-Compliances were observed during this inspection**



### Low Risk Non-Compliances

#### Domain: 02 Safe & Sanitary Environment

Rule: 5101:2-12-12 Safe Equipment

Code: The program is required to use equipment, that is safe and hazard free, according to the manufacturer's guidelines. Fans, air conditioners, heat pumps, and space heaters must be inaccessible to children. The program is required to refrain from using trampolines, ball pits and inflatable equipment intended for climbing and bouncing, including but not limited to slides and bounce houses.

Finding: During the inspection, equipment was determined to be unsafe, hazardous to children, or in need of repair as noted in number(s) 17 (room 501) below:

1. Manufacturer's guidelines for the [ ] were not followed in that [ ].
2. The straps were missing on the [ ].
3. The straps were attached, but were not used on the [ ].
4. The straps were attached and were used, but were not used in a safe manner.
5. The equipment had sharp points or corners.
6. The equipment had splinters.
7. The equipment had protruding nails.
8. The equipment had loose or rusty parts.
9. The equipment had paint which contains lead or other poisonous materials.
10. The equipment had hazardous features.
11. A fan was unstable and could easily tip over.
12. A fan had openings a finger could enter.
13. The pipes from the heat pump felt hot to the touch
14. A space heater felt hot to the touch
15. The position of a space heater was a tripping hazard
16. The air conditioning unit was not enclosed and was accessible to children on the playground.
17. A ball pit, trampoline, inflatable bounce house, inflatable slide, or inflatable equipment used for climbing and bouncing was used.
18. Other [ ].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 04/04/2024



**Domain: 02 Safe & Sanitary Environment**

Rule: 5101:2-12-12 Safe Environment

Code: The program is required to provide an environment that protects the children in care from any items and conditions that may threaten their health, safety, and well-being.

Finding: During the inspection, it was determined that children were not protected from item(s) or condition(s) which may threaten their health, safety, or well-being as noted in number(s) 6 below:

1. Surge protectors/outlets did not have childproof receptacle covers.
2. Open pull cords that are not closed loop.
3. Toys or other items small enough to be swallowed were present in the space where infants and/or toddlers were in care.
4. Electrical/extension cords attached to an object that would not likely result in a severe injury if pulled.
5. Stacked chairs.
6. Employee(s) purse(s). (Purse accessible in rooms 502 low hook & 204 unlocked cabinet)
7. Diaper bags.
8. Television not securely anchored.
9. Small or lightweight pieces of shelving units are not securely anchored to the wall.
10. Smoke detector needing batteries replaced.
11. An area rug did not have a nonskid backing.
12. An area rug presented a tripping hazard.
13. A floor surface that was unsafe in that [ ].
14. No platform was provided for the sink or toilet in the [ ] classroom.
15. The platform provided for the sink or toilet in the [ ] classroom was not sturdy.
16. The platform provided for the sink or toilet in the [ ] classroom posed a safety hazard in that [ ].
17. Telephone cords.
18. Staff member stepped over a barrier/gate while holding a child.
19. Emergency exits were blocked by the following classroom furniture: [ ].
20. A mercury thermometer was being used to take a child's temperature.
21. Methods of ventilation used did not provide protection from rodents, insects, or other hazards.
22. Other [ ].

Provide staff training. Submit the program's corrective action plan, which includes a statement that training was provided, to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 04/04/2024

**Domain: 05 Health & Safety**

Rule: 5101:2-12-16 Management of Communicable Disease

Code: The program is required to post the JFS 08087 "Ohio Communicable Disease Chart".

Finding: During the inspection, it was determined that the JFS 08087 "Ohio Communicable Disease Chart" was not posted as required, as indicated in number(s) 3 below:



1. The chart was not posted.
2. In a location readily available to program staff and parents.
3. The posted chart was not the current version, and the Child Care Manual Procedural Letter No. 159 was not attached.
4. The posted chart was not displayed in the size available in the ODJFS forms central to be easily read.

Technical assistance was provided at the time of inspection, and as discussed, please correct this rule noncompliance. A written response for this rule noncompliance is not required at this time.

**Domain: 08 Staff Files**

Rule: 5101:2-12-10 Health Training Requirements

Code: The program is required to have all child care staff members complete training in child abuse and neglect recognition and prevention within sixty days of hire. Staff must complete training in first aid and CPR within the first ninety days of hire.

Finding: In review of the staff records, it was determined that at least one child care staff member had not completed required health and safety training as noted in number(s) 5, 6 below:

1. Child abuse and neglect recognition and prevention training was not completed within sixty days of hire.
2. First aid training was not completed within ninety days of hire.
3. Cardiopulmonary resuscitation (CPR) training was not completed within ninety days of hire.
4. The child abuse and neglect recognition and prevention training was expired.
5. The first aid training was expired.
6. The CPR training was expired.

Refer to the Employee Record Chart for the name(s) of the child care staff member(s) who must complete the required health and safety training(s). Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 04/04/2024



**Rules In-Compliance/Not Verified**

Rule	Status	Documenting Statement(s), If applicable
5101:2-12-02 License Posted	Compliant	
5101:2-12-02 Current Information	Compliant	
5101:2-12-03 Inspection Requirements	Compliant	
5101:2-12-04 Building Department Inspection	Compliant	
Rule: 5101:2-12-04 Fire Inspection	Compliant	Documenting Statement: Although the program had documentation of a current fire inspection without any uncorrected violations at the time of the licensing inspection, the program did not have the fire inspection completed within 12 months from the date of the last fire inspection without any uncorrected violations. Please ensure that fire inspections are completed in accordance with the rule requirements.
Rule: 5101:2-12-04 Food Service Requirements	Compliant	Documenting Statement: The food service license was observed posted. Following is the audit number and date of expiration: 9972779; 3/1/25.
5101:2-12-07 Administrator Qualifications	Compliant	
5101:2-12-07 Administrator Responsibilities/Requirements	Compliant	



Rule	Status	Documenting Statement(s), If applicable
5101:2-12-07 Written Program Policies and Procedures	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-08 Medical Statement	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-08 Orientation Training & Whistle Blower Protection	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-09 Background Check Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-10 Professional Development Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-11 Indoor Space Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-11 Separation of Children Under 2 1/2 Years	Compliant	
Rule	Status	Documenting Statement(s), If applicable
Rule: 5101:2-12-11 Outdoor Space Requirements	Compliant	Documenting Statement: The quarterly playground inspections were completed and documented, as required. The most recent inspection report form was dated 9/11/23.
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-11 Outdoor Play Equipment	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-11 Outdoor Play Fall Zones	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-12-13 Sanitary Equipment and Environment	Compliant	
Rule	Status	Documenting Statement(s), If applicable



5101:2-12-13 Handwashing Requirements	Compliant	
<b>Rule</b>	<b>Status</b>	<b>Documenting Statement(s), If applicable</b>
Rule: 5101:2-12-13 Smoke Free Environment	Compliant	Documenting Statement: No smoking was allowed on the premises, and the notice stating that smoking is prohibited was observed posted in a conspicuous place.
<b>Rule</b>	<b>Status</b>	<b>Documenting Statement(s), If applicable</b>
5101:2-12-13 Toothbrushing Requirements	Compliant	
<b>Rule</b>	<b>Status</b>	<b>Documenting Statement(s), If applicable</b>
5101:2-12-15 Child Medical and Enrollment Records	Compliant	
<b>Rule</b>	<b>Status</b>	<b>Documenting Statement(s), If applicable</b>
5101:2-12-15 Medical/Physical Care Plans	Compliant	
<b>Rule</b>	<b>Status</b>	<b>Documenting Statement(s), If applicable</b>
5101:2-12-16 Medical, Dental, and General Emergency Plan	Compliant	
<b>Rule</b>	<b>Status</b>	<b>Documenting Statement(s), If applicable</b>
Rule: 5101:2-12-16 Emergency Drills	Compliant	Documenting Statement: Documentation for completed fire, weather, and emergency/lockdown drills was verified during this inspection.
<b>Rule</b>	<b>Status</b>	<b>Documenting Statement(s), If applicable</b>
Rule: 5101:2-12-16 First Aid/Standard Precautions	Compliant	Documenting Statement: During the inspection, the program had complete first aid kits available as required.
<b>Rule</b>	<b>Status</b>	<b>Documenting Statement(s), If applicable</b>
5101:2-12-16 Incident/Injury Reporting	Compliant	
<b>Rule</b>	<b>Status</b>	<b>Documenting Statement(s), If applicable</b>
Rule: 5101:2-12-17 Daily Schedule	Compliant	Documenting Statement: Daily schedules were observed posted.





Rule	Status	Documenting Statement(s), If applicable
5101:2-12-17 Materials and Equipment	Compliant	
5101:2-12-17 Daily Outdoor Play	Compliant	
5101:2-12-18 License Capacity	Compliant	
5101:2-12-18 Ratio	Compliant	
5101:2-12-18 Group Size	Compliant	
5101:2-12-18 Attendance Records	Compliant	
Rule: 5101:2-12-19 Supervision	Compliant	Documenting Statement: Child Care Staff Members were supervising the children and were able to intervene as needed.
5101:2-12-19 Child Guidance	Compliant	
5101:2-12-20 Cots and Napping	Compliant	
Rule: 5101:2-12-22 Meal and Snack Requirements	Compliant	Documenting Statement: The menu was posted on the parent board.
5101:2-12-22 Fluid Milk Requirements	Compliant	
5101:2-12-22 Safe Food Handling/Storage	Compliant	



Rule	Status	Documenting Statement(s), If applicable
5101:2-12-25 Medication Administration	Compliant	
5101:2-12-08 Child Care Staff Member Educational Requirements	Compliant	
5101:2-12-16 Written Disaster Plan	Compliant	