



Center Complaint Inspection Summary Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <http://jfs.ohio.gov/CDC/childcare.stm>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details		
Program Name WILLOW BEE CHILD CARE & LEARNING	Program Number 000000411005	Program Type Child Care Center
Address 28 LACKEY OLD STATE ROAD DELAWARE OH 43015		County DELAWARE

Inspection Information			
Inspection Type Complaint		Inspection Scope Partial	Inspection Notice Unannounced
Reviewer(s) JO ELLEN MORTON- CONRAD	Inspection Day 10/04/2023	Begin Time 8:00 AM	End Time 8:30 AM

Summary of Findings				
No. Rules Verified 5	No. Rules with Non-compliances 5	No. Serious Risk 0	No. Moderate Risk 1	No. Low Risk 5

Staff-Child Ratios at the Time of Inspection			
Group	Age Group/Range	Ratio Observed	Comment
toddlers	18 months to < 30 months	2 to 15	group combined in am; included children age 2 and up
Infant	0 to < 12 months	1 to 4	
older infant	12 months to < 18 months	1 to 5	
toddler	18 months to < 30 months	1 to 7	2 and up
PS	3 years to < 4 years	1 to 7	



Complaint Allegations

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

Domain:01 Ratio & Supervision

Rule: 5101:2-12-18 Ratio

Code: The program is required to maintain the appropriate staff to child ratio for each group served.

Allegation: It was alleged the center is out of ratio in the mornings around 8:00 am and in the afternoons when a teacher is alone with a class.

Determination: Substantiated

Findings: During the inspection, a ratio of 1 child care staff member(s) for 7 children was determined to have occurred for the older infant group when the situation in number(s) 6 below occurred:

1. A child care staff member stepped out of the room.
2. A child care staff member had not arrived at work on time.
3. Children were present who were not scheduled to be there.
4. A child care staff member was unable to work.
5. A child was injured in that group.
6. A child arrived in the group before a second staff member was scheduled to arrive with the group.
7. Two groups were combined, and the program did not follow the ratio for the youngest child in the group.
8. A child was transitioning to the next older age group, and the program did not follow the ratio for the youngest child in the group.
9. Ratio was doubled for more than two hours while children were napping.
10. Ratio was doubled while children were napping for a group that included at least one infant.
11. Ratio was doubled while children were napping and there were not enough staff members in the building to meet staff/child ratio.
12. Ratio was doubled in the school age group to allow access to the program, however, the program does not serve only school age children.
13. Both child care staff members did not have a working communication device when one staff member left the group to allow access to the school age only program.
14. The child care staff member did not return to the group after allowing access to the school age only program.
15. Other [].

Additional child care staff members must be hired or current child care staff members must be rescheduled to maintain compliance. Provide staff training. Submit the program's corrective action plan, which includes a statement that training was provided, to the Department to verify compliance with the requirements of this rule.

Risk Level: Moderate

Corrective Action Plan Due: 11/05/2023

Domain:02 Safe & Sanitary Environment

Rule: 5101:2-12-12 Safe Equipment

Code: The program is required to use equipment, that is safe and hazard free, according to the manufacturer's guidelines. Fans, air conditioners, heat pumps, and space heaters must be inaccessible to children. The program is required to refrain from using trampolines, ball pits and inflatable equipment intended for climbing and bouncing, including but not limited to slides and bounce houses.



Allegation: It was alleged there are broken toys on the playground.

Determination: Substantiated

Findings: During the inspection, equipment was determined to be unsafe, hazardous to children, or in need of repair as noted in number(s) 5 below:

1. Manufacturer's guidelines for the [] were not followed in that [].
2. The straps were missing on the [].
3. The straps were attached, but were not used on the [].
4. The straps were attached and were used, but were not used in a safe manner.
5. The equipment had sharp points or corners.
6. The equipment had splinters.
7. The equipment had protruding nails.
8. The equipment had loose or rusty parts.
9. The equipment had paint which contains lead or other poisonous materials.
10. The equipment had hazardous features.
11. A fan was unstable and could easily tip over.
12. A fan had openings a finger could enter.
13. The pipes from the heat pump felt hot to the touch
14. A space heater felt hot to the touch
15. The position of a space heater was a tripping hazard
16. The air conditioning unit was not enclosed and was accessible to children on the playground.
17. A ball pit, trampoline, inflatable bounce house, inflatable slide, or inflatable equipment used for climbing and bouncing was used.
18. Other [].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Risk Level: Low

Corrective Action Plan Due: 11/05/2023

Domain:04 Indoor/Outdoor Space

Rule: 5101:2-12-11 Outdoor Play Equipment

Code: The program is required to provide equipment that does not pose a safety risk and must follow the manufacturer's guidelines for assembling, installing and using the equipment.

Allegation: It was alleged children play on equipment that is not age appropriate.

Determination: Substantiated

Findings: During the inspection, it was determined that outdoor play equipment was unsafe or not used as intended as noted in number(s) 12 below:

1. There was rust exposed.
2. There were protruding bolts.
3. There were cracks.
4. There were holes.
5. There was splintering wood.
6. There were sharp edges or points.



- 7. There were lead hazards.
- 8. There were toxic substances.
- 9. There were tripping hazards.
- 10. There was chipped and/or peeling paint.
- 11. The sandbox was not covered when the program was closed or during non-daylight hours.
- 12. Outdoor equipment, large little tykes climber, was not developmentally appropriate.
- 13. Outdoor equipment, [], was placed in the main traffic pattern.
- 14. Outdoor play equipment, [], was positioned too closely together, posing a risk of injury if a child were to fall from one piece of equipment into another.
- 15. Outdoor equipment, [], was not securely anchored but did not present a risk of imminent danger of the structure collapsing when children are using the equipment
- 16. Outdoor equipment, [], was 30 inches or more from the ground and did not have a protective barrier that would prevent a child from falling off this piece of equipment.
- 17. The manufacturer's guidelines for assembly and installation were not followed for the [].
- 18. Functionally linked equipment was used by preschool-age children and the distance between two adjacent pieces of equipment exceeded 12 inches.
- 19. Functionally linked equipment was used by school-age children and the distance between two adjacent pieces of equipment exceeded 18 inches.
- 20. Other [].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Risk Level: Low

Corrective Action Plan Due: 11/05/2023

Summary of Additional Non-Compliances

Serious Risk Non-Compliances

No Additional Serious Risk Non-Compliances were observed during this inspection

[Empty box for reporting serious risk non-compliances]

[Empty box for reporting serious risk non-compliances]

Moderate Risk Non-Compliances

No Additional Moderate Risk Non-Compliances were observed during this inspection

[Empty box for reporting moderate risk non-compliances]



--

Low Risk Non-Compliances

Domain:01 Ratio & Supervision

Rule: 5101:2-12-18 Group Size

Code: The program is required to maintain the appropriate group size for each group of children served.

Findings: During the inspection, group size limitations were not maintained for the group of 2 years old's and up as it was observed there were 15 children grouped together. The group size shall not exceed twice the maximum number of children allowed per Child Care Staff Member. Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 11/05/2023

Domain:01 Ratio & Supervision

Rule: 5101:2-12-18 Group Size

Code: The program may combine all age groups when there are twelve or fewer children in the center.

Findings: During the inspection, it was determined groups which included children less than two and one half years were combined with groups of children two and one half years and older and there were more than 12 children in the center. Technical assistance was provided at the time of the inspection, and as discussed, please correct this rule noncompliance. A written response for this rule noncompliance is not required at this time.

Domain:04 Indoor/Outdoor Space

Rule: 5101:2-12-11 Outdoor Play Fall Zones

Code: The program is required to provide fall zones around equipment to prevent injury if a child were to fall.

Findings: During the inspection, it was determined the fall zone under and around equipment designated for climbing, swinging, balancing and sliding did not meet the requirements as noted in number(s) 1 below:

1. The fall surface material had not been properly distributed or raked as needed to retain proper depth under and around equipment. Fall surface under the swings needs redistributed.
2. A fall zone hazard was present, in that, the [] posed a risk of injury if a child were to fall from a piece of equipment.
3. The fall zone was less than 3 feet from the fence for equipment used by children 23 months of age and younger.
4. The fall zone was less than 6 feet from the fence for equipment used by children 24 months of age and older.
5. There was not a fall zone of 3 feet in all directions from the perimeter of the equipment used by children 23 months of age and younger.



6. There was not a fall zone of 6 feet in all directions from the perimeter of the equipment used by children 24 months of age and older.
7. The fall zone was less than 4 1/2 feet from each piece of applicable equipment used by children 23 months of age and younger.
8. The fall zone was less than 9 feet from each piece of applicable equipment used by children 24 months of age and older.
9. Other [].

The program is required to provide adequate fall zones under and around outdoor play equipment at all times. Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 11/05/2023