



Family Child Care Licensing Inspection Full Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <http://jfs.ohio.gov/CDC/childcare.stm>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details		
Program Name BURNETTE, ROBINETTE	Program Number 000000999091926	Program Type FCC - Type B Home
Address 431 W. MIDLOTHIAN BLVD. YOUNGSTOWN OH 44511		County MAHONING

Inspection Information		
Inspection Type Compliance	Inspection Scope Full	Inspection Notice Announced
Inspection Date	Begin Time	End Time
Reviewer:		

Summary of Findings				
No. Rules Verified 68	No. Rules with Non-compliances 3	No. Serious Risk 0	No. Moderate Risk 1	No. Low Risk 3

License Capacity and Enrollment at the Time of Inspection				
Age Group	License Capacity	Enrollment		Total
	Totals	Full Time	Part Time	
Infant (Birth to < 18 m)		1	0	1
Young Toddler		0	0	0
Total Under 2 Years	3	1	0	1
Older Toddler		2	0	2
Preschool		0	0	0
School Age		0	0	0
Total Capacity/Enrollment	6	2	0	3

Staff-Child Ratios at the Time of Inspection			
Group	Age Group/Range	Ratio Observed	Comment
mixed ages		1 to 2	



Summary of Non-Compliances

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

Serious Risk Non-Compliances

No Serious Risk Non-Compliances were observed during this inspection

Moderate Risk Non-Compliances

Domain: 01 Ratio & Supervision

Rule: 5101:2-13-19 Supervision

Code: The program is required to supervise children.

Findings: During the inspection, it was determined that children were left unattended and not supervised, in that Rondell G. was sleeping upstairs and not within sight or hearing of the provider. Submit the program's corrective action plan to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 06/02/2024

Low Risk Non-Compliances

Domain: 00 License & Approvals

Rule: 5101:2-13-04 Fire Safety for Type B Homes

Code: The program is required to meet all requirements for fire extinguishers.



Findings: During the inspection, it was determined the fire extinguisher was not meeting the requirements in the following number(s) 4 listed below: The fire extinguisher was over 10 years old.

1. There was no fire extinguisher.
2. The fire extinguisher was not working.
3. The fire extinguisher was not rated at the minimum rating.
4. The fire extinguisher had expired.
5. The fire extinguisher was not located in the kitchen where food is provided for child care or cooking area.

Correct the violation and submit the program's corrective action plan to verify compliance with the requirement of the rule.

Corrective Action Plan Due: 06/02/2024

Domain: 00 License & Approvals

Rule: 5101:2-13-04 Fire Safety for Type B Homes

Code: The program is required to maintain smoke alarms in the appropriate areas of the program building.

Findings: During the inspection, it was determined that the Type B Home did not have a working smoke alarm in the second level of the home or smoke alarm(s) were not [placed/installed/tested/maintained] in accordance with manufacturer's recommendations. A working smoke alarm must be placed, installed, tested, and maintained in accordance with manufacturer's recommendations. Submit the program's corrective action plan to verify compliance with this rule.

Corrective Action Plan Due: 06/02/2024

Domain: 02 Safe & Sanitary Environment

Rule: 5101:2-13-12 Safe Environment

Code: The program is required to have running water below the temperature of 120 degrees Fahrenheit.

Findings: During the inspection, it was determined the water temperature was 131 degree F in the following room(s) Kitchen and bathroom. This temperature exceeds the requirement of remaining below 120 degrees Fahrenheit. Correct the violation and submit the program's corrective action plan to verify compliance with the requirement of the rule.

Corrective Action Plan Due: 06/02/2024



Rules In-Compliance/Not Verified

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-02 License Visible	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-02 Voluntary Temporary Closure	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-02 Change of Location	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-02 Information in OCLQS	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-02 Provider Medical	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-03 Inspection Requirements	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-04 Building Requirements for Type B Homes	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-04 Flammable and Combustible Materials in a Type B Home	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-04 Heaters in a Type B Home	Compliant	



Rule	Status	Documenting Statement(s), If applicable
5101:2-13-05 Denial, Revocation, and Suspension	Compliant	
5101:2-13-07 Staff Records	Compliant	
5101:2-13-07 Type B Provider - Foster Parent	Compliant	
5101:2-13-08 Employee Requirements	Compliant	
5101:2-13-08 Whistle Blower	Compliant	
5101:2-13-09 Background Checks	Compliant	
5101:2-13-10 Health Training	Compliant	
5101:2-13-10 Professional Development	Compliant	
5101:2-13-11 Outdoor Space	Compliant	
5101:2-13-11 Outdoor Equipment	Compliant	



Rule	Status	Documenting Statement(s), If applicable
5101:2-13-11 Fall Zone	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-12 Safe Equipment	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-13 Clean environment and equipment	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-13 Handwashing	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-13 Smoke Free	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-13 Toothbrushing	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-14 Requirements for Field and Routine Trips	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-14 Ratio and Supervision for Field and Routine Trips	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-14 Driver Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-14 Vehicle Inspections	Compliant	
Rule	Status	Documenting Statement(s), If applicable



5101:2-13-14 Vehicle Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-15 Child Medical and Enrollment Records	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-15 Health Conditions	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-15 Child Records Retention and Confidentiality	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 Medical, Dental, and General Emergency Plan	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 Emergency Drills	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 First Aid Kit/Standard Precautions	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 Communicable Diseases	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 Incident/Injury	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 Emergency Preparedness and Response Plan	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-18 Attendance	Compliant	



Rule	Status	Documenting Statement(s), If applicable
5101:2-13-19 School Age Supervision	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-19 Child Guidance	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-20 Sleep and Nap Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-20 Crib and Playpen Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-21 Evening and Overnight Care	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-21 Sanitary Environment and Hygiene	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-22 Meals and Snacks	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-22 Fluid Milk	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-22 Food Handling	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-23 Infant Daily Care	Compliant	



Rule	Status	Documenting Statement(s), If applicable
5101:2-13-23 Infant Bottle and Food Preparation	Compliant	
5101:2-13-23 Diapering	Compliant	
5101:2-13-24 Parent Permission for Swimming	Compliant	
5101:2-13-25 Medication Requirements	Compliant	
5101:2-13-07 Provider Responsibilities	Compliant	
5101:2-13-18 Group Size and Ratios	Compliant	
5101:2-13 Written Policies and Procedures	Compliant	
5101:2-13-12 Carbon Monoxide Detectors - Type B Only	Compliant	
5101:2-13-08 Child Care Staff Requirements	Compliant	
5101:2-13-11 Indoor Space	Compliant	



Rule	Status	Documenting Statement(s), If applicable
5101:2-13-17 Programming	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-24 On-site Pools	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-12 Pets	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-24 Swimming Sites	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-17 Materials and Equipment	Compliant	