

## Licensing Inspection Full Report

Program Details		
Program Type: Pre School	Program Name: Shenandoah Elementary School	Program Number: 1230028259
Address: 20977 Zep Rd E  Sarahsville OH 43779		County: NOBLE
Organization Name: Noble Local	Org IRN: 048900	Site IRN: 091363

Inspection Information		
Inspection Type Amendment - change of capacity	Inspection Scope: Partial	Inspection Notice: Unannounced
Visit Date: 06/10/2026	Begin Time: 9:45 AM	End Time: 10:40 AM

The most recent written compliance reports and the program's corrective action plan shall remain posted in a conspicuous place near the posted program license until the next compliance report is received from the department

Note: All documented non-compliances are grouped as Serious, Moderate and Low risk violations. A serious risk non-compliance may impact a program's Step up to Quality rating.

Summary of Findings		
Number of Rules Verified: 178	Number of Rules with Non-Compliances: 0	
Serious Risk Non-Compliances: 0	Moderate Risk Non-Compliances: 0	Low Risk Non-Compliances: 0

Summary of Non-Compliances
If a program disagrees with a licensing finding, the program may request a review of the finding(s). The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious risk non-compliance is cited.
Serious Risk Non-Compliances
<b>No Serious Risk Non-Compliances were observed during this inspection</b>

<b>Moderate Risk Non-Compliances</b>
No Moderate Risk Non-Compliances were observed during this inspection
<b>Low Risk Non-Compliances</b>
No Low Risk Non-Compliances were observed during this inspection

<b>Rules in Compliance/Not Verified</b>	
<b>Rule: 5180-37:05 Electrical outlets</b>	<i>Compliant</i>
<b>Rule: 5180-37:05 Safe play space available</b>	<i>Compliant</i>
<b>Rule: 5180-37:06 Materials selected independently</b>	<i>Compliant</i>
<b>Rule: 5180-37:05 Annual fire inspection</b>	<i>Compliant</i>
<b>Rule: 5180-37:05 Square footage and maximum capacity</b>	<i>Compliant</i>
<b>Rule: 5180-37:05 Center cleaning and sanitizing</b>	<i>Compliant</i>
<b>Rule: 5180-37:05 Phone available</b>	<i>Compliant</i>
<b>Rule: 5180-37:05 Smoking prohibited</b>	<i>Compliant</i>

<b>Rule: 5180-37:05 Indoor space minimum requirements</b>	<i>Compliant</i>
<b>Rule: 5180-37:06 Cleaning and sanitizing supplies</b>	<i>Compliant</i>
<b>Rule: 5180-37:06 Safe and sanitary equipment and materials</b>	<i>Compliant</i>
<b>Rule: 5180-37:06 Furniture and equipment</b>	<i>Compliant</i>
<b>Rule: 5180-37:07 Emergency procedure postings and records</b>	<i>Compliant</i>
<b>Rule: 5180-37:07 Emergency numbers posting</b>	<i>Compliant</i>
<b>Rule: 5180-37:07 Medical and dental emergency procedure posting</b>	<i>Compliant</i>
<b>Rule: 5180-37:09 Food license</b>	<i>Compliant</i>
<b>Rule: 5180-37:11 Communicable disease chart posted</b>	<i>Compliant</i>