



## Center Complaint Inspection Summary Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <http://jfs.ohio.gov/CDC/childcare.stm>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details		
Program Name Little Hearts School House Infant Toddler Academy	Program Number 2170014408	Program Type Child Care Center
Address 4544 West Hillcrest Ave. Dayton OH 45406	County MONTGOMERY	

Inspection Information			
Inspection Type Complaint		Inspection Scope Partial	Inspection Notice Unannounced
Reviewer(s) Carlie Bennett	Inspection Day 08/07/2023	Begin Time 12:42 PM	End Time 1:32 PM
Summary of Findings			
No. Rules Verified 7	No. Rules with Non-compliances 4	No. Serious Risk 0	No. Moderate Risk 0
		No. Low Risk 4	

Staff-Child Ratios at the Time of Inspection			
Group	Age Group/Range	Ratio Observed	Comment
Toddler		2 to 5	
Infant		2 to 5	
Older Toddler		1 to 6	
Preschool		1 to 7	



### Complaint Allegations

*If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.*

#### Domain:07 Diapering & Infant Care

Rule: 5101:2-12-20 Cribs

Code: The program is required to obtain written permission from parents of children who are over 12 months old and will using a cot/mat instead of a crib.

Allegation: Infants not sleeping in cribs.

Determination: Substantiated

Findings: During the inspection, it was determined that an infant who was 12 months or older was assigned to a mat without written permission from the parent, as required by this rule. Technical assistance was provided at the time of the inspection, and as discussed, please correct this rule noncompliance. A written response for this rule noncompliance is required.

Risk Level: Low

Corrective Action Plan Due: 09/14/2023

### Summary of Additional Non-Compliances

#### Serious Risk Non-Compliances

No Additional Serious Risk Non-Compliances were observed during this inspection

#### Moderate Risk Non-Compliances

No Additional Moderate Risk Non-Compliances were observed during this inspection



### Low Risk Non-Compliances

#### Domain:01 Ratio & Supervision

Rule: 5101:2-12-18 Attendance Records

Code: The program is required to have a method for tracking the children in each group. The tracking method must be updated throughout the day and kept with the group at all times.

Findings: During the inspection, it was determined that the method for tracking children in each group did not meet the requirements of the rule as noted in number(s) 5 below:

1. There was no method in place;
2. The method did not include each child's name;
3. The method did not include each child's date of birth;
4. The tracking method did not remain with the group at all times;
5. The tracking method was not updated throughout the day as children entered or left the group. Child was not signed into classroom attendance.

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 09/14/2023

#### Domain:02 Safe & Sanitary Environment

Rule: 5101:2-12-12 Safe Equipment

Code: The program is required to use equipment, that is safe and hazard free, according to the manufacturer's guidelines. Fans, air conditioners, heat pumps, and space heaters must be inaccessible to children. The program is required to refrain from using trampolines, ball pits and inflatable equipment intended for climbing and bouncing, including but not limited to slides and bounce houses.

Findings: During the inspection, equipment was determined to be unsafe, hazardous to children, or in need of repair as noted in number(s) 5 below:

1. Manufacturer's guidelines for the [ ] were not followed in that [ ].
2. The straps were missing on the [ ].
3. The straps were attached, but were not used on the [ ].
4. The straps were attached and were used, but were not used in a safe manner.
5. The equipment had sharp points or corners. Broken toy bucket and cracked tube toy in infants
6. The equipment had splinters.
7. The equipment had protruding nails.
8. The equipment had loose or rusty parts.
9. The equipment had paint which contains lead or other poisonous materials.
10. The equipment had hazardous features.
11. A fan was unstable and could easily tip over.
12. A fan had openings a finger could enter.
13. The pipes from the heat pump felt hot to the touch



14. A space heater felt hot to the touch
15. The position of a space heater was a tripping hazard
16. The air conditioning unit was not enclosed and was accessible to children on the playground.
17. A ball pit, trampoline, inflatable bounce house, inflatable slide, or inflatable equipment used for climbing and bouncing was used.
18. Other

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 09/14/2023

**Domain:07 Diapering & Infant Care**

Rule: 5101:2-12-20 Cribs

Code: The program is required to provide cribs with mattresses in good condition and sheets that are not too large or too small for the crib.

Findings: During the inspection, it was determined that sheets, mattresses and/or mattress covers did not meet the rule requirement as noted in number(s) 2 below:

1. At least one crib did not have a sheet.
2. At least one sheet was too large.
3. At least one sheet was too small.
4. At least one sheet was torn.
5. The mattress was not at least one and one-half inches thick.
6. The mattress was not firm.
7. There was space between the mattress and the sides and end panels of the crib which exceeded one and one-half inches.
8. The mattress cover was not waterproof.
9. The mattress cover was torn.
10. Other:

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 09/14/2023