

Family Child Care Licensing Inspection Full Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at http://jfs.ohio.gov/CDC/childcare.stm. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details			
Program Name	Program Number	Program Type	
Rhonda Thomas Gigi's 1st Step Learning &	2170014593	FCC - Type B Home	
Development Child Care			
Address		County	
2902 West Central Ave		LUCAS	
Toledo			
OH 43606			

Inspection Information					
Inspection Type		Inspection So	cope	Inspection Notice	
Amendment - cha	nge of location	Full		Announced	
Inspection Date		Begin Time		End Time	
05/28/2025		12:48 PM		2:12 PM	
Reviewer:					
Kimberly Dada					
Summary of Findings					
No. Rules Verified	No. Rules with Non-	compliances	No. Serious Risk	No. Moderate Risk	No. Low Risk
68	4		0	0	5

License Capacity and Enrollment at the Time of Inspection				
Age Group	License Capacity	Enrollment		
	Totals	Full Time	Part Time	Total
Infant (Birth to < 18 m)		0	0	0
Young Toddler		0	0	0
Total Under 2 Years	3	0	0	0
Older Toddler		0	0	0
Preschool		0	0	0
School Age		0	0	0
Total Capacity/Enrollment	6	0	0	0

Staff-Child Ratios at the Time of Inspection			
Group	Age Group/Range	Ratio Observed	Comment
one		1 to 0	



Summary of Non-Compliances

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

Serious Risk Non-Compliances
No Serious Risk Non-Compliances were observed during this inspection
Moderate Risk Non-Compliances
No Moderate Risk Non-Compliances were observed during this inspection

Low Risk Non-Compliances

Domain: 02 Safe & Sanitary Environment

Rule: 5180:2-13-12 Safe Environment

Code: The program is required to provide an environment that protects the children in care from any items and conditions that may threaten their health, safety, and well-being.



Findings: Children in care shall be protected from any items and conditions which threaten their health, safety, and well being. During the inspection, it was determined that children were not protected from the following item(s) or condition(s) which may threaten their health, safety, or well being as noted in the following number(s) 22 below:

- 1. Surge protectors/outlets did not have childproof receptacle covers.
- 2. Open pull cords that are not closed loop.
- 3. Toys or other items small enough to be swallowed were present in the space where infants and/or toddlers were in care.
- 4. Electrical/extension cords attached to an object that would not likely result in a severe injury if pulled.
- 5. Stacked chairs.
- 6. Telephone cords.
- 7. Employee(s) purse(s).
- 8. Diaper bags.
- 9. Television not securely anchored.
- 10. Small or lightweight pieces of shelving units are not securely anchored to the wall.
- 11. Staff member stepped over a barrier/gate while holding a child.
- 12. Chipping or peeling paint.
- 13. An area rug did not have a nonskid backing.
- 14. An area rug presented a tripping hazard.
- 15. A floor surface was unsafe in that [].
- 16. No platform was provided for the sink or toilet.
- 17. The platform provided for the sink or toilet was not sturdy.
- 18. The platform provided for the sink or toilet posed a safety hazard in that [].
- 19. Emergency exits were blocked by the following furniture in that [].
- 20. A mercury thermometer was being used to take a child's temperature.
- 21. Methods of ventilation used did not provide protection from rodents, insects, or other hazards.
- 22. Other wall diaper changing table not securely anchored.

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 06/27/2025

Domain: 02 Safe & Sanitary Environment

Rule: 5180:2-13-13 Clean environment and equipment

Code: The program is required to have all required items in the restroom(s) and keep them sanitary.

Findings: During the inspection, it was determined that unsanitary conditions, as noted in the following number(s) 4 below, were in the upstairs restroom:

- 1. There was no liquid soap.
- 2. There was no toilet tissue.
- 3. There were no individually assigned towels or disposable towels.
- 4. The toilet cleaning brush was accessible to the children.
- 5. The plunger was accessible to the children.



- 6. The toilet was not flushed.
- 7. The trash was not emptied from the day before.
- 8. There was a strong urine odor.
- 9. Other [].

The restroom(s) must be kept sanitary at all times. Submit the program's corrective action plan to verify compliance with the requirement of the rule.

Corrective Action Plan Due: 06/27/2025

Domain: 03 Postings & Equipment

Rule: 5180:2-13-16 Medical, Dental, and General Emergency Plan

Code: The program is required to post the fire and weather alert plan with a diagram.

Findings: During the inspection, it was determined the following information was not posted for item number(s) 1,3 below:

- 1. Fire alert plan, including a diagram indicating evacuation routes.
- 2. Weather alert plan was missing details for [].
- 3. Weather alert plan was missing a diagram indicating evacuation routes.

Correct the violation and submit the program's corrective action plan to verify compliance with the requirement of the rule.

Corrective Action Plan Due: 06/27/2025

Domain: 03 Postings & Equipment

Rule: 5180:2-13-16 Medical, Dental, and General Emergency Plan

Code: The program is required to post the completed JFS 01242 "Medical, Dental, and General Emergency Plan for Child Care" and implement as required by rule.

Findings: During the inspection, it was determined the requirements for the JFS 01242 "Medical, Dental and General Emergency Plan" were not followed as noted in number(s) 1 below:

- 1. The plan was not posted on each level of the home used for child care.
- 2. The name, address and telephone number of the program were not complete.
- 3. The location of the first aid kit, fire extinguisher and fire alarm system, fire alarm pull stations and electrical circuit box were not complete.
- 4. The telephone number for emergency squad, fire department hospital, poison control program, public children services agency, local health department, local emergency management agency and police department were not complete.
- 5. Location of children's records was not complete.



- 6. Emergency information including any medications or supplies needed i the event of an evacuation was not complete.
- 7. The current version of the prescribed form was not used.
- 8. The plan was not implemented when necessary in that [].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 06/27/2025

Domain: 08 Staff Files

Rule: 5180:2-13-07 Provider Responsibilities

Code: The provider is required to reside at the licensed location, not have additional activities or employment during the program's operating hours, be on-site at the program for at least 75 percent of the program's operating hours, and have hours of availability posted in a noticeable place.

Findings: During the inspection, it was determined that the provider was not meeting the following requirements as noted in number(s) 4 below:

- 1. The provider no longer resides at the licensed location.
- 2. The licensed provider has additional activities/employment during operating hours, in that [].
- 3. The provider was not on-site for 75 percent of the program's operating hours as required by this rule.
- 4. The provider did not have hours of availability to meet with parents a noticeable location.

Correct the violation and submit the program's corrective action plan to verify compliance with the requirement of the rule.

Corrective Action Plan Due: 06/27/2025

Rules In-Compliance/Not Verified

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-02 Voluntary Temporary Closure	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-02 License Visible	Compliant	



•		
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-02 Change of Location	Compliant	
310012 13 02 change of Location	Compilant	
JPS - 99	32-	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-02 Information in OCLQS	Compliant	
	•	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-02 Provider Medical		bocumenting statement(s), it applicable
5180:2-13-02 Provider Medical	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-03 Inspection	Compliant	
Requirements	,	
nequirements		
Rule	Status	Desumenting Statement/s) If applicable
1000000000		Documenting Statement(s), If applicable
5180:2-13-04 Building Requirements	Compliant	
for Type B Homes		
	<u> </u>	
Rule	Status	Documenting Statement(s), If applicable
The control of the co		Documenting Statement(s), If applicable
5180:2-13-04 Fire Safety for Type B	Status Compliant	Documenting Statement(s), If applicable
The control of the control of the life transport of the life trans		Documenting Statement(s), If applicable
5180:2-13-04 Fire Safety for Type B		Documenting Statement(s), If applicable
5180:2-13-04 Fire Safety for Type B Homes	Compliant	
5180:2-13-04 Fire Safety for Type B Homes	Compliant	Documenting Statement(s), If applicable Documenting Statement(s), If applicable
5180:2-13-04 Fire Safety for Type B Homes	Compliant	
5180:2-13-04 Fire Safety for Type B Homes Rule 5180:2-13-04 Flammable and	Compliant	
5180:2-13-04 Fire Safety for Type B Homes Rule 5180:2-13-04 Flammable and Combustible Materials in a Type B	Compliant	
5180:2-13-04 Fire Safety for Type B Homes Rule 5180:2-13-04 Flammable and	Compliant	
S180:2-13-04 Fire Safety for Type B Homes Rule 5180:2-13-04 Flammable and Combustible Materials in a Type B Home	Status Compliant	Documenting Statement(s), If applicable
S180:2-13-04 Fire Safety for Type B Homes Rule 5180:2-13-04 Flammable and Combustible Materials in a Type B Home Rule	Status Compliant Status Status	
S180:2-13-04 Fire Safety for Type B Homes Rule 5180:2-13-04 Flammable and Combustible Materials in a Type B Home	Status Compliant	Documenting Statement(s), If applicable
S180:2-13-04 Fire Safety for Type B Homes Rule 5180:2-13-04 Flammable and Combustible Materials in a Type B Home Rule	Status Compliant Status Status	Documenting Statement(s), If applicable
S180:2-13-04 Fire Safety for Type B Homes Rule 5180:2-13-04 Flammable and Combustible Materials in a Type B Home Rule 5180:2-13-04 Heaters in a Type B	Status Compliant Status Status	Documenting Statement(s), If applicable
S180:2-13-04 Fire Safety for Type B Homes Rule 5180:2-13-04 Flammable and Combustible Materials in a Type B Home Rule 5180:2-13-04 Heaters in a Type B	Status Compliant Status Status	Documenting Statement(s), If applicable
S180:2-13-04 Fire Safety for Type B Homes Rule 5180:2-13-04 Flammable and Combustible Materials in a Type B Home Rule 5180:2-13-04 Heaters in a Type B Home	Status Compliant Status Compliant Status Compliant	Documenting Statement(s), If applicable Documenting Statement(s), If applicable
S180:2-13-04 Fire Safety for Type B Homes Rule 5180:2-13-04 Flammable and Combustible Materials in a Type B Home Rule 5180:2-13-04 Heaters in a Type B Home	Status Compliant Status Compliant Status Compliant	Documenting Statement(s), If applicable
S180:2-13-04 Fire Safety for Type B Homes Rule 5180:2-13-04 Flammable and Combustible Materials in a Type B Home Rule 5180:2-13-04 Heaters in a Type B Home	Status Compliant Status Compliant Status Compliant	Documenting Statement(s), If applicable Documenting Statement(s), If applicable
S180:2-13-04 Fire Safety for Type B Homes Rule 5180:2-13-04 Flammable and Combustible Materials in a Type B Home Rule 5180:2-13-04 Heaters in a Type B Home	Status Compliant Status Compliant Status Compliant	Documenting Statement(s), If applicable Documenting Statement(s), If applicable
S180:2-13-04 Fire Safety for Type B Homes Rule 5180:2-13-04 Flammable and Combustible Materials in a Type B Home Rule 5180:2-13-04 Heaters in a Type B Home	Status Compliant Status Compliant Status Compliant	Documenting Statement(s), If applicable Documenting Statement(s), If applicable
S180:2-13-04 Fire Safety for Type B Homes Rule 5180:2-13-04 Flammable and Combustible Materials in a Type B Home Rule 5180:2-13-04 Heaters in a Type B Home	Status Compliant Status Compliant Status Compliant	Documenting Statement(s), If applicable Documenting Statement(s), If applicable
S180:2-13-04 Fire Safety for Type B Homes Rule 5180:2-13-04 Flammable and Combustible Materials in a Type B Home Rule 5180:2-13-04 Heaters in a Type B Home	Status Compliant Status Compliant Status Compliant	Documenting Statement(s), If applicable Documenting Statement(s), If applicable
S180:2-13-04 Fire Safety for Type B Homes Rule 5180:2-13-04 Flammable and Combustible Materials in a Type B Home Rule 5180:2-13-04 Heaters in a Type B Home Rule 5180:2-13-07 Staff Records	Status Compliant Status Compliant Status Compliant Status Compliant Status Status Compliant	Documenting Statement(s), If applicable Documenting Statement(s), If applicable Documenting Statement(s), If applicable
S180:2-13-04 Fire Safety for Type B Homes Rule 5180:2-13-04 Flammable and Combustible Materials in a Type B Home Rule 5180:2-13-04 Heaters in a Type B Home Rule 5180:2-13-07 Staff Records	Status Compliant Status Compliant Status Compliant Status Compliant	Documenting Statement(s), If applicable Documenting Statement(s), If applicable Documenting Statement(s), If applicable



-		
Rule	Status	Documenting Statement(s), If applicable
		Documenting Statement(s), if applicable
5180:2-13-07 Type B Provider - Foster	Compliant	
Parent		
<u></u>		
Rule	Status	Documenting Statement(s), If applicable
100000000000000000000000000000000000000	- Control of the Cont	Documenting Statement(s), if applicable
5180:2-13-08 Employee Requirements	Compliant	
	<u></u>	
Dol-	Chahira	D
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-08 Child Care Staff	Compliant	
Requirements		
D. I.	Chatana	D
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-08 Whistle Blower	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-09 Background Checks	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-10 Health Training	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-10 Professional	Compliant	
Development		
79		
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-11 Indoor Space	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-11 Outdoor Equipment	Compliant	
Report Control	■ Single Transition ■ Single Singl	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-11 Outdoor Space	Compliant	
	I.	
Rule	Status	Documenting Statement(s), If applicable
Titale	Julius	Documenting Statement(3), il applicable



5180:2-13-11 Fall Zone	Compliant	
Rule	Status	Decumenting Statement(s) If applicable
5180:2-13-12 Safe Equipment	Compliant	Documenting Statement(s), If applicable
5160.2-13-12 Sale Equipment	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-12 Carbon Monoxide	Compliant	
Detectors - Type B Only		
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-12 Pets	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-13 Smoke Free	Compliant	Documenting Statement(s), it applicable
526612 25 26 5111616 7 7 65	- Compilation	
	- COMM (22)	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-14 Vehicle Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-14 Requirements for Field	Compliant	
and Routine Trips		
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-13 Handwashing	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-14 Driver Requirements	Compliant	Documenting Statement(s), if applicable
5100.2 15 11 biller Requirements	Compilant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-13 Toothbrushing	Compliant	
		'
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-14 Ratio and Supervision	Compliant	
for Field and Routine Trips		



	Į.	I
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-14 Vehicle Inspections	Compliant	(-)/
Ç		
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-15 Child Medical and	Compliant	
Enrollment Records		
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-15 Health Conditions	Compliant	
Rule	Status	Documenting Statement(s) If applicable
5180:2-13-15 Child Records Retention	Compliant	Documenting Statement(s), If applicable
and Confidentiality	Compliant	
and Confidentiality		
Rule	Status	Documenting Statement(s) If applicable
	Control of the Contro	Documenting Statement(s), If applicable
5180:2-13-16 Emergency Drills	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-16 First Aid Kit/Standard	Compliant	bootimenting statement(5), it approasts
Precautions	Compilation	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-16 Communicable Diseases	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-16 Incident/Injury	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-16 Emergency	Compliant	
Preparedness and Response Plan		
	C	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-17 Programming	Compliant	



Rule	Status	Documenting Statement(s), If applicable
5180:2-13-17 Materials and	Compliant	Documenting Statement(s), if applicable
	Compliant	
Equipment		
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-18 Group Size and Ratios	Compliant	
		,
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-18 Attendance	Compliant	
	90	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-19 Supervision	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-19 School Age Supervision	Compliant	
	I -	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-19 Child Guidance	Compliant	
Rule	Status	Decumenting Statement/s) If amplicable
5180:2-13-20 Sleep and Nap	Compliant	Documenting Statement(s), If applicable
	Compilant	
Requirements		
	52	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-20 Crib and Playpen	Compliant	bootinenting statement(s), it approaches
Requirements	Compilant	
Requirements		
		-
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-21 Evening and Overnight	Compliant	()
Care	in an expectable of the state o	
PROSERVATORS		
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-21 Sanitary Environment	Compliant	
and Hygiene	,	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-22 Meals and Snacks	Compliant	



~~*		
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-22 Fluid Milk	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-22 Food Handling	Compliant	
5		
Parl -	Chahina	D
Rule 5180:2-13-23 Infant Daily Care	Status Compliant	Documenting Statement(s), If applicable
5160.2-15-25 illiant Daily Care	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-23 Infant Bottle and Food	Compliant	
Preparation		
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-23 Diapering	Compliant	
	50	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-24 On-site Pools	Compliant	became ming statement (s), it approaches
510012 10 2 1 0 11 0 10 1 0 1 0 1 0		
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-24 Swimming Sites	Compliant	
	·	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-24 Parent Permission for	Compliant	
Swimming		
Rule	Status	Documenting Statement(s). If applicable
Rule 5180:2-13-25 Medication	Status Compliant	Documenting Statement(s), If applicable
- Control Control	Status Compliant	Documenting Statement(s), If applicable