



Center Complaint Inspection Summary Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <http://jfs.ohio.gov/CDC/childcare.stm>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details		
Program Name kidsville childcare & learning center	Program Number 2180016696	Program Type Child Care Center
Address 5227 Main street sylvania OH 43560		County LUCAS

Inspection Information			
Inspection Type Complaint		Inspection Scope Partial	Inspection Notice Unannounced
Reviewer(s) REBECCA COY	Inspection Day 10/05/2023	Begin Time 11:05 AM	End Time 2:25 PM
Summary of Findings			
No. Rules Verified 10	No. Rules with Non-compliances 5	No. Serious Risk 0	No. Moderate Risk 0
		No. Low Risk 5	

Staff-Child Ratios at the Time of Inspection			
Group	Age Group/Range	Ratio Observed	Comment
Infant	0 to < 12 months	3 to 10	
Young Toddler	18 months to < 30 months	2 to 12	
Older Toddler	30 months to < 36 months	2 to 14	
Preschool	3 years to < 4 years	2 to 13	
Pre K	4 years to < 5 years	2 to 12	



Complaint Allegations

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

Domain:02 Safe & Sanitary Environment

Rule: 5101:2-12-12 Safe Equipment

Code: The program is required to use equipment, that is safe and hazard free, according to the manufacturer's guidelines. Fans, air conditioners, heat pumps, and space heaters must be inaccessible to children. The program is required to refrain from using trampolines, ball pits and inflatable equipment intended for climbing and bouncing, including but not limited to slides and bounce houses.

Allegation: Complainant alleges the program is providing unsafe equipment.

Determination: Substantiated

Findings: During the inspection, equipment was determined to be unsafe, hazardous to children, or in need of repair as noted in number 5 below:

1. Manufacturer's guidelines for the [] were not followed in that [].
2. The straps were missing on the [].
3. The straps were attached, but were not used on the [].
4. The straps were attached and were used, but were not used in a safe manner.
5. The equipment had sharp points or corners (cracked plastic on outdoor plastic climbing equipment)
6. The equipment had splinters.
7. The equipment had protruding nails.
8. The equipment had loose or rusty parts.
9. The equipment had paint which contains lead or other poisonous materials.
10. The equipment had hazardous features.
11. A fan was unstable and could easily tip over.
12. A fan had openings a finger could enter.
13. The pipes from the heat pump felt hot to the touch
14. A space heater felt hot to the touch
15. The position of a space heater was a tripping hazard
16. The air conditioning unit was not enclosed and was accessible to children on the playground.
17. A ball pit, trampoline, inflatable bounce house, inflatable slide, or inflatable equipment used for climbing and bouncing was used.
18. Other [].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Risk Level: Low

Corrective Action Plan Due: 11/04/2023

Domain:04 Indoor/Outdoor Space

Rule: 5101:2-12-11 Outdoor Space Requirements

Code: The program is required to have an outdoor play space free from immediate risk.

Allegation: Complainant alleges that the fence on the playground is unsafe.



Determination: Substantiated

Findings: During the inspection, it was determined that an outdoor play area was used which was not protected from traffic and other hazards by a fence in good repair, or other barrier. Although the fence or natural barrier was not meeting the rule requirements, it was determined to not present an immediate risk for a child to be able to leave the playground. The fence or gate was not in good repair and/or being used inappropriately as noted in number(s) 1, 2, 3, 4, & 11 below:

1. The fencing had missing slat boards.
2. The fencing was broken.
3. The fencing was loose.
4. The fencing was rotting.
5. The gate was broken and did not close.
6. The gate was locked.
7. The latch on the gate was broken.
8. The latch was easily opened by children on the playground.
9. The latch was not engaged to prevent children from opening the gate.
10. The gate had no latch.
11. There were bolts with more than two threads exposed along a fence line or gate on a playground.

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Risk Level: Low

Corrective Action Plan Due: 11/04/2023

Domain:05 Health & Safety

Rule: 5101:2-12-22 Meal and Snack Requirements

Code: The program is required to post the current weekly menu in a noticeable location that is accessible to parents and note any substitutions at the time of the change.

Allegation: Complainant alleges the program is not posting accurate menus.

Determination: Substantiated

Findings: During the inspection, it was determined that the program's weekly menu did not meet the requirement as noted in number 5 below.

1. The menu was not posted.
2. The posted menu was not in a visible place readily accessible to parents.
3. The menu was not currently dated.
4. The entire menu was substituted.
5. At least one item on menu did not match what was served.
6. The meal or snack served did not match the posted menu.

Technical assistance was provided at the time of the inspection, and as discussed, please correct this rule noncompliance. A written response for this rule noncompliance is required at this time. Submit the programs corrective action plan to the department to verify compliance with the requirements of this rule.

Risk Level: Low

Corrective Action Plan Due: 11/04/2023



Summary of Additional Non-Compliances

Serious Risk Non-Compliances

No Additional Serious Risk Non-Compliances were observed during this inspection

Moderate Risk Non-Compliances

No Additional Moderate Risk Non-Compliances were observed during this inspection

Low Risk Non-Compliances

Domain:04 Indoor/Outdoor Space

Rule: 5101:2-12-11 Outdoor Play Fall Zones

Code: The program is required to provide fall zones around equipment to prevent injury if a child were to fall.

Findings: During the inspection, it was determined the fall zone under and around equipment designated for climbing, swinging, balancing and sliding did not meet the requirements as noted in number 4 below:

1. The fall surface material had not been properly distributed or raked as needed to retain proper depth under and around equipment.
2. A fall zone hazard was present, in that, the [] posed a risk of injury if a child were to fall from a piece of equipment.
3. The fall zone was less than 3 feet from the fence for equipment used by children 23 months of age and younger.
4. The fall zone was less than 6 feet from the fence for equipment used by children 24 months of age and older.
5. There was not a fall zone of 3 feet in all directions from the perimeter of the equipment used by children 23 months of age and younger.



6. There was not a fall zone of 6 feet in all directions from the perimeter of the equipment used by children 24 months of age and older.
7. The fall zone was less than 4 1/2 feet from each piece of applicable equipment used by children 23 months of age and younger.
8. The fall zone was less than 9 feet from each piece of applicable equipment used by children 24 months of age and older.
9. Other [].

The program is required to provide adequate fall zones under and around outdoor play equipment at all times. Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 11/04/2023

Domain:07 Diapering & Infant Care

Rule: 5101:2-12-20 Cribs

Code: The program is required to space cribs two feet apart when in use.

Findings: During the inspection, it was determined that cribs were not two feet apart when in use, as required by this rule. Technical assistance was provided at the time of the inspection, and as discussed, please correct this rule noncompliance. A written response for this rule noncompliance is required at this time. Submit the programs corrective action plan to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 11/04/2023