

## Family Child Care Licensing Inspection Full Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <http://ifs.ohio.gov/CDC/childcare.stm>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details		
Program Name Rainbow Room Preschool	Program Number 2180017410	Program Type FCC - Type B Home
Address 1358 Le Mar Drive		County HAMILTON
Cincinnati OH 45238		

Inspection Information						
Inspection Type Amendment - change of location		Inspection Scope Full		Inspection Notice Announced		
Inspection Date 07/30/2025		Begin Time 9:00 AM		End Time 10:01 AM		
Reviewer: Jennifer Herzog						
Summary of Findings						
No. Rules Verified 68	No. Rules with Non-compliances 2	No. Serious Risk 0	No. Moderate Risk 1	No. Low Risk 3		

License Capacity and Enrollment at the Time of Inspection					
Age Group	License Capacity	Enrollment			
		Totals	Full Time	Part Time	Total
Infant ( Birth to < 18 m)		0	0	0	0
Young Toddler		0	0	0	0
<b>Total Under 2 Years</b>	<b>3</b>	0	0	0	0
Older Toddler		0	0	0	0
Preschool		0	0	0	0
School Age		0	0	0	0
<b>Total Capacity/Enrollment</b>	<b>7</b>	0	0	0	0

Staff-Child Ratios at the Time of Inspection			
Group	Age Group/Range	Ratio Observed	Comment
7/30/2025		1 to 0	

### Summary of Non-Compliances

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

#### Serious Risk Non-Compliances

**No Serious Risk Non-Compliances were observed during this inspection**

#### Moderate Risk Non-Compliances

##### **Domain: 02 Safe & Sanitary Environment**

Rule: 5180:2-13-12 Safe Environment

Code: The program is required to protect children from any items and conditions which threaten their health, safety, and well-being.

Findings: Children in care shall be protected from any items and conditions which threaten their health, safety, and well-being. During the inspection, it was determined the program did not protect children from an unsafe item or condition or equipment due to the following number 6 below:

1. Pull cord(s) on the window blind(s).
2. Extension cord(s); electrical cord(s) attached to an object that could result in a severe injury if pulled.
3. Stacked tables.
4. Folding tables.
5. Matches and/or a lighter.
6. Power tool(s).
7. Live wires.
8. Stove(s) that are either on or able to be turned on by a child.
9. Asbestos.
10. Traffic.
11. A body of water.
12. A well.
13. Environmental hazard(s) confirmed by local authorities having jurisdiction over the hazard.
14. A crockpot used to heat bottles.
15. Immediate access to a knife.
16. Large or heavy pieces of shelving units are not securely anchored to the wall.

17. Marijuana was accessible to children.  
18. Other [ ].

Any hazardous equipment must be removed, replaced, or repaired and any hazardous condition must be corrected and must be made inaccessible to children. Provide staff training. Submit the program's corrective action plan, which includes a statement that the item or condition has been removed and a statement that training was provided, to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 08/30/2025

### **Low Risk Non-Compliances**

#### **Domain: 00 License & Approvals**

Rule: 5180:2-13-04 Fire Safety for Type B Homes

Code: The program is required to meet all requirements for fire extinguishers.

Findings: During the inspection, it was determined the fire extinguisher was not meeting the requirements in the following number 1 listed below:

1. There was no fire extinguisher.
2. The fire extinguisher was not working.
3. The fire extinguisher was not rated at the minimum rating.
4. The fire extinguisher had expired.
5. The fire extinguisher was not located in the kitchen where food is provided for child care or cooking area.

Correct the violation and submit the program's corrective action plan to verify compliance with the requirement of the rule.

Corrective Action Plan Due: 08/30/2025

#### **Domain: 02 Safe & Sanitary Environment**

Rule: 5180:2-13-12 Safe Environment

Code: The program is required to store cleaning and sanitizing supplies in a place that is inaccessible to children. Cleaning agents, aerosol cans and chemical substances must be stored in their original container or clearly labeled. School-age children may use cleaning supplies and equipment with adult supervision.

**Findings:** During the inspection, cleaning and sanitizing equipment and supplies were not used or stored properly as noted in number 7 below:

1. Cosmetics were accessible to children in the [ ] area.
2. Disinfecting wipes were accessible to children in the [ ] area.
3. Fish food was accessible to children in the [ ] area.
4. Hand lotion was accessible to children in the [ ] area.
5. Hand sanitizer (for children under 24 months) was accessible to children in the [ ] area.
6. Laundry detergent was accessible to children in the [ ] area.
7. Powder dish washing soap was accessible to children in the [ ] area.
8. Paint cans were accessible to children in the [ ] area.
9. White out was accessible to children in the [ ] area.
10. Potting Soil was accessible to children in the [ ] area.
11. Other potentially hazardous substance [ ] was accessible to children in the [ ] area.
12. Cleaning/sanitizing supplies had not been clearly labeled.
13. School-age children were using cleaning supplies, agents and/or equipment without adult supervision.
14. A spray aerosol was used in the [ ] group while children were in attendance.
15. Other: [ ].

Provide staff training. Submit the program's corrective action plan, which includes a statement that the potentially hazardous substance is no longer accessible to children and a statement that training was provided, to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 08/30/2025

#### **Domain: 02 Safe & Sanitary Environment**

Rule: 5180:2-13-12 Safe Environment

Code: The program is required to provide an environment that protects the children in care from any items and conditions that may threaten their health, safety, and well-being.

**Findings:** Children in care shall be protected from any items and conditions which threaten their health, safety, and well being. During the inspection, it was determined that children were not protected from the following item(s) or condition(s) which may threaten their health, safety, or well being as noted in the following number 22 below:

1. Surge protectors/outlets did not have childproof receptacle covers.
2. Open pull cords that are not closed loop.
3. Toys or other items small enough to be swallowed were present in the space where infants and/or toddlers were in care.
4. Electrical/extension cords attached to an object that would not likely result in a severe injury if pulled.
5. Stacked chairs.
6. Telephone cords.
7. Employee(s) purse(s).
8. Diaper bags.
9. Television not securely anchored.
10. Small or lightweight pieces of shelving units are not securely anchored to the wall.

11. Staff member stepped over a barrier/gate while holding a child.
12. Chipping or peeling paint.
13. An area rug did not have a nonskid backing.
14. An area rug presented a tripping hazard.
15. A floor surface was unsafe in that [ ].
16. No platform was provided for the sink or toilet.
17. The platform provided for the sink or toilet was not sturdy.
18. The platform provided for the sink or toilet posed a safety hazard in that [ ].
19. Emergency exits were blocked by the following furniture in that [ ].
20. A mercury thermometer was being used to take a child's temperature.
21. Methods of ventilation used did not provide protection from rodents, insects, or other hazards.
22. Other: exposed insulation between the duct work and basement ceiling.

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 08/30/2025

#### Rules In-Compliance/Not Verified

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-02 Voluntary Temporary Closure	Compliant	
5180:2-13-02 License Visible	Compliant	
5180:2-13-02 Change of Location	Compliant	
5180:2-13-02 Information in OCLQS	Compliant	
5180:2-13-02 Provider Medical	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-03 Inspection Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-04 Building Requirements for Type B Homes	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-07 Provider Responsibilities	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-04 Flammable and Combustible Materials in a Type B Home	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-04 Heaters in a Type B Home	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-07 Staff Records	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13 Written Policies and Procedures	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-07 Type B Provider - Foster Parent	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-08 Employee Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-08 Child Care Staff Requirements	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-08 Whistle Blower	Compliant	
5180:2-13-09 Background Checks	Compliant	
5180:2-13-10 Health Training	Compliant	
5180:2-13-10 Professional Development	Compliant	
5180:2-13-11 Indoor Space	Compliant	
5180:2-13-11 Outdoor Equipment	Compliant	
5180:2-13-11 Outdoor Space	Compliant	
5180:2-13-11 Fall Zone	Compliant	
5180:2-13-12 Safe Equipment	Compliant	
5180:2-13-12 Carbon Monoxide Detectors - Type B Only	Compliant	



5180:2-13-12 Pets	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-13 Clean environment and equipment	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-13 Smoke Free	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-14 Vehicle Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-14 Requirements for Field and Routine Trips	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-13 Handwashing	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-14 Driver Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-13 Toothbrushing	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-14 Ratio and Supervision for Field and Routine Trips	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-14 Vehicle Inspections	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-15 Child Medical and Enrollment Records	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-15 Health Conditions	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-15 Child Records Retention and Confidentiality	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-16 Medical, Dental, and General Emergency Plan	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-16 Emergency Drills	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-16 First Aid Kit/Standard Precautions	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-16 Communicable Diseases	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-16 Incident/Injury	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-16 Emergency Preparedness and Response Plan	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-17 Programming	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-17 Materials and Equipment	Compliant	



Rule	Status	Documenting Statement(s), If applicable
5180:2-13-18 Group Size and Ratios	Compliant	
5180:2-13-18 Attendance	Compliant	
5180:2-13-19 Supervision	Compliant	
5180:2-13-19 School Age Supervision	Compliant	
5180:2-13-19 Child Guidance	Compliant	
5180:2-13-20 Sleep and Nap Requirements	Compliant	
5180:2-13-20 Crib and Playpen Requirements	Compliant	
5180:2-13-21 Evening and Overnight Care	Compliant	
5180:2-13-21 Sanitary Environment and Hygiene	Compliant	
5180:2-13-22 Meals and Snacks	Compliant	
5180:2-13-22 Fluid Milk	Compliant	

Rule 5180:2-13-22 Food Handling	Status Compliant	Documenting Statement(s), If applicable
Rule 5180:2-13-23 Infant Daily Care	Status Compliant	Documenting Statement(s), If applicable
Rule 5180:2-13-23 Infant Bottle and Food Preparation	Status Compliant	Documenting Statement(s), If applicable
Rule 5180:2-13-23 Diapering	Status Compliant	Documenting Statement(s), If applicable
Rule 5180:2-13-24 On-site Pools	Status Compliant	Documenting Statement(s), If applicable
Rule 5180:2-13-24 Swimming Sites	Status Compliant	Documenting Statement(s), If applicable
Rule 5180:2-13-24 Parent Permission for Swimming	Status Compliant	Documenting Statement(s), If applicable
Rule 5180:2-13-25 Medication Requirements	Status Compliant	Documenting Statement(s), If applicable