

Family Child Care Licensing Inspection Full Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <http://ifs.ohio.gov/CDC/childcare.stm>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details		
Program Name Perry's Place of Care	Program Number 2180018185	Program Type FCC - Type B Home
Address 2670 TRAVIS RD G COLUMBUS OH 43209	County FRANKLIN	

Inspection Information				
Inspection Type Amendment - change of location		Inspection Scope Full		Inspection Notice Announced
Inspection Date 04/15/2025		Begin Time 10:30 AM		End Time 1:00 PM
Reviewer: Cristina Boyer				
Summary of Findings				
No. Rules Verified 68	No. Rules with Non-compliances 7	No. Serious Risk 0	No. Moderate Risk 1	No. Low Risk 8

License Capacity and Enrollment at the Time of Inspection				
Age Group	License Capacity	Enrollment		
	Totals	Full Time	Part Time	Total
Infant (Birth to < 18 m)		0	0	0
Young Toddler		0	0	0
Total Under 2 Years	3	0	0	0
Older Toddler		0	0	0
Preschool		0	0	0
School Age		0	0	0
Total Capacity/Enrollment	6	0	0	0

Staff-Child Ratios at the Time of Inspection			
Group	Age Group/Range	Ratio Observed	Comment
Jellisa P.	Mixed Age Group	1 to 0	

Summary of Non-Compliances

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

Serious Risk Non-Compliances

No Serious Risk Non-Compliances were observed during this inspection

Moderate Risk Non-Compliances

Domain: 02 Safe & Sanitary Environment

Rule: 5180:2-13-12 Carbon Monoxide Detectors - Type B Only

Code: The program is required to meet all requirements for carbon monoxide detectors.

Findings: During the inspection, it was determined that the Type B Home did not have a working carbon monoxide detector in the basement . A carbon monoxide detector were not in accordance with manufacturer's recommendations. A working carbon monoxide detector must be placed, installed, tested, and maintained in accordance with manufacturer's recommendations. Submit the program's corrective action plan to verify compliance with this rule.

Corrective Action Plan Due: 05/15/2025

Low Risk Non-Compliances

Domain: 02 Safe & Sanitary Environment

Rule: 5180:2-13-12 Safe Environment

Code: The program is required to provide an environment that protects the children in care from any items and conditions that may threaten their health, safety, and well-being.

Findings: Children in care shall be protected from any item which threaten their health, safety, and well being. During the inspection, it was determined that children were not protected from the following item which may threaten their health, safety, or well being as noted in the following number 1 below:

1. outlets did not have childproof receptacle covers in the program room.
2. Open pull cords that are not closed loop.
3. Toys or other items small enough to be swallowed were present in the space where infants and/or toddlers were in care.
4. Electrical/extension cords attached to an object that would not likely result in a severe injury if pulled.
5. Stacked chairs.
6. Telephone cords.
7. Employee(s) purse(s).
8. Diaper bags.
9. Television not securely anchored.
10. Small or lightweight pieces of shelving units are not securely anchored to the wall.
11. Staff member stepped over a barrier/gate while holding a child.
12. Chipping or peeling paint.
13. An area rug did not have a nonskid backing.
14. An area rug presented a tripping hazard.
15. A floor surface was unsafe in that [].
16. No platform was provided for the sink or toilet.
17. The platform provided for the sink or toilet was not sturdy.
18. The platform provided for the sink or toilet posed a safety hazard in that [].
19. Emergency exits were blocked by the following furniture in that [].
20. A mercury thermometer was being used to take a child's temperature.
21. Methods of ventilation used did not provide protection from rodents, insects, or other hazards.
22. Other [].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 05/15/2025

Domain: 03 Postings & Equipment

Rule: 5180:2-13-16 Medical, Dental, and General Emergency Plan

Code: The program is required to post the completed JFS 01201 "Dental First Aid" and implement as required by rule.

Findings: During the inspection, it was determined the JFS 01201 "Dental First Aid" was not posted. Correct the violation and submit the program's corrective action plan to verify compliance with the requirement of the rule.

Corrective Action Plan Due: 05/15/2025

Domain: 03 Postings & Equipment

Rule: 5180:2-13-16 Medical, Dental, and General Emergency Plan

Code: The program is required to post the fire and weather alert plan with a diagram.

Findings: During the inspection, it was determined the following information was not posted for item number 1 below:

1. Fire alert plan, including a diagram indicating evacuation routes.
2. Weather alert plan was missing details for [].
3. Weather alert plan was missing a diagram indicating evacuation routes.

Correct the violation and submit the program's corrective action plan to verify compliance with the requirement of the rule.

Corrective Action Plan Due: 05/15/2025

Domain: 03 Postings & Equipment

Rule: 5180:2-13-16 Medical, Dental, and General Emergency Plan

Code: The program is required to post the completed JFS 01242 "Medical, Dental, and General Emergency Plan for Child Care" and implement as required by rule.

Findings: During the inspection, it was determined the requirements for the JFS 01242 "Medical, Dental and General Emergency Plan" were not followed as noted in number 1 below:

1. The plan was not posted on each level of the home used for child care.
2. The name, address and telephone number of the program were not complete.
3. The location of the first aid kit, fire extinguisher and fire alarm system, fire alarm pull stations and electrical circuit box were not complete.
4. The telephone number for emergency squad, fire department hospital, poison control program, public children services agency, local health department, local emergency management agency and police department were not complete.
5. Location of children's records was not complete.
6. Emergency information including any medications or supplies needed in the event of an evacuation was not complete.
7. The current version of the prescribed form was not used.
8. The plan was not implemented when necessary in that [].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 05/15/2025

Domain: 04 Indoor/Outdoor Space

Rule: 5180:2-13-11 Outdoor Space

Code: The program is required to have an outdoor play space free from immediate risk.

Findings: During the inspection, it was determined that an outdoor play area was used which was not protected from traffic and other hazards by a fence. Although the fence or natural barrier was not meeting the rule requirements, it was determined to not present an immediate risk for a child to be able to leave the playground. There was not a fence as noted in number 12 below:

1. The fencing had missing slat boards.
2. The fencing was broken.
3. The fencing was loose.
4. The fencing was rotting.
5. The gate was broken and did not close.
6. The gate was locked.
7. The latch on the gate was broken.
8. The latch was easily opened by children on the playground.
9. The latch was not engaged to prevent children from opening the gate.
10. The gate had no latch.
11. There were bolts with more than two threads exposed along a fence line or gate on a playground.
12. no fencing

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 05/15/2025

Domain: 04 Indoor/Outdoor Space

Rule: 5180:2-13-12 Safe Equipment

Code: The program is required to use equipment that is safe and hazard free according to the manufacturer's guidelines. Fans, air conditioners, heat pumps, and space heaters must be inaccessible to children. The program is required to refrain from using trampolines, ball pits and inflatable equipment intended for climbing and bouncing, including but not limited to slides and bounce houses.

Findings: During the inspection, equipment was determined to be unsafe, hazardous to children, as noted in number 16 below:

1. Manufacturer's guidelines for the [] were not followed in that [].
2. The straps were missing on the [].
3. The straps were attached, but were not used on the [].
4. The straps were attached and were used, but were not used in a safe manner.
5. The equipment had sharp points or corners.
6. The equipment had splinters.

7. The equipment had protruding nails.
8. The equipment had loose or rusty parts.
9. The equipment had paint which contains lead or other poisonous materials.
10. The equipment had hazardous features.
11. A fan was unstable and could easily tip over.
12. A fan had openings a finger could enter.
13. The pipes from the heat pump felt hot to the touch
14. A space heater felt hot to the touch
15. The position of a space heater was a tripping hazard
16. The air conditioning unit was not enclosed and was accessible to children on the playground.
17. A ball pit, trampoline, inflatable bounce house, inflatable slide, inflatable equipment used for climbing and bouncing was used.
18. Other [].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 05/15/2025

Domain: 05 Health & Safety

Rule: 5180:2-13-16 Communicable Diseases

Code: The program is required to post the Ohio Communicable Disease Chart in a noticeable area.

Findings: During the inspection, it was determined that the Ohio Communicable Disease Chart was not posted as required, as indicated in the number 2 below:

1. In a location readily available to provider, child care staff members, employees, and residents;
2. The chart was not posted.
3. The posted chart was not the current version and the Child Care Manual Procedural Letter No. 159 was not posted next to the chart.
4. The posted chart was not displayed in the size available in the ODJFS forms central to be easily read.

Submit the program's corrective action plan to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 05/15/2025

Domain: 08 Staff Files

Rule: 5180:2-13-10 Health Training

Code: The program is required to meet the health training requirements.

Findings: In review of records, it was determined the provider did not have current valid documentation for training listed in number 1 and 4 below:

1. First Aid - expired training
2. First Aid - did not have verification of the completion of First Aid training
3. First Aid - documentation did not demonstrate the person who provided the training met the trainer qualifications as stated in the rule
4. CPR - expired training
5. CPR - had not taken CPR training
6. CPR - did not have verification of the completion of CPR training
7. CPR - training taken did not include all age groups and developmental levels of all children in care
8. CPR - documentation did not demonstrate the person who provided the training met the trainer qualifications as stated in the rule
9. CPR- audiovisual or electronic media training taken did not include an in-person component of the training
10. Communicable Disease - expired training
11. Communicable Disease - had not taken CD training
12. Communicable Disease - did not have verification of the completion of CD training
13. Communicable Disease - documentation did not demonstrate the person who provided the training met the trainer qualifications as stated in the rule
14. Child Abuse - expired training
15. Child Abuse - had not taken Child Abuse training
16. Child Abuse - documentation did not demonstrate the person who provided the training met the trainer qualifications as stated in the rule

Correct the violation and submit the documentation of current certification with the program's corrective action plan to verify compliance with the requirement of the rule.

Corrective Action Plan Due: 05/15/2025

Rules In-Compliance/Not Verified

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-02 Voluntary Temporary Closure	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-02 License Visible	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-02 Change of Location	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-02 Information in OCLQS	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-02 Provider Medical	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-03 Inspection Requirements	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-04 Building Requirements for Type B Homes	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-04 Fire Safety for Type B Homes	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-07 Provider Responsibilities	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-04 Flammable and Combustible Materials in a Type B Home	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-04 Heaters in a Type B Home	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-07 Staff Records	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13 Written Policies and Procedures	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-07 Type B Provider - Foster Parent	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-08 Employee Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-08 Child Care Staff Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-08 Whistle Blower	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-09 Background Checks	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-10 Professional Development	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-11 Indoor Space	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-11 Outdoor Equipment	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-11 Fall Zone	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-12 Pets	Compliant	
Rule	Status	Documenting Statement(s), If applicable

5180:2-13-13 Clean environment and equipment	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-13 Smoke Free	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-14 Vehicle Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-14 Requirements for Field and Routine Trips	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-13 Handwashing	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-14 Driver Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-13 Toothbrushing	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-14 Ratio and Supervision for Field and Routine Trips	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-14 Vehicle Inspections	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-15 Child Medical and Enrollment Records	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-15 Health Conditions	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-15 Child Records Retention and Confidentiality	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-16 Emergency Drills	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-16 First Aid Kit/Standard Precautions	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-16 Incident/Injury	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-16 Emergency Preparedness and Response Plan	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-17 Programming	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-17 Materials and Equipment	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-18 Group Size and Ratios	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-18 Attendance	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-19 Supervision	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-13-19 School Age Supervision	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-19 Child Guidance	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-20 Sleep and Nap Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-20 Crib and Playpen Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-21 Evening and Overnight Care	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-21 Sanitary Environment and Hygiene	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-22 Meals and Snacks	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-22 Fluid Milk	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-22 Food Handling	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-23 Infant Daily Care	Compliant	
Rule	Status	Documenting Statement(s), If applicable

5180:2-13-23 Infant Bottle and Food Preparation	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-23 Diapering	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-24 On-site Pools	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-24 Swimming Sites	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-24 Parent Permission for Swimming	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-13-25 Medication Requirements	Compliant	