



Family Child Care Licensing Inspection Full Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <http://jfs.ohio.gov/CDC/childcare.stm>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details		
Program Name A'Royle Kreashen Learning Center	Program Number 2210024026	Program Type FCC - Type B Home
Address 1132 Inner Circle Dr Cincinnati OH 45240		County HAMILTON

Inspection Information		
Inspection Type Compliance	Inspection Scope Full	Inspection Notice Announced
Inspection Date 12/07/2023	Begin Time 6:10 PM	End Time 6:55 PM
Reviewer: Jennifer Herzog		

Summary of Findings				
No. Rules Verified 68	No. Rules with Non-compliances 3	No. Serious Risk 0	No. Moderate Risk 1	No. Low Risk 3

License Capacity and Enrollment at the Time of Inspection				
Age Group	License Capacity	Enrollment		
	Totals	Full Time	Part Time	Total
Infant (Birth to < 18 m)		1	0	1
Young Toddler		1	0	1
Total Under 2 Years		3	2	0
Older Toddler		1	0	1
Preschool		1	0	1
School Age		16	0	16
Total Capacity/Enrollment	6	18	0	20

Staff-Child Ratios at the Time of Inspection			
Group	Age Group/Range	Ratio Observed	Comment
12/7/2023		1 to 0	



Summary of Non-Compliances

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

Serious Risk Non-Compliances

No Serious Risk Non-Compliances were observed during this inspection

Moderate Risk Non-Compliances

Domain: 02 Safe & Sanitary Environment

Rule: 5101:2-13-12 Carbon Monoxide Detectors - Type B Only

Code: The program is required to meet all requirements for carbon monoxide detectors.

Findings: During the inspection, it was determined that the Type B Home did not have a working carbon monoxide detector in the basement or carbon monoxide detector(s) were not [placed/installed/tested/maintained] in accordance with manufacturer's recommendations. A working carbon monoxide detector must be placed, installed, tested, and maintained in accordance with manufacturer's recommendations. Submit the program's corrective action plan to verify compliance with this rule.

Corrective Action Plan Due: 01/07/2024

Low Risk Non-Compliances

Domain: 02 Safe & Sanitary Environment



Rule: 5101:2-13-12 Safe Environment

Code: The program is required to provide an environment that protects the children in care from any items and conditions that may threaten their health, safety, and well-being.

Findings: Children in care shall be protected from any items and conditions which threaten their health, safety, and well being. During the inspection, it was determined that children were not protected from the following item(s) or condition(s) which may threaten their health, safety, or well being as noted in the following number 1 below:

1. Surge protectors/outlets did not have childproof receptacle covers.
2. Open pull cords that are not closed loop.
3. Toys or other items small enough to be swallowed were present in the space where infants and/or toddlers were in care.
4. Electrical/extension cords attached to an object that would not likely result in a severe injury if pulled.
5. Stacked chairs.
6. Telephone cords.
7. Employee(s) purse(s).
8. Diaper bags.
9. Television not securely anchored.
10. Small or lightweight pieces of shelving units are not securely anchored to the wall.
11. Staff member stepped over a barrier/gate while holding a child.
12. Chipping or peeling paint.
13. An area rug did not have a nonskid backing.
14. An area rug presented a tripping hazard.
15. A floor surface was unsafe in that [].
16. No platform was provided for the sink or toilet.
17. The platform provided for the sink or toilet was not sturdy.
18. The platform provided for the sink or toilet posed a safety hazard in that [].
19. Emergency exits were blocked by the following furniture in that [].
20. A mercury thermometer was being used to take a child's temperature.
21. Methods of ventilation used did not provide protection from rodents, insects, or other hazards.
22. Other [].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 01/07/2024

Domain: 02 Safe & Sanitary Environment

Rule: 5101:2-13-12 Safe Environment

Code: The program is required to have running water below the temperature of 120 degrees Fahrenheit.

Findings: During the inspection, it was determined the water temperature was 142 degrees in the following room: bathroom. This temperature exceeds the requirement of remaining below 120 degrees Fahrenheit.



Correct the violation and submit the program's corrective action plan to verify compliance with the requirement of the rule.

Corrective Action Plan Due: 01/07/2024

Domain: 03 Postings & Equipment

Rule: 5101:2-13-16 Medical, Dental, and General Emergency Plan

Code: The program is required to post the completed JFS 01242 "Medical, Dental, and General Emergency Plan for Child Care" and implement as required by rule.

Findings: During the inspection, it was determined the requirements for the JFS 01242 "Medical, Dental and General Emergency Plan" were not followed as noted in number 7 below:

1. The plan was not posted on each level of the home used for child care.
2. The name, address and telephone number of the program were not complete.
3. The location of the first aid kit, fire extinguisher and fire alarm system, fire alarm pull stations and electrical circuit box were not complete.
4. The telephone number for emergency squad, fire department hospital, poison control program, public children services agency, local health department, local emergency management agency and police department were not complete.
5. Location of children's records was not complete.
6. Emergency information including any medications or supplies needed in the event of an evacuation was not complete.
7. The current version of the prescribed form was not used.
8. The plan was not implemented when necessary in that [].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 01/07/2024

Rules In-Compliance/Not Verified

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-02 License Visible	Compliant	



Rule	Status	Documenting Statement(s), If applicable
5101:2-13-02 Voluntary Temporary Closure	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-02 Change of Location	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-02 Information in OCLQS	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-02 Provider Medical	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-03 Inspection Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-04 Building Requirements for Type B Homes	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-04 Fire Safety for Type B Homes	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-04 Flammable and Combustible Materials in a Type B Home	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-04 Heaters in a Type B Home	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-07 Staff Records	Compliant	
Rule	Status	Documenting Statement(s), If applicable



5101:2-13-07 Type B Provider - Foster Parent	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-08 Employee Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-08 Child Care Staff Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-08 Whistle Blower	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-09 Background Checks	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-10 Health Training	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-10 Professional Development	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-11 Outdoor Space	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-11 Outdoor Equipment	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-11 Fall Zone	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-12 Safe Equipment	Compliant	



Rule	Status	Documenting Statement(s), If applicable
5101:2-13-13 Clean environment and equipment	Compliant	
5101:2-13-13 Handwashing	Compliant	
5101:2-13-13 Smoke Free	Compliant	
5101:2-13-13 Toothbrushing	Compliant	
5101:2-13-14 Requirements for Field and Routine Trips	Compliant	
5101:2-13-14 Ratio and Supervision for Field and Routine Trips	Compliant	
5101:2-13-14 Driver Requirements	Compliant	
5101:2-13-14 Vehicle Inspections	Compliant	
5101:2-13-14 Vehicle Requirements	Compliant	
5101:2-13-15 Child Medical and Enrollment Records	Compliant	



Rule	Status	Documenting Statement(s), If applicable
5101:2-13-15 Health Conditions	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-15 Child Records Retention and Confidentiality	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 Emergency Drills	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 First Aid Kit/Standard Precautions	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 Communicable Diseases	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 Incident/Injury	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 Disaster Plan	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-18 Attendance	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-19 Supervision	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-19 School Age Supervision	Compliant	



Rule	Status	Documenting Statement(s), If applicable
5101:2-13-19 Child Guidance	Compliant	
5101:2-13-20 Sleep and Nap Requirements	Compliant	
5101:2-13-20 Crib and Playpen Requirements	Compliant	
5101:2-13-21 Evening and Overnight Care	Compliant	
5101:2-13-21 Sanitary Environment and Hygiene	Compliant	
5101:2-13-22 Meals and Snacks	Compliant	
5101:2-13-22 Fluid Milk	Compliant	
5101:2-13-22 Food Handling	Compliant	
5101:2-13-23 Infant Daily Care	Compliant	
5101:2-13-23 Infant Bottle and Food Preparation	Compliant	



Rule	Status	Documenting Statement(s), If applicable
5101:2-13-23 Diapering	Compliant	
5101:2-13-24 Parent Permission for Swimming	Compliant	
5101:2-13-25 Medication Requirements	Compliant	
5101:2-13-07 Provider Responsibilities	Compliant	
5101:2-13-18 Group Size and Ratios	Compliant	
5101:2-13 Written Policies and Procedures	Compliant	
5101:2-13-11 Indoor Space	Compliant	
5101:2-13-17 Programming	Compliant	
5101:2-13-24 On-site Pools	Compliant	
5101:2-13-12 Pets	Compliant	
Rule	Status	Documenting Statement(s), If applicable



5101:2-13-24 Swimming Sites	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-17 Materials and Equipment	Compliant	