# **Family Child Care Licensing Inspection Full Report**

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <a href="http://jfs.ohio.gov/CDC/childcare.stm">http://jfs.ohio.gov/CDC/childcare.stm</a>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details			
Program Name	Program Number	Program Type	
The Journie Kids Academy	2210025210	FCC - Type B Home	
Address		County	
10206 Sladden Avenue		CUYAHOGA	
Garfield Heights			
OH 44125			

Inspection Information				
Inspection Type	Inspection Sc	ope	Inspection Notice	
Compliance	Full		Unannounced	
Inspection Date	Begin Time		End Time	
04/24/2024	11:56 AM		2:17 PM	
Reviewer:				
Renee Darling				
Summary of Findings				
No. Rules Verified	No. Rules with Non-compliances	No. Serious Risk	No. Moderate Risk	No. Low Risk
68	4	0	1	3

License Capacity and Enrollment at the Time of Inspection				
Age Group	License Capacity	Enrollment		
	Totals	Full Time	Part Time	Total
Infant (Birth to < 18 m)		2	0	2
Young Toddler		0	0	0
Total Under 2 Years	3	2	0	2
Older Toddler		1	0	1
Preschool		3	0	3
School Age		0	0	0
Total Capacity/Enrollment	6	4	0	6

Staff-Child Ratios at the Time of Inspection			
Group	Age Group/Range	Ratio Observed	Comment
Essence Sullins	Mixed Age Group	1 to 6	

## **Summary of Non-Compliances**

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

Moderate Risk Non-Compliances  Moderate Risk Non-Compliances  Moderate Risk Non-Compliances  Domain: 02 Safe & Sanitary Environment  Rule: 5101:2-13-12 Carbon Monoxide Detectors - Type B Only  Code: The program is required to meet all requirements for carbon monoxide detectors.  Findings: During the inspection, it was determined that the Type B Home did not have a working carbon monoxide detector [in the building/on each floor where care is provided] or carbon monoxide detector(s) were not [placed/installed/tested/maintained] in accordance with manufacturer's recommendations. A working carbon monoxide detector must be placed, installed, tested, and maintained in accordance with manufacturer's recommendations. Submit the program's corrective action plan to verify compliance with this rule. Basement	Serious Risk Non-Compliances
Moderate Risk Non-Compliances  Domain: 02 Safe & Sanitary Environment Rule: 5101:2-13-12 Carbon Monoxide Detectors - Type B Only Code: The program is required to meet all requirements for carbon monoxide detectors.  Findings: During the inspection, it was determined that the Type B Home did not have a working carbon monoxide detector (in the building/on each floor where care is provided) or carbon monoxide detector(s) were not [placed/installed/tested/maintained] in accordance with manufacturer's recommendations. A working carbon monoxide detector must be placed, installed, tested, and maintained in accordance with manufacturer's recommendations. Submit the program's corrective action plan to verify compliance with this rule. Basement	Serious Risk Non-Compliances were observed during this inspection
Domain: 02 Safe & Sanitary Environment  Rule: 5101:2-13-12 Carbon Monoxide Detectors - Type B Only Code: The program is required to meet all requirements for carbon monoxide detectors.  Findings: During the inspection, it was determined that the Type B Home did not have a working carbon monoxide detector [in the building/on each floor where care is provided] or carbon monoxide detector(s) were not [placed/installed/tested/maintained] in accordance with manufacturer's recommendations. A working carbon monoxide detector must be placed, installed, tested, and maintained in accordance with manufacturer's recommendations. Submit the program's corrective action plan to verify compliance with this rule. Basement	
Domain: 02 Safe & Sanitary Environment  Rule: 5101:2-13-12 Carbon Monoxide Detectors - Type B Only Code: The program is required to meet all requirements for carbon monoxide detectors.  Findings: During the inspection, it was determined that the Type B Home did not have a working carbon monoxide detector [in the building/on each floor where care is provided] or carbon monoxide detector(s) were not [placed/installed/tested/maintained] in accordance with manufacturer's recommendations. A working carbon monoxide detector must be placed, installed, tested, and maintained in accordance with manufacturer's recommendations. Submit the program's corrective action plan to verify compliance with this rule. Basement	
Domain: 02 Safe & Sanitary Environment  Rule: 5101:2-13-12 Carbon Monoxide Detectors - Type B Only Code: The program is required to meet all requirements for carbon monoxide detectors.  Findings: During the inspection, it was determined that the Type B Home did not have a working carbon monoxide detector [in the building/on each floor where care is provided] or carbon monoxide detector(s) were not [placed/installed/tested/maintained] in accordance with manufacturer's recommendations. A working carbon monoxide detector must be placed, installed, tested, and maintained in accordance with manufacturer's recommendations. Submit the program's corrective action plan to verify compliance with this rule. Basement	
Domain: 02 Safe & Sanitary Environment  Rule: 5101:2-13-12 Carbon Monoxide Detectors - Type B Only Code: The program is required to meet all requirements for carbon monoxide detectors.  Findings: During the inspection, it was determined that the Type B Home did not have a working carbon monoxide detector [in the building/on each floor where care is provided] or carbon monoxide detector(s) were not [placed/installed/tested/maintained] in accordance with manufacturer's recommendations. A working carbon monoxide detector must be placed, installed, tested, and maintained in accordance with manufacturer's recommendations. Submit the program's corrective action plan to verify compliance with this rule. Basement	
Domain: 02 Safe & Sanitary Environment  Rule: 5101:2-13-12 Carbon Monoxide Detectors - Type B Only Code: The program is required to meet all requirements for carbon monoxide detectors.  Findings: During the inspection, it was determined that the Type B Home did not have a working carbon monoxide detector [in the building/on each floor where care is provided] or carbon monoxide detector(s) were not [placed/installed/tested/maintained] in accordance with manufacturer's recommendations. A working carbon monoxide detector must be placed, installed, tested, and maintained in accordance with manufacturer's recommendations. Submit the program's corrective action plan to verify compliance with this rule. Basement	
Domain: 02 Safe & Sanitary Environment  Rule: 5101:2-13-12 Carbon Monoxide Detectors - Type B Only Code: The program is required to meet all requirements for carbon monoxide detectors.  Findings: During the inspection, it was determined that the Type B Home did not have a working carbon monoxide detector [in the building/on each floor where care is provided] or carbon monoxide detector(s) were not [placed/installed/tested/maintained] in accordance with manufacturer's recommendations. A working carbon monoxide detector must be placed, installed, tested, and maintained in accordance with manufacturer's recommendations. Submit the program's corrective action plan to verify compliance with this rule. Basement	
Domain: 02 Safe & Sanitary Environment  Rule: 5101:2-13-12 Carbon Monoxide Detectors - Type B Only Code: The program is required to meet all requirements for carbon monoxide detectors.  Findings: During the inspection, it was determined that the Type B Home did not have a working carbon monoxide detector [in the building/on each floor where care is provided] or carbon monoxide detector(s) were not [placed/installed/tested/maintained] in accordance with manufacturer's recommendations. A working carbon monoxide detector must be placed, installed, tested, and maintained in accordance with manufacturer's recommendations. Submit the program's corrective action plan to verify compliance with this rule. Basement	
Domain: 02 Safe & Sanitary Environment  Rule: 5101:2-13-12 Carbon Monoxide Detectors - Type B Only Code: The program is required to meet all requirements for carbon monoxide detectors.  Findings: During the inspection, it was determined that the Type B Home did not have a working carbon monoxide detector [in the building/on each floor where care is provided] or carbon monoxide detector(s) were not [placed/installed/tested/maintained] in accordance with manufacturer's recommendations. A working carbon monoxide detector must be placed, installed, tested, and maintained in accordance with manufacturer's recommendations. Submit the program's corrective action plan to verify compliance with this rule. Basement	
Rule: 5101:2-13-12 Carbon Monoxide Detectors - Type B Only Code: The program is required to meet all requirements for carbon monoxide detectors.  Findings: During the inspection, it was determined that the Type B Home did not have a working carbon monoxide detector [in the building/on each floor where care is provided] or carbon monoxide detector(s) were not [placed/installed/tested/maintained] in accordance with manufacturer's recommendations. A working carbon monoxide detector must be placed, installed, tested, and maintained in accordance with manufacturer's recommendations. Submit the program's corrective action plan to verify compliance with this rule. Basement	Moderate Risk Non-Compliances
Rule: 5101:2-13-12 Carbon Monoxide Detectors - Type B Only Code: The program is required to meet all requirements for carbon monoxide detectors.  Findings: During the inspection, it was determined that the Type B Home did not have a working carbon monoxide detector [in the building/on each floor where care is provided] or carbon monoxide detector(s) were not [placed/installed/tested/maintained] in accordance with manufacturer's recommendations. A working carbon monoxide detector must be placed, installed, tested, and maintained in accordance with manufacturer's recommendations. Submit the program's corrective action plan to verify compliance with this rule. Basement	
Code: The program is required to meet all requirements for carbon monoxide detectors.  Findings: During the inspection, it was determined that the Type B Home did not have a working carbon monoxide detector [in the building/on each floor where care is provided] or carbon monoxide detector(s) were not [placed/installed/tested/maintained] in accordance with manufacturer's recommendations. A working carbon monoxide detector must be placed, installed, tested, and maintained in accordance with manufacturer's recommendations. Submit the program's corrective action plan to verify compliance with this rule. Basement	•
monoxide detector [in the building/on each floor where care is provided] or carbon monoxide detector(s) were not [placed/installed/tested/maintained] in accordance with manufacturer's recommendations. A working carbon monoxide detector must be placed, installed, tested, and maintained in accordance with manufacturer's recommendations. Submit the program's corrective action plan to verify compliance with this rule. Basement	$\cdots$
monoxide detector [in the building/on each floor where care is provided] or carbon monoxide detector(s) were not [placed/installed/tested/maintained] in accordance with manufacturer's recommendations. A working carbon monoxide detector must be placed, installed, tested, and maintained in accordance with manufacturer's recommendations. Submit the program's corrective action plan to verify compliance with this rule. Basement	indians. During the inspection it was determined that the Time Dillows did not have a warling carbon
not [placed/installed/tested/maintained] in accordance with manufacturer's recommendations. A working carbon monoxide detector must be placed, installed, tested, and maintained in accordance with manufacturer's recommendations. Submit the program's corrective action plan to verify compliance with this rule. Basement	
recommendations. Submit the program's corrective action plan to verify compliance with this rule. Basement	
	arbon monoxide detector must be placed, installed, tested, and maintained in accordance with manufacturer's
Corrective Action Plan Ducy 05/24/2024	ecommendations. Submit the program's corrective action plan to verify compliance with this rule. Basement
Corrective Action Plan Due: 05/24/2024	

## **Low Risk Non-Compliances**

**Domain: 00 License & Approvals** 



Rule: 5101:2-13-04 Fire Safety for Type B Homes

Code: The program is required to maintain smoke alarms in the appropriate areas of the program building.

Findings: During the inspection, it was determined that the Type B Home did not have a working smoke alarm [in the basement/on each level of the home] or smoke alarm(s) were not [placed/installed/tested/maintained] in accordance with manufacturer's recommendations. A working smoke alarm must be placed, installed, tested, and maintained in accordance with manufacturer's recommendations. Submit the program's corrective action plan to verify compliance with this rule. Basement

Corrective Action Plan Due: 05/24/2024

### Domain: 01 Ratio & Supervision

Rule: 5101:2-13-18 Attendance

Code: The program is required to maintain a record of the arrival and departure of each child. The program is also required to retain the original attendance record at the program for a period of one year.

Findings: During the inspection, it was determined the program did not meet the requirements for keeping an attendance record as listed in number 2 below:

- 1. No attendance record was being maintained.
- 2. The attendance record was not being consistently completed.
- 3. The record did not include the name of at least one child.
- 4. The record did not include the birth date of at least one child.
- 5. The record did not include the assigned group.
- 6. The record did not include the child's weekly schedule.
- 7. The record did not include the time (hours and minutes) of each child's arrival and departure to the program, including transportation by the program.
- 8. The original attendance record was not kept at the program for a period of one year.

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 05/24/2024

#### Domain: 09 Children's Files

Rule: 5101:2-13-15 Child Medical and Enrollment Records

Code: The program is required to have a completed JFS 01234 "Child Enrollment and Health Information for Child Care" on file on the premises for each child.

Findings: In review of the children's records, it was determined that information had not been secured from the parent/guardian on the JFS 01234 "Child Enrollment and Health Information For Child Care", as required, for the items in numbers 8, 10 below:

- 1. No enrollment form was completed for at least one child
- 2. The current JFS 01234 was not completed for at least one child
- 3. Complete child information
- 4. Complete parent information
- 5. Complete emergency contact information
- 6. Complete physician information
- 7. Information regarding the parent list
- 8. Health information
- 9. Additional information for all boxes checked "yes"
- 10. Emergency transportation information
- 11. Parent/guardian's signature
- 12. Diapering Statement
- 13. Acknowledgement of Policies and Procedures
- 14. Enrollment form for at least one child was not updated by either the parent or the administrator
- 15. Enrollment form for at least one child was not signed by the administrator
- 16. Other [ ]

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 05/24/2024

## **Rules In-Compliance/Not Verified**

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-02 License Visible	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-02 Voluntary Temporary	Compliant	
Closure		
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-02 Change of Location	Compliant	
Rule	Status	Documenting Statement(s), If applicable

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-08 Whistle Blower	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-08 Employee Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
Parent		
5101:2-13-07 Type B Provider - Foster	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-07 Staff Records	Compliant	
Rule	Status	Documenting Statement(s), If applicable
Home		
5101:2-13-04 Heaters in a Type B	Compliant	
Rule	Status	Documenting Statement(s), If applicable
Home		
Combustible Materials in a Type B	- Compilant	
5101:2-13-04 Flammable and	Compliant	bocumenting statement(s), if applicable
Rule	Status	Documenting Statement(s), If applicable
for Type B Homes	r · ·	
5101:2-13-04 Building Requirements	Compliant	bocumenting statement(s), if applicable
Rule	Status	Documenting Statement(s), If applicable
Requirements	r · ·	
5101:2-13-03 Inspection	Compliant	bocumenting statement(s), if applicable
Rule	Status	Documenting Statement(s), If applicable
	'	
5101:2-13-02 Provider Medical	Compliant	bocamenting statement(s), ii applicable
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-02 Information in OCLQS	Compliant	

5101:2-13-09 Background Checks	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-10 Health Training	Compliant	Documenting statement(s), if applicable
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-10 Professional Development	Compliant	Documenting Statement(s), if applicable
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-11 Outdoor Space	Compliant	Documenting statement(s), if applicable
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-11 Outdoor Equipment	Compliant	bocumenting statement(s), if applicable
Rule 5101:2-13-11 Fall Zone	Compliant	Documenting Statement(s), If applicable
		10 11 11 11
Rule 5101:2-13-12 Safe Equipment	Status Compliant	Documenting Statement(s), If applicable
Rule 5101:2-13-12 Safe Environment	Status Compliant	Documenting Statement(s), If applicable
Rule 5101:2-13-13 Clean environment and equipment	Status Compliant	Documenting Statement(s), If applicable
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-13 Handwashing	Compliant	
	Chahara	
Rule 5101:2-13-13 Smoke Free	Status Compliant	Documenting Statement(s), If applicable
3131.2 13 13 3HORE FICE	Compilant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-13 Toothbrushing	Compliant	
	•	
Rule	Ctatus	Desumenting Statement/s) If applicable
	Status	Documenting Statement(s), If applicable
5101:2-13-14 Requirements for Field	Compliant	
and Routine Trips		
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-14 Ratio and Supervision	Compliant	
for Field and Routine Trips	oopa	
l		
	l	
Rule	Status	Documenting Statement(s) If annicable
	Status	Documenting Statement(s), If applicable
5101:2-13-14 Driver Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-14 Vehicle Inspections	Compliant	
	, , , , , , , , , , , , , , , , , , ,	
Rule	Status	Documenting Statement(s), If applicable
		Documenting Statement(s), it applicable
5101:2-13-14 Vehicle Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-15 Health Conditions	Compliant	
	•	
	1	
Rule	Status	Documenting Statement(s), If applicable
		bocamenting statement(s), it applicable
5101:2-13-15 Child Records Retention	Compliant	
and Confidentiality		
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 Medical, Dental, and	Compliant	
General Emergency Plan		
Rule	Status	Documenting Statement(s), If applicable
		bocamenting statement(s), it applicable
5101:2-13-16 Emergency Drills	Compliant	

Beginning!		
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 First Aid Kit/Standard	Compliant	
Precautions	Compilarit	
Frecautions		
	1	
	1	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 Communicable Diseases	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 Incident/Injury	Compliant	
Rule	Status	Documenting Statement(s), If applicable
		bocumenting statement(s), if applicable
5101:2-13-16 Emergency	Compliant	
Preparedness and Response Plan		
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-19 Supervision	Compliant	
Rule	Status	Documenting Statement(s), If applicable
		bocumenting statement(s), if applicable
5101:2-13-19 School Age Supervision	Compliant	
	1	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-19 Child Guidance	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-20 Sleep and Nap	Compliant	Dodanieniang etatement(e), in approach
•	Compliant	
Requirements		
D 1	C	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-20 Crib and Playpen	Compliant	
Requirements		
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-21 Evening and Overnight	Compliant	5
	Compilant	
Care		

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-21 Sanitary Environment and Hygiene	Compliant	
and Hygiene		
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-22 Meals and Snacks	Compliant	
	<u>l</u>	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-22 Fluid Milk	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-22 Food Handling	Compliant	2 2 2 3 5 2 3 4 4 7 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-23 Infant Daily Care	Compliant	Documenting Statement(s), it applicable
3101.2 13 23 illiant bany care	Compilant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-23 Infant Bottle and Food	Compliant	
Preparation		
	1	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-23 Diapering	Compliant	
	<u> </u>	<u> </u>
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-24 Parent Permission for	Compliant	
Swimming		
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-25 Medication	Compliant	Documenting Statement(3), it applicable
Requirements		
Rule  F101:2 12 07 Provider Pespensibilities	Status	Documenting Statement(s), If applicable
5101:2-13-07 Provider Responsibilities	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-18 Group Size and Ratios	Compliant	
310112 10 10 Group Size and Nation		
Rule	Status	Documenting Statement(s), If applicable
5101:2-13 Written Policies and	Compliant	
Procedures	·	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-08 Child Care Staff	Compliant	
Requirements		
	T <sub>a</sub> , .	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-11 Indoor Space	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-17 Programming	Compliant	Documenting Statement(s), if applicable
3101.2-13-17 Programming	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-24 On-site Pools	Compliant	(-),
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-12 Pets	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-24 Swimming Sites	Compliant	
Pula	Chatus	Decumenting Statement(s) If a will call
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-17 Materials and	Compliant	
Equipment		
L	1	