

Center Complaint Inspection Summary Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at http://jfs.ohio.gov/CDC/childcare.stm. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details				
Program Name	Program Number	Program Type		
Wribbenhall Child Development Center	2210025351	Child Care Center		
Address		County		
1235 Broad Blvd. Cuyahoga Falls OH 44223		SUMMIT		

Inspection Information						
Inspection Type			Inspection Scope		Inspection Notice	
Complaint		Partial		Unannounced		
Reviewer(s) TONY	r(s) TONYA JOHNSON Inspection Day		n Day	Begin Time		End Time
		09/16/2022		8:30 AM		9:00 AM
Summary of Findings						
No. Rules Verified	No. Rules with Non-cor	mpliances No. Serious Risk		(No. Moderate Risk	No. Low Risk
1	1		0		1	0

Staff-Child Ratios at the Time of Inspection						
Group	Age Group/Range	Ratio Observed	Comment			
toddler	30 months to < 36 months	2 to 11	circle time/ class relocation			



Complaint Allegations

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

Domain:02 Safe & Sanitary Environment

Rule: 5101:2-13-12 Safe Environment

Code: The program is required to protect children from any items and conditions which threaten their health, safety, and well-being.

Allegation:

Determination: Substantiated

Findings: Children in care shall be protected from any items and conditions which threaten their health, safety, and well-being. During the inspection, it was determined the program did not protect children from an unsafe item or condition or equipment due to the following numbers 16, 17 below:

- 1. Pull cord(s) on the window blind(s).
- 2. Extension cord(s); electrical cord(s) attached to an object that could result in a severe injury if pulled.
- 3. Stacked tables.
- 4. Folding tables.
- 5. Matches and/or a lighter.
- 6. Power tool(s).
- 7. Live wires.
- 8. Stove(s) that are either on or able to be turned on by a child.
- 9. Asbestos.
- 10. Traffic.
- 11. A body of water.
- 12. A well.
- 13. Environmental hazard(s) confirmed by local authorities having jurisdiction over the hazard.
- 14. A crockpot used to heat bottles.
- 15. Immediate access to a knife.
- 16. Large or heavy pieces of shelving units are not securely anchored to the wall/ heavy wooden doors off the hinges propped up against the walls in the hallway.
- 17. Renovation equipment/ floor cutting tools in an unlocked classroom being renovated.

Any hazardous equipment must be removed, replaced, or repaired and any hazardous condition must be corrected and must be made inaccessible to children. Provide staff training. Submit the program's corrective action plan, which includes a statement that the item or condition has been removed and a statement that training was provided, to the Department to verify compliance with the requirements of this rule.

Risk Level: Moderate

Corrective Action Plan Due: 10/16/2022

Summary of Additional Non-Compliances



No Additional Serious Risk Non-Compliances were observed during this inspection
Moderate Risk Non-Compliances
No Additional Moderate Risk Non-Compliances were observed during this inspection
Low Risk Non-Compliances
No Low Additional Risk Non-Compliances were observed during this inspection
No Low Additional Kisk Non-Compliances were observed during this inspection