



## Family Child Care Licensing Inspection Full Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <http://jfs.ohio.gov/CDC/childcare.stm>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details		
Program Name Dana Archer	Program Number 2220025700	Program Type FCC - Type B Home
Address 53 E. 38th Street  Shadyside OH 43947		County BELMONT

Inspection Information		
Inspection Type Provisional	Inspection Scope Full	Inspection Notice Unannounced
Inspection Date 01/17/2023	Begin Time 10:30 AM	End Time 2:29 PM
Reviewer: Erin Greenwood		

Summary of Findings				
No. Rules Verified 68	No. Rules with Non-compliances 1	No. Serious Risk 0	No. Moderate Risk 0	No. Low Risk 1

License Capacity and Enrollment at the Time of Inspection				
Age Group	License Capacity	Enrollment		
	Totals	Full Time	Part Time	Total
Infant ( Birth to < 18 m)	3	0	0	0
Young Toddler		1	6	7
<b>Total Under 2 Years</b>		1	6	7
Older Toddler	6	1	5	6
Preschool		0	1	1
School Age		0	12	12
<b>Total Capacity/Enrollment</b>	6	1	18	26

Staff-Child Ratios at the Time of Inspection			
Group	Age Group/Range	Ratio Observed	Comment
1/17/2023 Dana	18 months to < 30 months	1 to 2	



### Summary of Non-Compliances

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

#### Serious Risk Non-Compliances

No Serious Risk Non-Compliances were observed during this inspection


#### Moderate Risk Non-Compliances

No Moderate Risk Non-Compliances were observed during this inspection


#### Low Risk Non-Compliances

**Domain: 02 Safe & Sanitary Environment**

Rule: 5101:2-13-12 Safe Environment

Code: The program is required to have running water below the temperature of 120 degrees Fahrenheit.



Findings: During the inspection, it was determined the water temperature was 135 degrees in the following room(s) bathroom. This temperature exceeds the requirement of remaining below 120 degrees Fahrenheit. Correct the violation and submit the program's corrective action plan to verify compliance with the requirement of the rule.

Corrective Action Plan Due: 02/16/2023

### Rules In-Compliance/Not Verified

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-02 License Visible	Compliant	
5101:2-13-02 Voluntary Temporary Closure	Compliant	
5101:2-13-02 Change of Location	Compliant	
5101:2-13-02 Information in OCLQS	Compliant	
5101:2-13-02 Provider Medical	Compliant	
5101:2-13-03 Inspection Requirements	Compliant	
5101:2-13-04 Building Requirements for Type B Homes	Compliant	



Rule	Status	Documenting Statement(s), If applicable
5101:2-13-04 Fire Safety for Type B Homes	Compliant	
5101:2-13-04 Flammable and Combustible Materials in a Type B Home	Compliant	
5101:2-13-04 Heaters in a Type B Home	Compliant	
5101:2-13-05 Denial, Revocation, and Suspension	Compliant	
5101:2-13-07 Staff Records	Compliant	
5101:2-13-07 Type B Provider - Foster Parent	Compliant	
5101:2-13-08 Employee Requirements	Compliant	
5101:2-13-08 Child Care Staff Requirements	Compliant	
5101:2-13-08 Whistle Blower	Compliant	
5101:2-13-09 Background Checks	Compliant	



Rule	Status	Documenting Statement(s), If applicable
5101:2-13-10 Health Training	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-10 Professional Development	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-11 Outdoor Space	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-11 Outdoor Equipment	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-11 Fall Zone	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-12 Safe Equipment	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-13 Clean environment and equipment	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-13 Handwashing	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-13 Smoke Free	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-13 Toothbrushing	Compliant	



Rule	Status	Documenting Statement(s), If applicable
5101:2-13-15 Child Medical and Enrollment Records	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-15 Health Conditions	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-15 Child Records Retention and Confidentiality	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 Medical, Dental, and General Emergency Plan	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 Emergency Drills	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 First Aid Kit/Standard Precautions	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 Communicable Diseases	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 Disaster Plan	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 Incident/Injury	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-18 Attendance	Compliant	
Rule	Status	Documenting Statement(s), If applicable



5101:2-13-19 Supervision	Compliant	
<b>Rule</b>	<b>Status</b>	<b>Documenting Statement(s), If applicable</b>
5101:2-13-19 School Age Supervision	Compliant	
<b>Rule</b>	<b>Status</b>	<b>Documenting Statement(s), If applicable</b>
5101:2-13-19 Child Guidance	Compliant	
<b>Rule</b>	<b>Status</b>	<b>Documenting Statement(s), If applicable</b>
5101:2-13-20 Sleep and Nap Requirements	Compliant	
<b>Rule</b>	<b>Status</b>	<b>Documenting Statement(s), If applicable</b>
5101:2-13-20 Crib and Playpen Requirements	Compliant	
<b>Rule</b>	<b>Status</b>	<b>Documenting Statement(s), If applicable</b>
5101:2-13-21 Evening and Overnight Care	Compliant	
<b>Rule</b>	<b>Status</b>	<b>Documenting Statement(s), If applicable</b>
5101:2-13-21 Sanitary Environment and Hygiene	Compliant	
<b>Rule</b>	<b>Status</b>	<b>Documenting Statement(s), If applicable</b>
5101:2-13-22 Meals and Snacks	Compliant	
<b>Rule</b>	<b>Status</b>	<b>Documenting Statement(s), If applicable</b>
5101:2-13-22 Fluid Milk	Compliant	
<b>Rule</b>	<b>Status</b>	<b>Documenting Statement(s), If applicable</b>
5101:2-13-22 Food Handling	Compliant	
<b>Rule</b>	<b>Status</b>	<b>Documenting Statement(s), If applicable</b>
5101:2-13-23 Infant Daily Care	Compliant	



Rule	Status	Documenting Statement(s), If applicable
5101:2-13-23 Infant Bottle and Food Preparation	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-23 Diapering	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-25 Medication Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-07 Provider Responsibilities	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-18 Group Size and Ratios	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13 Written Policies and Procedures	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-12 Carbon Monoxide Detectors - Type B Only	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-11 Indoor Space	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-17 Programming	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-12 Pets	Compliant	





Rule	Status	Documenting Statement(s), If applicable
5101:2-13-17 Materials and Equipment	Compliant	