



Center Complaint Inspection Summary Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <http://jfs.ohio.gov/CDC/childcare.stm>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details		
Program Name Kay & Jay's Educational Center	Program Number 2220026489	Program Type Child Care Center
Address 2208 Alexis Ave Toledo OH 43613		County LUCAS

Inspection Information			
Inspection Type Complaint		Inspection Scope Partial	Inspection Notice Unannounced
Reviewer(s) Heather Sanchez	Inspection Day 02/07/2024	Begin Time 3:30 PM	End Time 5:00 PM
Reviewer(s) Heather Sanchez	Inspection Day 02/08/2024	Begin Time 2:31 PM	End Time 2:32 PM

Summary of Findings				
No. Rules Verified 9	No. Rules with Non-compliances 3	No. Serious Risk 0	No. Moderate Risk 1	No. Low Risk 2

Staff-Child Ratios at the Time of Inspection			
Group	Age Group/Range	Ratio Observed	Comment
Infants		1 to 3	
Preschool		1 to 8	group with preschool and 1 child under 18 months
Toddler		0 to 7	
Toddler		1 to 7	



Complaint Allegations

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

Domain:02 Safe & Sanitary Environment

Rule: 5101:2-12-12 Safe Environment

Code: The program is required to provide an environment that protects the children in care from any items and conditions that may threaten their health, safety, and well-being.

Allegation: The complainant alleges that there are unsafe items in the environment

Determination: Substantiated

Findings: During the inspection, it was determined that children were not protected from item(s) or condition(s) which may threaten their health, safety, or well-being as noted in number 22 below:

1. Surge protectors/outlets did not have childproof receptacle covers.
2. Open pull cords that are not closed loop.
3. Toys or other items small enough to be swallowed were present in the space where infants and/or toddlers were in care.
4. Electrical/extension cords attached to an object that would not likely result in a severe injury if pulled.
5. Stacked chairs.
6. Employee(s) purse(s).
7. Diaper bags.
8. Television not securely anchored.
9. Small or lightweight pieces of shelving units are not securely anchored to the wall.
10. Smoke detector needing batteries replaced.
11. An area rug did not have a nonskid backing.
12. An area rug presented a tripping hazard.
13. A floor surface that was unsafe in that [].
14. No platform was provided for the sink or toilet in the [] classroom.
15. The platform provided for the sink or toilet in the [] classroom was not sturdy.
16. The platform provided for the sink or toilet in the [] classroom posed a safety hazard in that [].
17. Telephone cords.
18. Staff member stepped over a barrier/gate while holding a child.
19. Emergency exits were blocked by the following classroom furniture: [].
20. A mercury thermometer was being used to take a child's temperature.
21. Methods of ventilation used did not provide protection from rodents, insects, or other hazards.
22. Other- push pins were used to hang items at child level in the toddler room; the pins were easy to remove from the wall

Provide staff training. Submit the program's corrective action plan, which includes a statement that training was provided, to the Department to verify compliance with the requirements of this rule.

Risk Level: Low

Corrective Action Plan Due: 03/09/2024

Summary of Additional Non-Compliances



Serious Risk Non-Compliances

No Additional Serious Risk Non-Compliances were observed during this inspection

Moderate Risk Non-Compliances

Domain:01 Ratio & Supervision

Rule: 5101:2-12-18 Ratio

Code: The program is required to maintain the appropriate staff to child ratio for each group served.

Findings: During the inspection, required staff/child ratios were not maintained for different groups on multiple occasions, as noted below:

The ratio determined for the mixed age group was 1 Child Care Staff Member(s) for 8 children, with one child being under 18 months when a staff member stepped over the room dividers into another space. Additionally, a ratio of 0 Child Care Staff Member(s) for 7 children was determined for the toddler group when the teacher stepped over the room dividers into another space.

Additional staff members must be hired or current Child Care Staff Members must be rescheduled to maintain compliance. Provide staff training. Submit the program's corrective action plan, which includes a statement that training was provided, to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 03/09/2024

Low Risk Non-Compliances

Domain:02 Safe & Sanitary Environment

Rule: 5101:2-12-12 Safe Equipment

Code: The program is required to use equipment, that is safe and hazard free, according to the manufacturer's guidelines. Fans, air conditioners, heat pumps, and space heaters must be inaccessible to children. The program is required to refrain from using trampolines, ball pits and inflatable equipment intended for climbing and bouncing, including but not limited to slides and bounce houses.

Findings: During the inspection, equipment was determined to be unsafe, hazardous to children, or in need of repair as noted in number 3 below:



1. Manufacturer's guidelines for the [] were not followed in that [].
2. The straps were missing on the [].
3. The straps were attached, but were not used on the changing table in the children's restroom
4. The straps were attached and were used, but were not used in a safe manner.
5. The equipment had sharp points or corners.
6. The equipment had splinters.
7. The equipment had protruding nails.
8. The equipment had loose or rusty parts.
9. The equipment had paint which contains lead or other poisonous materials.
10. The equipment had hazardous features.
11. A fan was unstable and could easily tip over.
12. A fan had openings a finger could enter.
13. The pipes from the heat pump felt hot to the touch
14. A space heater felt hot to the touch
15. The position of a space heater was a tripping hazard
16. The air conditioning unit was not enclosed and was accessible to children on the playground.
17. A ball pit, trampoline, inflatable bounce house, inflatable slide, or inflatable equipment used for climbing and bouncing was used.
18. Other [].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 03/09/2024