



Center Complaint Inspection Summary Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <http://jfs.ohio.gov/CDC/childcare.stm>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details		
Program Name ROYALTY DAYCARE LLC	Program Number 2220026873	Program Type Child Care Center
Address 5662 WEST BROAD STREET GALLOWAY OH 43119		County FRANKLIN

Inspection Information			
Inspection Type Complaint		Inspection Scope Partial	Inspection Notice Unannounced
Reviewer(s) Sarena Powhida	Inspection Day 01/15/2026	Begin Time 1:10 PM	End Time 1:30 PM
Reviewer(s) Barbara Smith	Inspection Day 01/15/2026	Begin Time 1:10 PM	End Time 1:30 PM
Reviewer(s) Sarena Powhida	Inspection Day 01/21/2026	Begin Time 1:50 PM	End Time 3:50 PM
Summary of Findings			
No. Rules Verified 5	No. Rules with Non-compliances 1	No. Serious Risk 0	No. Moderate Risk 1
			No. Low Risk 0

Staff-Child Ratios at the Time of Inspection				
Group	Age Group/Range	Ratio Observed		Comment
Preschool	3 years to < 4 years	1 to 1		
Infants	0 to < 12 months	1 to 1		
Toddlers	18 months to < 30 months	2 to 3		



Complaint Allegations

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

No Complaints were observed during this inspection.

Summary of Additional Non-Compliances

Serious Risk Non-Compliances

No Additional Serious Risk Non-Compliances were observed during this inspection

Moderate Risk Non-Compliances

Domain:02 Safe & Sanitary Environment

Rule: 5180:2-12-12 Safe Equipment

Code: The program is required to refrain from using space heaters unless it has been approved by a fire official.

Findings: During the inspection, it was determined that a space heater which had not been approved by a fire official was in use in the area identified in number(s) 3 below:

1. The administrator's office.
2. A classroom.



3. The break room/storage room in the front of the building across from the office.
4. Several classrooms.
5. The hallway.
6. The entry way.
7. Other [].

The use of this space heater must be discontinued until approval for its use has been obtained. Submit the program's corrective action plan, which includes written fire approval for use of this space heater or a written statement that the space heater is no longer being used at the program, to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 02/25/2026

Low Risk Non-Compliances

No Low Additional Risk Non-Compliances were observed during this inspection