



Center Complaint Inspection Summary Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <http://jfs.ohio.gov/CDC/childcare.stm>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details		
Program Name Blossoming Beginnings Learning Center	Program Number 2220027302	Program Type Child Care Center
Address 800 Shoup Mill RD Dayton OH 45415		County MONTGOMERY

Inspection Information			
Inspection Type Complaint		Inspection Scope Partial	Inspection Notice Unannounced
Reviewer(s) SULYN ROMER	Inspection Day 04/18/2023	Begin Time 10:15 AM	End Time 10:55 AM

Summary of Findings				
No. Rules Verified 5	No. Rules with Non-compliances 2	No. Serious Risk 0	No. Moderate Risk 1	No. Low Risk 1

Staff-Child Ratios at the Time of Inspection			
Group	Age Group/Range	Ratio Observed	Comment
Preschool (middle)	3 years to < 4 years	1 to 4	
Young Preschool (side area)	30 months to < 36 months	1 to 7	
Infant/Toddler	0 to < 12 months	1 to 4	in toddler area



Complaint Allegations

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

Domain:02 Safe & Sanitary Environment

Rule: 5101:2-12-12 Safe Environment

Code: The program is required to provide an environment that protects the children in care from any items and conditions that may threaten their health, safety, and well-being.

Allegation: Allegedly heaters are within the reach of children.

Determination: Substantiated

Findings: Children in care shall be protected from any items and conditions which threaten their health, safety, and well-being. During the inspection, it was determined the program did not protect children from an unsafe item, condition or equipment noted in number 17 below:

1. Closed ended pull cord(s) on the window blind(s)
2. Extension cord(s); electrical cord(s) attached to an object that could result in a severe injury if pulled.
3. Stacked tables.
4. Folding tables.
5. Matches and/or a lighter.
6. Power tool(s).
7. Live wires.
8. Stove(s) that are either on or able to be turned on by a child.
9. Asbestos.
10. Traffic.
11. A body of water.
12. A well.
13. Environmental hazard(s) confirmed by local authorities having jurisdiction over the hazard.
14. A crockpot used to heat bottles.
15. Immediate access to a knife.
16. Large or heavy pieces of shelving units are not securely anchored to the wall.
17. Other: space heater or a portable fire place were in the classrooms.

Any hazardous equipment must be removed, replaced, or repaired and any hazardous condition must be corrected and must be made inaccessible to children. Provide staff training. Submit the program's corrective action plan, which includes a statement that the item or condition has been removed and a statement that training was provided, to the Department to verify compliance with the requirements of this rule.

Risk Level: Moderate

Corrective Action Plan Due: 06/09/2023

Summary of Additional Non-Compliances

Serious Risk Non-Compliances



No Additional Serious Risk Non-Compliances were observed during this inspection

[Redacted area]

[Redacted area]

Moderate Risk Non-Compliances

No Additional Moderate Risk Non-Compliances were observed during this inspection

[Redacted area]

[Redacted area]

Low Risk Non-Compliances

Domain:00 License & Approvals

Rule: 5101:2-12-04 Fire Inspection

Code: The program is required to abide by stipulations and limitations documented on the fire report.

Findings: During the inspection, it was determined the program was not abiding by stipulations or limitations set forth in the written documentation by the state fire marshal or local fire safety inspector, in that the program fire inspection did not indicate use of portable heaters or fireplace units. Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 06/09/2023