



## Family Child Care Licensing Inspection Full Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <http://jfs.ohio.gov/CDC/childcare.stm>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details		
Program Name Momma lezs playhouse	Program Number 2230028590	Program Type FCC - Type B Home
Address 6118 secor rd  Toledo OH 43613	County LUCAS	

Inspection Information		
Inspection Type Pre-license	Inspection Scope Full	Inspection Notice Announced
Inspection Date 10/02/2023	Begin Time 9:00 AM	End Time 10:40 AM
Reviewer: Julie Tursic		

Summary of Findings				
No. Rules Verified 68	No. Rules with Non-compliances 7	No. Serious Risk 0	No. Moderate Risk 2	No. Low Risk 9

License Capacity and Enrollment at the Time of Inspection				
Age Group	License Capacity	Enrollment		
	Totals	Full Time	Part Time	Total
Infant ( Birth to < 18 m)		0	0	0
Young Toddler		0	0	0
<b>Total Under 2 Years</b>		0	0	0
Older Toddler		0	0	0
Preschool		0	0	0
School Age		0	0	0
<b>Total Capacity/Enrollment</b>		0	0	0

Staff-Child Ratios at the Time of Inspection			
Group	Age Group/Range	Ratio Observed	Comment
ONE	Mixed Age Group	1 to 0	



### Summary of Non-Compliances

*If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.*

#### Serious Risk Non-Compliances

**No Serious Risk Non-Compliances were observed during this inspection**

#### Moderate Risk Non-Compliances

##### Domain: 02 Safe & Sanitary Environment

Rule: 5101:2-13-12 Carbon Monoxide Detectors - Type B Only

Code: The program is required to meet all requirements for carbon monoxide detectors.

Findings: During the inspection, it was determined that the Type B Home did not have a working carbon monoxide detector on each floor where care is provided or carbon monoxide detector(s) were not placed/installed/tested/maintained in accordance with manufacturer's recommendations. A working carbon monoxide detector must be placed, installed, tested, and maintained in accordance with manufacturer's recommendations. Submit the program's corrective action plan to verify compliance with this rule.

Corrective Action Plan Due: 11/01/2023

##### Domain: 02 Safe & Sanitary Environment

Rule: 5101:2-13-12 Safe Environment

Code: The program is required to protect children from any items and conditions which threaten their health, safety, and well-being.

Findings: Children in care shall be protected from any items and conditions which threaten their health, safety, and well-being. During the inspection, it was determined the program did not protect children from an unsafe item or condition or equipment due to the following number(s) 1 below:

1. Pull cord(s) on the window blind(s).



2. Extension cord(s); electrical cord(s) attached to an object that could result in a severe injury if pulled.
3. Stacked tables.
4. Folding tables.
5. Matches and/or a lighter.
6. Power tool(s).
7. Live wires.
8. Stove(s) that are either on or able to be turned on by a child.
9. Asbestos.
10. Traffic.
11. A body of water.
12. A well.
13. Environmental hazard(s) confirmed by local authorities having jurisdiction over the hazard.
14. A crockpot used to heat bottles.
15. Immediate access to a knife.
16. Large or heavy pieces of shelving units are not securely anchored to the wall.
17. Other [ ].

Any hazardous equipment must be removed, replaced, or repaired and any hazardous condition must be corrected and must be made inaccessible to children. Provide staff training. Submit the program's corrective action plan, which includes a statement that the item or condition has been removed and a statement that training was provided, to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 11/01/2023

#### Low Risk Non-Compliances

##### Domain: 00 License & Approvals

Rule: 5101:2-13-04 Fire Safety for Type B Homes

Code: The program is required to maintain smoke alarms in the appropriate areas of the program building.

Findings: During the inspection, it was determined that the Type B Home did not have a working smoke alarm in the basement/on each level of the home or smoke alarm(s) were not placed/installed/tested/maintained in accordance with manufacturer's recommendations. A working smoke alarm must be placed, installed, tested, and maintained in accordance with manufacturer's recommendations. Submit the program's corrective action plan to verify compliance with this rule.

Corrective Action Plan Due: 11/01/2023



**Domain: 02 Safe & Sanitary Environment**

Rule: 5101:2-13-13 Clean environment and equipment

Code: The program is required to have all required items in the restroom(s) and keep them sanitary.

Findings: During the inspection, it was determined that unsanitary conditions, as noted in the following number(s) 3, 4 and 5 below, were in the main restroom:

1. There was no liquid soap.
2. There was no toilet tissue.
3. There were no individually assigned towels or disposable towels.
4. The toilet cleaning brush was accessible to the children.
5. The plunger was accessible to the children.
6. The toilet was not flushed.
7. The trash was not emptied from the day before.
8. There was a strong urine odor.
9. Other [ ].

The restroom(s) must be kept sanitary at all times. Submit the program's corrective action plan to verify compliance with the requirement of the rule.

Corrective Action Plan Due: 11/01/2023

**Domain: 02 Safe & Sanitary Environment**

Rule: 5101:2-13-12 Safe Environment

Code: The program is required to have running water below the temperature of 120 degrees Fahrenheit.

Findings: During the inspection, it was determined the water temperature was 138 degrees in the following room(s) main restroom. This temperature exceeds the requirement of remaining below 120 degrees Fahrenheit. Correct the violation and submit the program's corrective action plan to verify compliance with the requirement of the rule.

Corrective Action Plan Due: 11/01/2023

**Domain: 02 Safe & Sanitary Environment**

Rule: 5101:2-13-12 Safe Environment

Code: The program is required to store cleaning and sanitizing supplies in a place that is inaccessible to children. Cleaning agents, aerosol cans and chemical substances must be stored in their original container or clearly labeled. School-age children may use cleaning supplies and equipment with adult supervision.

Findings: During the inspection, cleaning and sanitizing equipment and supplies were not used or stored properly as noted in number(s) 11 and 15 below:





1. Cosmetics were accessible to children in the [ ] area.
2. Disinfecting wipes were accessible to children in the [ ] area.
3. Fish food was accessible to children in the [ ] area.
4. Hand lotion was accessible to children in the [ ] area.
5. Hand sanitizer (for children under 24 months) was accessible to children in the [ ] area.
6. Laundry detergent was accessible to children in the [ ] area.
7. Powder dish washing soap was accessible to children in the [ ] area.
8. Paint cans were accessible to children in the [ ] area.
9. White out was accessible to children in the [ ] area.
10. Potting Soil was accessible to children in the [ ] area.
11. Other potentially hazardous substance: scented plug ins were accessible to children in the main play room and bathroom area.
12. Cleaning/sanitizing supplies had not been clearly labeled.
13. School-age children were using cleaning supplies, agents and/or equipment without adult supervision.
14. A spray aerosol was used in the [ ] group while children were in attendance.
15. Other: container of pool chemical and floor cleaner were in bottles in the kitchen on the floor and children were not present.

Provide staff training. Submit the program's corrective action plan, which includes a statement that the potentially hazardous substance is no longer accessible to children and a statement that training was provided, to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 11/01/2023

### Domain: 03 Postings & Equipment

Rule: 5101:2-13-16 Medical, Dental, and General Emergency Plan

Code: The program is required to post the fire and weather alert plan with a diagram.

Findings: During the inspection, it was determined the following information was not posted for item number(s) 1 and 3 below:

1. Fire alert plan, including a diagram indicating evacuation routes.
2. Weather alert plan was missing details for [ ].
3. Weather alert plan was missing a diagram indicating evacuation routes.

Correct the violation and submit the program's corrective action plan to verify compliance with the requirement of the rule.

Corrective Action Plan Due: 11/01/2023

### Domain: 03 Postings & Equipment



Rule: 5101:2-13-16 Medical, Dental, and General Emergency Plan

Code: The program is required to post the completed JFS 01201 "Dental First Aid" and implement as required by rule.

Findings: During the inspection, it was determined the JFS 01201 "Dental First Aid" was not completed/posted. Correct the violation and submit the program's corrective action plan to verify compliance with the requirement of the rule.

Corrective Action Plan Due: 11/01/2023

**Domain: 05 Health & Safety**

Rule: 5101:2-13-16 First Aid Kit/Standard Precautions

Code: The program is required to store first aid supplies in an unlocked, closed first aid container that is inaccessible to children.

Findings: During the inspection, it was determined that the first aid supplies were not stored according to the requirements listed in item number(s) 4 below:

1. Stored in a closed container
2. Stored in a unlocked container
3. Stored out of the reach of children
4. Stored on the premises
5. Stored readily available to the provider

Correct the violation and submit the program's corrective action plan to verify compliance with the requirement of the rule.

Corrective Action Plan Due: 11/01/2023

**Domain: 05 Health & Safety**

Rule: 5101:2-13-16 First Aid Kit/Standard Precautions

Code: The program is required to meet the requirements for first aid kits.

Findings: During the inspection, it was determined that the program did not have a first aid kit onsite as required, that included all items listed in the appendix A of the rule. The kit(s) were missing the item(s) or the item(s) were not replaced after use and/or expired listed in number(s) 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 and 16 below:

1. One roll of first-aid tape;
2. Individually wrapped sterile gauze; squares in assorted sizes;
3. Sterile adhesive bandages in assorted sizes;



4. Tweezers;
5. Gauze rolled bandage;
6. Triangular bandage;
7. Rounded end scissors;
8. Tooth preservation system or fresh chilled liquid milk in which to transport a lost permanent tooth, including a written reference indicating location of the refrigerator/freezer where milk is stored if a tooth preservation system is not part of the first aid kit (for programs serving school age children only);
9. A working digital thermometer;
10. Disposable non-latex gloves;
11. A working flashlight;
12. An instant cold pack that has not been activated or ice, including a written reference indicating location of the refrigerator/freezer where the ice is stored if an instant cold pack is not part of the first aid kit;
13. Sealable leak-proof plastic bags in assorted sizes or double bagged plastic bags that can be securely tied for materials soiled with blood or bodily fluids;
14. Pocket mask or face shield, appropriate; for all ages of children in care, for cardiopulmonary resuscitation (CPR) administration;
15. Soap or waterless sanitizer (field trip or transporting away from the program only);
16. Bottled water (field trip or transporting away from the program only).

Correct the violation and submit the program's corrective action plan to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 11/01/2023

#### Domain: 08 Staff Files

Rule: 5101:2-13-10 Health Training

Code: The program is required to meet the health training requirements.

Findings: In review of records, it was determined the provider did not have current valid documentation for training(s) listed in number(s) 2, 6 and 11 below:

1. First Aid - expired training
2. First Aid - did not have verification of the completion of First Aid training
3. First Aid - documentation did not demonstrate the person who provided the training met the trainer qualifications as stated in the rule
4. CPR - expired training
5. CPR - had not taken CPR training
6. CPR - did not have verification of the completion of CPR training
7. CPR - training taken did not include all age groups and developmental levels of all children in care
8. CPR - documentation did not demonstrate the person who provided the training met the trainer qualifications as stated in the rule
9. CPR- audiovisual or electronic media training taken did not include an in-person component of the training
10. Communicable Disease - expired training
11. Communicable Disease - had not taken CD training
12. Communicable Disease - did not have verification of the completion of CD training



- 13. Communicable Disease - documentation did not demonstrate the person who provided the training met the trainer qualifications as stated in the rule
- 14. Child Abuse - expired training
- 15. Child Abuse - had not taken Child Abuse training
- 16. Child Abuse - documentation did not demonstrate the person who provided the training met the trainer qualifications as stated in the rule

Correct the violation and submit the documentation of current certification with the program's corrective action plan to verify compliance with the requirement of the rule.

Corrective Action Plan Due: 11/01/2023

#### Rules In-Compliance/Not Verified

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-02 License Visible	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-02 Voluntary Temporary Closure	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-02 Change of Location	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-02 Information in OCLQS	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-02 Provider Medical	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-03 Inspection Requirements	Compliant	





Rule	Status	Documenting Statement(s), If applicable
5101:2-13-04 Building Requirements for Type B Homes	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-04 Flammable and Combustible Materials in a Type B Home	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-04 Heaters in a Type B Home	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-07 Staff Records	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-07 Type B Provider - Foster Parent	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-08 Employee Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-08 Child Care Staff Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-08 Whistle Blower	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-09 Background Checks	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-10 Professional Development	Compliant	



Rule	Status	Documenting Statement(s), If applicable
5101:2-13-11 Outdoor Space	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-11 Outdoor Equipment	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-11 Fall Zone	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-12 Safe Equipment	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-13 Handwashing	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-13 Smoke Free	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-13 Toothbrushing	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-14 Requirements for Field and Routine Trips	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-14 Ratio and Supervision for Field and Routine Trips	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5101:2-13-14 Driver Requirements	Compliant	



Rule	Status	Documenting Statement(s), If applicable
5101:2-13-14 Vehicle Inspections	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-14 Vehicle Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-15 Child Medical and Enrollment Records	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-15 Health Conditions	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-15 Child Records Retention and Confidentiality	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 Emergency Drills	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 Communicable Diseases	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 Incident/Injury	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-16 Disaster Plan	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-18 Attendance	Compliant	
Rule	Status	Documenting Statement(s), If applicable



5101:2-13-19 Supervision	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-19 School Age Supervision	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-19 Child Guidance	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-20 Sleep and Nap Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-20 Crib and Playpen Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-21 Evening and Overnight Care	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-21 Sanitary Environment and Hygiene	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-22 Meals and Snacks	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-22 Fluid Milk	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-22 Food Handling	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-23 Infant Daily Care	Compliant	





Rule	Status	Documenting Statement(s), If applicable
5101:2-13-23 Infant Bottle and Food Preparation	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-23 Diapering	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-24 Parent Permission for Swimming	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-25 Medication Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-07 Provider Responsibilities	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-18 Group Size and Ratios	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13 Written Policies and Procedures	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-11 Indoor Space	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-17 Programming	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-24 On-site Pools	Compliant	



Rule	Status	Documenting Statement(s), If applicable
5101:2-13-12 Pets	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-24 Swimming Sites	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5101:2-13-17 Materials and Equipment	Compliant	