

# **Center Complaint Inspection Summary Report**

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <a href="http://jfs.ohio.gov/CDC/childcare.stm">http://jfs.ohio.gov/CDC/childcare.stm</a>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details			
Program Name	Program Number	Program Type	
Show One Teach One Academy III	2230029125	Child Care Center	
Address	·	County	
14070 Euclid Ave East Cleveland OH 44112		CUYAHOGA	

Inspection Information						
Inspection Type Complaint			Inspection Scope Partial		Inspection Notice Unannounced	
3 40		Inspection 05/07/20		Begin Time 8:30 AM		End Time 9:38 AM
Summary of Findings						
No. Rules Verified	No. Rules with Non-co	mpliances No. Serious Risl			No. Moderate Risk	No. Low Risk
5	2		0		0	2

Staff-Child Ratios at the Time of Inspection				
Group	Age Group/Range	Ratio Observed	Comment	
Mixed Age Group	12 months to < 18 months	1 to 5	Programming	



## **Complaint Allegations**

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited

No Complaints were observed during this inspection.
Summany of Additional Non Compliances
Summary of Additional Non-Compliances
Serious Risk Non-Compliances
No Additional Serious Risk Non-Compliances were observed during this inspection
Moderate Risk Non-Compliances
No Additional Moderate Risk Non-Compliances were observed during this inspection



### **Low Risk Non-Compliances**

#### Domain:02 Safe & Sanitary Environment

Rule: 5180:2-12-12 Safe Equipment

Code: The program is required to use equipment, that is safe and hazard free, according to the manufacturer's guidelines. Fans, air conditioners, heat pumps, and space heaters must be inaccessible to children. The program is required to refrain from using trampolines, ball pits and inflatable equipment intended for climbing and bouncing, including but not limited to slides and bounce houses.

Findings: During the inspection, equipment was determined to be unsafe, hazardous to children, or in need of repair as noted in number 12 below:

- 1. Manufacturer's guidelines for the [ ] were not followed in that [ ].
- 2. The straps were missing on the [ ].
- 3. The straps were attached, but were not used on the [ ].
- 4. The straps were attached and were used, but were not used in a safe manner.
- 5. The equipment had sharp points or corners.
- 6. The equipment had splinters.
- 7. The equipment had protruding nails.
- 8. The equipment had loose or rusty parts.
- 9. The equipment had paint which contains lead or other poisonous materials.
- 10. The equipment had hazardous features.
- 11. A fan was unstable and could easily tip over.
- 12. A fan had openings a finger could enter.
- 13. The pipes from the heat pump felt hot to the touch
- 14. A space heater felt hot to the touch
- 15. The position of a space heater was a tripping hazard
- 16. The air conditioning unit was not enclosed and was accessible to children on the playground.
- 17. A ball pit, trampoline, inflatable bounce house, inflatable slide, or inflatable equipment used for climbing and bouncing was used.
- 18. Other [ ].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 06/06/2025

#### Domain:02 Safe & Sanitary Environment

Rule: 5180:2-12-13 Sanitary Equipment and Environment

Code: The program is required to be kept clean to prevent an infestation of insects or rodents.

Findings: During the inspection, it was determined the program was not kept clean to prevent unsanitary conditions due to insects. Technical assistance was provided at the time of the inspection, and as discussed, please correct this rule noncompliance. A written response for this rule noncompliance is required at this time.

Corrective Action Plan Due: 06/06/2025



	~~			
Ľ				
1				
1				
1				
L				