

Complaint Inspection Summary Report

All licensed early care and education programs are inspected at least once each year. Non-compliances are documented and grouped by risk level. Documenting statements, technical assistance provided and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the Department of Children & Youth website at <https://childcaresearch.ohio.gov/>. This includes complaint investigation reports with substantiated allegations. For any other early care and education records, please contact the Family and Customer Support Center at 1-844-234-5437.

Program Details		
Program Name S&J 2	Program Number 2240030132	Program Type Child Care Center
Address 4907 Dorr Street Toledo OH 43615	County LUCAS	

Inspection Information			
Inspection Type Complaint	Inspection Scope Partial	Inspection Method On-site Inspection	Inspection Notice Unannounced
Inspection Date 08/19/2026	Begin Time 12:35 PM	End Time 12:45 PM	Reviewer: Beverly Sutter

Summary of Findings			
No. Requirements Verified 2	No. Requirements with Non-compliances 1		No. Requirements Compliant 1
No. Serious Risk 0	No. Moderate Risk Findings 1	No. Other Non-compliance Findings 0	No. Technical Assistance Provided 0

Staff-Child Ratios at the Time of Inspection				
Group	Age Group/Range	Ratio Observed	Compliance	Comment
School agers		1 to 15		12:40 pm, rest time

Complaint Allegations

The request for review must be submitted within ten business days from the receipt of the licensing report. In addition, if the program is Step Up To Quality rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

Domain: 04 Indoor/Outdoor Space

Rule: 5180:2-12-11 Outdoor Space Requirements

Code: The program is required to have an outdoor play space free from immediate risk.

Allegation: Complainant alleges group of children children was playing behind the S & J 2 building. They were not within the fenced in area of the playground, but on the black top area.

Determination: Substantiated

Findings: During the inspection, it was determined that an area was used which did not ensure that children are not able to leave the outdoor play area unsupervised or that any hazards from the outside cannot enter the outdoor player area without the staff being aware of them. The black top alley area behind the building was being used for outdoor play space. No fencing or barrier used while children were using the space.

The following was observed: The portable fencing approved for use by the Department was not being used.

Discontinue use of the playground and provide a space for outdoor play which meets the requirement. Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Risk Level: Moderate

Corrective Action Plan Due: 09/18/2026

Summary of Non-Compliances

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5180:2-12-03, 5180:2-13-03, 5180:2-19-10 and 5180:2-20-02 detail the process for submitting a request for review. The request for review must be submitted within ten business days from the receipt of the licensing report. In addition, if the program is Step Up To Quality rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

Serious Risk Non-Compliances

A serious risk non-compliance is a licensing rule violation that has the potential to lead to a great risk of harm to a child and is observable and/or based on facts.

No serious risk non-compliances were observed during this inspection

Moderate Risk Non-Compliances

A moderate risk non-compliance is a licensing rule violation that has the potential to lead to an increased risk of harm to a child and is observable and/or based on facts.

No moderate risk non-compliances were observed during this inspection

Other Non-Compliances

This section includes other rule violations that are observable and/or based on facts.

No other non-compliances were observed during this inspection