

Center Licensing Inspection Full Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <http://jfs.ohio.gov/CDC/childcare.stm>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details			
Program Name Amazing Minds Learning Center	Program Number 2240030509	Program Type Child Care Center	
Address 31809 Vine Street Willowick OH 44095		County LAKE	
Building Approval Date	Use Group/Code	Occupancy Limit	Maximum Under 2 ½
Fire Inspection Approval Date	Food Service Risk Level		

Inspection Information				
Inspection Type Pre-license	Inspection Scope Full	Inspection Notice Announced		
Inspection Date 01/06/2025	Begin Time 10:30 AM	End Time 1:30 PM		
Reviewer: RENADA FITCH				
Summary of Findings				
No. Rules Verified 58	No. Rules with Non-compliances 3	No. Serious Risk 0	No. Moderate Risk 0	No. Low Risk 4

License Capacity and Enrollment at the Time of Inspection				
Age Group	License Capacity	Enrollment		
	Totals	Full Time	Part Time	Total
Infant (Birth to < 18 m)		0	0	0
Young Toddler		0	0	0
Total Under 2 ½ Years		0	0	0
Older Toddler		0	0	0
Preschool		0	0	0
School Age		0	0	0
Total Capacity/Enrollment		0	0	0

Staff-Child Ratios at the Time of Inspection			
Group	Age Group/Range	Ratio Observed	Comment

--	--	--	--

Summary of Non-Compliances

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5101:2-12-03 and 5101:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

Serious Risk Non-Compliances

No Serious Risk Non-Compliances were observed during this inspection

Moderate Risk Non-Compliances

No Moderate Risk Non-Compliances were observed during this inspection

Low Risk Non-Compliances

Domain: 02 Safe & Sanitary Environment

Rule: 5180:2-12-12 Safe Environment

Code: The program is required to provide an environment that protects the children in care from any items and conditions that may threaten their health, safety, and well-being.

Finding: Children in care shall be protected from any items and conditions which threaten their health, safety, and well-being. During the inspection, it was determined that at least one area of the program or at least one piece of equipment had chipping or peeling paint. Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 02/05/2025

Domain: 04 Indoor/Outdoor Space

Rule: 5180:2-12-11 Outdoor Play Fall Zones

Code: The program is required to provide fall zones around equipment to prevent injury if a child were to fall.

Finding: During the inspection, it was determined the fall zone under and around equipment designated for climbing, swinging, balancing and sliding did not meet the requirements as noted in number(s) 6 below:

1. The fall surface material had not been properly distributed or raked as needed to retain proper depth under and around equipment.
2. A fall zone hazard was present, in that, the [] posed a risk of injury if a child were to fall from a piece of equipment.
3. The fall zone was less than 3 feet from the fence for equipment used by children 23 months of age and younger.
4. The fall zone was less than 6 feet from the fence for equipment used by children 24 months of age and older.
5. There was not a fall zone of 3 feet in all directions from the perimeter of the equipment used by children 23 months of age and younger.
6. There was not a fall zone of 6 feet in all directions from the perimeter of the equipment used by children 24 months of age and older.
7. The fall zone was less than 4 1/2 feet from each piece of applicable equipment used by children 23 months of age and younger.
8. The fall zone was less than 9 feet from each piece of applicable equipment used by children 24 months of age and older.
9. Other [].

The program is required to provide adequate fall zones under and around outdoor play equipment at all times. Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 02/05/2025

Domain: 07 Diapering & Infant Care

Rule: 5180:2-12-20 Cribs

Code: The program is required to provide a safe and sufficient barrier to separate the play and sleeping space.

Finding: During the inspection, it was determined that the barrier between the play and sleeping space did not meet the requirements as noted in number(s) 1 below:

1. No barrier had been provided
2. The barrier did not prevent the infants from entering the sleeping area.
3. The barrier was not safe.
4. The barrier was not sturdy.
5. The barrier impaired staff's ability to see and hear all sleeping infants in their cribs.
6. The barrier was inadequate.
7. Other [].

Technical assistance was provided at the time of the inspection, and as discussed, please correct this rule noncompliance. A written response for this rule noncompliance is required at this time.

Corrective Action Plan Due: 02/05/2025

Domain: 07 Diapering & Infant Care

Rule: 5180:2-12-20 Cribs

Code: The program is required to have the mattress support in the lowest position and crib rails in the highest position in all cribs.

Finding: During the inspection, it was determined the mattress support was not maintained at the lowest position/crib rails were not maintained at the highest position for all cribs when in use, as required. Except when infants are being placed in cribs, removed from cribs, or being soothed, the sides should remain in the highest position. Technical assistance was provided at the time of the inspection, and as discussed, please correct this rule noncompliance. A written response for this rule noncompliance is required at this time.

Corrective Action Plan Due: 02/05/2025

Rules In-Compliance/Not Verified

Rule	Status	Documenting Statement(s), If applicable
5180:2-12-16 Written Disaster Plan	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-04 Building Department Inspection	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-04 Fire Inspection	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-04 Food Service Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-07 Administrator Qualifications	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-07 Administrator Responsibilities/Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-07 Written Program Policies and Procedures	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-08 Child Care Staff Member Educational Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-08 Medical Statement	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-08 Orientation Training & Whistle Blower Protection	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-09 Background Check Requirements	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-12-10 Health Training Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-11 Indoor Space Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-11 Outdoor Play Equipment	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-12 Safe Equipment	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-13 Sanitary Equipment and Environment	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-13 Smoke Free Environment	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-13 Toothbrushing Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-16 Medical, Dental, and General Emergency Plan	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-17 Daily Schedule	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-16 Management of Communicable Disease	Compliant	
Rule	Status	Documenting Statement(s), If applicable
Rule: 5180:2-12-16 First Aid/Standard Precautions	Compliant	Documenting Statement: During the inspection, the program had complete first aid kits available as required.
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-17 Materials and Equipment	Compliant	



**Department of
Children & Youth**

--