

## Center Licensing Inspection Full Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <http://jfs.ohio.gov/CDC/childcare.stm>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details			
Program Name Ontario Y Kids Club	Program Number 2250032017	Program Type Child Care Center	
Address 426 Shelby-Ontario Rd Ontario OH 44906			County RICHLAND
Building Approval Date	Use Group/Code School Building	Occupancy Limit	Maximum Under 2 ½
Fire Inspection Approval Date	Food Service Risk Level Level III		

Inspection Information		
Inspection Type Pre-license	Inspection Scope Full	Inspection Notice Unannounced
Inspection Date 08/12/2025	Begin Time 10:00 AM	End Time 11:45 AM
Reviewer: Joseph Diehm		

Summary of Findings				
No. Rules Verified 58	No. Rules with Non-compliances 2	No. Serious Risk 0	No. Moderate Risk 0	No. Low Risk 2

License Capacity and Enrollment at the Time of Inspection				
Age Group	License Capacity	Enrollment		
	Totals	Full Time	Part Time	Total
Infant ( Birth to < 18 m)		0	0	0
Young Toddler		0	0	0
<b>Total Under 2 ½ Years</b>	0	0	0	0
Older Toddler		0	0	0
Preschool		0	0	0
School Age		0	0	0
<b>Total Capacity/Enrollment</b>	77	0	0	0

Staff-Child Ratios at the Time of Inspection			
Group	Age Group/Range	Ratio Observed	Comment

--	--	--	--

### Summary of Non-Compliances

*If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5180:2-12-03 and 5180:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.*

#### Serious Risk Non-Compliances

**No Serious Risk Non-Compliances were observed during this inspection**

#### Moderate Risk Non-Compliances

**No Moderate Risk Non-Compliances were observed during this inspection**

#### Low Risk Non-Compliances

**Domain: 02 Safe & Sanitary Environment**

**Rule:** 5180:2-12-12 Safe Environment

**Code:** The program is required to provide an environment that protects the children in care from any items and conditions that may threaten their health, safety, and well-being.

**Finding:** During the inspection, it was determined that children were not protected from item(s) or condition(s) which may threaten their health, safety, or well-being as noted in number(s) 5,13 below:

1. Surge protectors/outlets did not have childproof receptacle covers.
2. Open pull cords that are not closed loop.
3. Toys or other items small enough to be swallowed were present in the space where infants and/or toddlers were in care.
4. Electrical/extension cords attached to an object that would not likely result in a severe injury if pulled.
5. Stacked chairs / desks.
6. Employee(s) purse(s).
7. Diaper bags.
8. Television not securely anchored.
9. Small or lightweight pieces of shelving units are not securely anchored to the wall.
10. Smoke detector needing batteries replaced.
11. An area rug did not have a nonskid backing.
12. An area rug presented a tripping hazard.
13. A floor surface that was unsafe in that stacked boxes and cabinets covered the floor.
14. No platform was provided for the sink or toilet in the [ ] classroom.
15. The platform provided for the sink or toilet in the [ ] classroom was not sturdy.
16. The platform provided for the sink or toilet in the [ ] classroom posed a safety hazard in that [ ].
17. Telephone cords.
18. Staff member stepped over a barrier/gate while holding a child.
19. Emergency exits were blocked by the following classroom furniture: [ ].
20. A mercury thermometer was being used to take a child's temperature.
21. Methods of ventilation used did not provide protection from rodents, insects, or other hazards.
22. Other [ ].

Provide staff training. Submit the program's corrective action plan, which includes a statement that training was provided, to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 09/11/2025

**Domain: 04 Indoor/Outdoor Space**

**Rule:** 5180:2-12-11 Outdoor Play Equipment

**Code:** The program is required to provide equipment that does not pose a safety risk and must follow the manufacturer's guidelines for assembling, installing and using the equipment.

**Finding:** During the inspection, it was determined that outdoor play equipment was unsafe or not used as intended as noted in number(s) 3,4 below:

1. There was rust exposed.
2. There were protruding bolts.
3. There were cracks. (Plastic on climber)
4. There were holes. (Plastic on climber)
5. There was splintering wood.
6. There were sharp edges or points.
7. There were lead hazards.
8. There were toxic substances.
9. There were tripping hazards.
10. There was chipped and/or peeling paint.
11. The sandbox was not covered when the program was closed or during non-daylight hours.
12. Outdoor equipment, [ ], was not developmentally appropriate.
13. Outdoor equipment, [ ], was placed in the main traffic pattern.
14. Outdoor play equipment, [ ], was positioned too closely together, posing a risk of injury if a child were to fall from one piece of equipment into another.
15. Outdoor equipment, [ ], was not securely anchored but did not present a risk of imminent danger of the structure collapsing when children are using the equipment
16. Outdoor equipment, [ ], was 30 inches or more from the ground and did not have a protective barrier that would prevent a child from falling off this piece of equipment.
17. The manufacturer's guidelines for assembly and installation were not followed for the [ ].
18. Functionally linked equipment was used by preschool-age children and the distance between two adjacent pieces of equipment exceeded 12 inches.
19. Functionally linked equipment was used by school-age children and the distance between two adjacent pieces of equipment exceeded 18 inches.
20. Other [ ].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 09/11/2025

#### Rules In-Compliance/Not Verified

Rule	Status	Documenting Statement(s), If applicable
5180:2-12-16 Written Disaster Plan	Compliant	



Rule	Status	Documenting Statement(s), If applicable
5180:2-12-04 Building Department Inspection	Compliant	

Rule	Status	Documenting Statement(s), If applicable
Rule: 5180:2-12-04 Fire Inspection	Compliant	Documenting Statement: Please Note: Documentation of a fire inspection without any uncorrected violations must be secured for the program. Secure a new fire inspection by 10/11/25.

Rule	Status	Documenting Statement(s), If applicable
Rule: 5180:2-12-04 Food Service Requirements	Compliant	Documenting Statement: The food service license was observed posted. Following is the audit number and date of expiration: 3/1/26 LUTT-DDUN8W .
Rule: 5180:2-12-04 Food Service Requirements	Compliant	Documenting Statement: Written permission to operate under the food service license of another entity at the same location was observed.

Rule	Status	Documenting Statement(s), If applicable
5180:2-12-07 Administrator Qualifications	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-12-07 Written Program Policies and Procedures	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-12-08 Child Care Staff Member Educational Requirements	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-12-08 Medical Statement	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-12-08 Orientation Training & Whistle Blower Protection	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-12-09 Background Check Requirements	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-12-10 Health Training Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-10 Professional Development Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-12 Safe Equipment	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-16 Medical, Dental, and General Emergency Plan	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-17 Daily Schedule	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-16 Management of Communicable Disease	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-16 First Aid/Standard Precautions	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-17 Materials and Equipment	Compliant	