

Center Licensing Inspection Full Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <http://jfs.ohio.gov/CDC/childcare.stm>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details			
Program Name Classical Academy LLC	Program Number 2250032436		Program Type Child Care Center
Address 7079 Colerain Ave Cincinnati OH 45239			County HAMILTON
Building Approval Date 04/10/2025	Use Group/Code E	Occupancy Limit	Maximum Under 2 ½
Fire Inspection Approval Date 06/09/2025	Food Service Risk Level Level III		

Inspection Information		
Inspection Type Pre-license	Inspection Scope Full	Inspection Notice Unannounced
Inspection Date 08/06/2025	Begin Time 2:00 PM	End Time 3:15 PM
Inspection Date 08/06/2025	Begin Time 2:00 PM	End Time 3:15 PM
Reviewer: MARGARET CONRAD		
Reviewer: BRENDA MEYER		

Summary of Findings				
No. Rules Verified 58	No. Rules with Non-compliances 9	No. Serious Risk 0	No. Moderate Risk 1	No. Low Risk 11

License Capacity and Enrollment at the Time of Inspection				
Age Group	License Capacity	Enrollment		
	Totals	Full Time	Part Time	Total
Infant (Birth to < 18 m)		0	0	0
Young Toddler		0	0	0
Total Under 2 ½ Years	49	0	0	0
Older Toddler		0	0	0
Preschool		0	0	0
School Age		0	0	0
Total Capacity/Enrollment	49	0	0	0

Staff-Child Ratios at the Time of Inspection

Group	Age Group/Range	Ratio Observed	Comment

Summary of Non-Compliances

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5180:2-12-03 and 5180:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

Serious Risk Non-Compliances

No Serious Risk Non-Compliances were observed during this inspection

Moderate Risk Non-Compliances

Domain: 08 Staff Files

Rule: 5180:2-12-09 Background Check Requirements

Code: The program is required to have all staff request background checks as required and receive a JFS 01176 or preliminary approval from ODJFS prior to allowing an individual to engage in assigned duties or be near children.

Finding: In review of the staff records, it was determined that background checks did not meet the requirements of the rule for the person(s) listed on the Employee Record Chart as noted in number 1 below:

1. The request for a background check for child care was not submitted in the OPR.
2. The fingerprints were not submitted electronically according to the process established by BCI.
3. The individual(s) had engaged in assigned duties or were near children and preliminary approval from ODJFS was not on file.
4. Background checks were not updated every five years.

Submit the program's corrective action plan, which includes a copy of the JFS 01176, or a copy of the preliminary approval or a statement that the individual(s) are no longer engaged in assigned duties and are not near children

until the preliminary approval has been received, to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 09/07/2025

Low Risk Non-Compliances

Domain: 02 Safe & Sanitary Environment

Rule: 5180:2-12-12 Safe Equipment

Code: The program is required to use equipment, that is safe and hazard free, according to the manufacturer's guidelines. Fans, air conditioners, heat pumps, and space heaters must be inaccessible to children. The program is required to refrain from using trampolines, ball pits and inflatable equipment intended for climbing and bouncing, including but not limited to slides and bounce houses.

Finding: During the inspection, equipment was determined to be unsafe, hazardous to children, or in need of repair as noted in number 18 below:

1. Manufacturer's guidelines for the [] were not followed in that [].
2. The straps were missing on the [].
3. The straps were attached, but were not used on the [].
4. The straps were attached and were used, but were not used in a safe manner.
5. The equipment had sharp points or corners.
6. The equipment had splinters.
7. The equipment had protruding nails.
8. The equipment had loose or rusty parts.
9. The equipment had paint which contains lead or other poisonous materials.
10. The equipment had hazardous features.
11. A fan was unstable and could easily tip over.
12. A fan had openings a finger could enter.
13. The pipes from the heat pump felt hot to the touch
14. A space heater felt hot to the touch
15. The position of a space heater was a tripping hazard
16. The air conditioning unit was not enclosed and was accessible to children on the playground.
17. A ball pit, trampoline, inflatable bounce house, inflatable slide, or inflatable equipment used for climbing and bouncing was used.
18. Other: Large furniture in Toddler classrooms needs removed so children don't get hurt, small blocks and toys for older children needs removed from Toddler classrooms, punching bags need removed from school age/ PS space.

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 09/07/2025

Domain: 03 Postings & Equipment

Rule: 5180:2-12-16 Medical, Dental, and General Emergency Plan

Code: The program is required to have the JFS 01201 "Dental First Aid" posted in a readily available area at the program.

Finding: During the inspection it was determined that the current JFS 01201 "Dental First Aid" was not posted in a location readily available to center staff and parents as required. Technical assistance was provided at the time of the inspection, and as discussed, please correct this rule noncompliance. A written response for this rule noncompliance is required at this time.

Corrective Action Plan Due: 09/07/2025

Domain: 03 Postings & Equipment

Rule: 5180:2-12-16 Medical, Dental, and General Emergency Plan

Code: The program is required to post the fire and weather plans.

Finding: During the inspection, it was determined that the following information was not posted for item numbers 1 & 3 below:

1. Fire alert plan, including a diagram indicating evacuation routes.
2. Weather alert plan was missing details for [].
3. Weather alert plan was missing a diagram indicating evacuation routes.

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 09/07/2025

Domain: 03 Postings & Equipment

Rule: 5180:2-12-16 Medical, Dental, and General Emergency Plan

Code: The program is required to post and implement the JFS 01242 "Medical, Dental, and General Emergency Plan" when necessary.

Finding: During the inspection, it was determined the requirements for the JFS 01242 "Medical, Dental, and General Emergency Plan for Child Care" were not followed as noted in number 1 below:

1. The plan was not posted in each classroom.
2. The plan was not posted in other spaces used by children.
3. The name, address and telephone number of the program were not complete.
4. The location of first aid kit, fire extinguishers and fire alarm system, fire alarm pull stations and electrical circuit box were not complete.
5. The telephone number for emergency squad, fire department, hospital, poison control program, public children services agency, local health department, local emergency management agency, and police department were not complete.
6. Location of children's records was not complete.
7. Emergency information including any medications or supplies needed in the event of an evacuation was not complete.
8. The current version of the prescribed form was not used.
9. The plan was not implemented when necessary in that [].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 09/07/2025

Domain: 03 Postings & Equipment

Rule: 5180:2-12-17 Daily Schedule

Code: The program is required to have the daily program schedule posted in all required areas.

Finding: During the inspection, it was determined that a copy of the daily program schedule was not posted in the classroom area as required. Technical assistance was provided at the time of the inspection, and as discussed, please correct this rule noncompliance. A written response for this rule noncompliance is required at this time.

Corrective Action Plan Due: 09/07/2025

Domain: 04 Indoor/Outdoor Space

Rule: 5180:2-12-11 Outdoor Play Equipment

Code: The program is required to provide equipment that does not pose a safety risk and must follow the manufacturer's guidelines for assembling, installing and using the equipment.

Finding: During the inspection, it was determined that outdoor play equipment was unsafe or not used as intended as noted in number 14 below:

1. There was rust exposed.
2. There were protruding bolts.
3. There were cracks.
4. There were holes.
5. There was splintering wood.
6. There were sharp edges or points.
7. There were lead hazards.
8. There were toxic substances.
9. There were tripping hazards.
10. There was chipped and/or peeling paint.
11. The sandbox was not covered when the program was closed or during non-daylight hours.
12. Outdoor equipment, [], was not developmentally appropriate.
13. Outdoor equipment, [], was placed in the main traffic pattern.
14. Outdoor play equipment, small slides, were positioned too closely together, posing a risk of injury if a child were to fall from one piece of equipment into another.
15. Outdoor equipment, [], was not securely anchored but did not present a risk of imminent danger of the structure collapsing when children are using the equipment
16. Outdoor equipment, [], was 30 inches or more from the ground and did not have a protective barrier that would prevent a child from falling off this piece of equipment.
17. The manufacturer's guidelines for assembly and installation were not followed for the [].
18. Functionally linked equipment was used by preschool-age children and the distance between two adjacent pieces of equipment exceeded 12 inches.
19. Functionally linked equipment was used by school-age children and the distance between two adjacent pieces of equipment exceeded 18 inches.
20. Other [].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 09/07/2025

Domain: 04 Indoor/Outdoor Space

Rule: 5180:2-12-11 Outdoor Play Fall Zones

Code: The program is required to provide fall zones around equipment to prevent injury if a child were to fall.

Finding: During the inspection, it was determined the fall zone under and around equipment designated for climbing, swinging, balancing and sliding did not meet the requirements as noted in number 4 below:

1. The fall surface material had not been properly distributed or raked as needed to retain proper depth under and around equipment.
2. A fall zone hazard was present, in that, the [] posed a risk of injury if a child were to fall from a piece of equipment.
3. The fall zone was less than 3 feet from the fence for equipment used by children 23 months of age and younger.
4. The fall zone was less than 6 feet from the fence for equipment used by children 24 months of age and older.
5. There was not a fall zone of 3 feet in all directions from the perimeter of the equipment used by children 23 months of age and younger.
6. There was not a fall zone of 6 feet in all directions from the perimeter of the equipment used by children 24 months of age and older.
7. The fall zone was less than 4 1/2 feet from each piece of applicable equipment used by children 23 months of age and younger.
8. The fall zone was less than 9 feet from each piece of applicable equipment used by children 24 months of age and older.
9. Other [].

The program is required to provide adequate fall zones under and around outdoor play equipment at all times. Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 09/07/2025

Domain: 05 Health & Safety

Rule: 5180:2-12-16 Management of Communicable Disease

Code: The program is required to post the JFS 08087 "Ohio Communicable Disease Chart".

Finding: During the inspection, it was determined that the JFS 08087 "Ohio Communicable Disease Chart" was not posted as required, as indicated in number 1 below:

1. The chart was not posted.
2. In a location readily available to program staff and parents.
3. The posted chart was not the current version, and the Child Care Manual Procedural Letter No. 159 was not attached.
4. The posted chart was not displayed in the size available in the ODJFS forms central to be easily read.

Technical assistance was provided at the time of inspection, and as discussed, please correct this rule noncompliance. A written response for this rule noncompliance is required at this time.

Corrective Action Plan Due: 09/07/2025

Domain: 07 Diapering & Infant Care

Rule: 5180:2-12-20 Cribs

Code: The program is required to provide a safe and sufficient barrier to separate the play and sleeping space.

Finding: During the inspection, it was determined that the barrier between the play and sleeping space did not meet the requirements as noted in number 7 below:

1. No barrier had been provided
2. The barrier did not prevent the infants from entering the sleeping area.
3. The barrier was not safe.
4. The barrier was not sturdy.
5. The barrier impaired staff's ability to see and hear all sleeping infants in their cribs.
6. The barrier was inadequate.
7. Other: The barrier did not have an opening so you would have to be holding a baby and step over the gate. A barrier needs to be put there with an opening.

Technical assistance was provided at the time of the inspection, and as discussed, please correct this rule noncompliance. A written response for this rule noncompliance is required at this time.

Corrective Action Plan Due: 09/07/2025

Domain: 08 Staff Files

Rule: 5180:2-12-09 Background Check Requirements

Code: The program is required to maintain a current JFS 01176 "Program Notification of Background Check Review for Child Care" on file for each staff.

Finding: In review of the staff records, it was determined that background check requirements had not been followed, for the individual(s) listed on the Employee Record Chart, as noted in number 1 below:

1. The JFS 01177 "Individual Notification of Background Check Review for Child Care" was on file instead of the JFS 01176.
2. The JFS 01176 on file was for a different program.

Submit the program's corrective action plan, which includes a statement that the correct form is now on file, to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 09/07/2025

Domain: 08 Staff Files

Rule: 5180:2-12-08 Medical Statement

Code: The program staff's medical statements are required to be completed and on file at the program.

Finding: In review of the staff records, it was determined that the medical statements for the employees listed on the Employee Record Chart did not meet the requirements as listed in numbers 5 & 6 below.

1. A medical statement was not on file for at least one employee;
2. The medical statement(s) on file did not have a date of examination within 12 months of the employee's first day of employment;
3. Date of examination was missing;
4. Signature, business address, or telephone number of the licensed physician, physician assistant, advanced practice nurse, certified midwife, or certified nurse practitioner who completed the examination was missing;
5. A statement was missing that verifies the employee is:
 - a. Physically fit for employment in a program caring for children;
 - b. Immunized against Tetanus, Diphtheria, Pertussis (Tdap);
 - c. Immunized against Measles, Mumps, and Rubella (MMR);
6. Tuberculosis (TB) screening/test information was missing:
 - a. Documentation of the screening process to determine if the employee resided in a country identified by the world health organization as having a high burden of TB and arrived in the United States within the five years preceding the date of application for employment.
 - b. Results of a TB test for employees meeting both criteria in 6a.
 - c. Results of additional testing for employees with a positive TB test.
 - d. Written statement, signed by a representative of the TB control unit, that the employee's TB is no longer infectious or the individual is receiving a TB treatment regimen for employees with a positive TB test.

Submit the program's corrective action plan, which includes a copy of the completed employee medical statement, or TB results/documentation, to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 09/07/2025

Rules In-Compliance/Not Verified

Rule	Status	Documenting Statement(s), If applicable
5180:2-12-16 Written Disaster Plan	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-04 Building Department Inspection	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-02 Current Information	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-04 Fire Inspection	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-04 Food Service Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-07 Administrator Qualifications	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-07 Administrator Responsibilities/Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-07 Written Program Policies and Procedures	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-08 Child Care Staff Member Educational Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-08 Orientation Training & Whistle Blower Protection	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-10 Health Training Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable

5180:2-12-10 Professional Development Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-11 Indoor Space Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-11 Outdoor Space Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-16 First Aid/Standard Precautions	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-17 Materials and Equipment	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-18 License Capacity	Compliant	