



Center Licensing Inspection Full Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <http://jfs.ohio.gov/CDC/childcare.stm>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details			
Program Name Angels From Above Enrichment Center		Program Number 2250032588	Program Type Child Care Center
Address 4925 Pointe Parkway Bldg. F Warrensville Heights OH 44128			County CUYAHOGA
Building Approval Date	Use Group/Code	Occupancy Limit	Maximum Under 2 ½
Fire Inspection Approval Date	Food Service Risk Level		

Inspection Information				
Inspection Type Pre-license	Inspection Scope Full	Inspection Notice Announced		
Inspection Date 11/18/2025	Begin Time 10:30 AM	End Time 12:52 PM		
Reviewer: RENADA FITCH				
Summary of Findings				
No. Rules Verified 57	No. Rules with Non-compliances 6	No. Serious Risk 0	No. Moderate Risk 0	No. Low Risk 6

License Capacity and Enrollment at the Time of Inspection					
Age Group	License Capacity	Enrollment			
		Totals	Full Time	Part Time	Total
Infant (Birth to < 18 m)		0	0	0	0
Young Toddler		0	0	0	0
Total Under 2 ½ Years		0	0	0	0
Older Toddler		0	0	0	0
Preschool		0	0	0	0
School Age		0	0	0	0
Total Capacity/Enrollment		0	0	0	0

Staff-Child Ratios at the Time of Inspection			
Group	Age Group/Range	Ratio Observed	Comment

--	--	--	--

Summary of Non-Compliances

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5180:2-12-03 and 5180:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

Serious Risk Non-Compliances

No Serious Risk Non-Compliances were observed during this inspection

Moderate Risk Non-Compliances

No Moderate Risk Non-Compliances were observed during this inspection

Low Risk Non-Compliances

Domain: 02 Safe & Sanitary Environment

--

Rule: 5180:2-12-12 Safe Environment

Code: The program is required to provide an environment that protects the children in care from any items and conditions that may threaten their health, safety, and well-being.

Finding: During the inspection, it was determined that children were not protected from item(s) or condition(s) which may threaten their health, safety, or well-being as noted in number(s) 22 below:

1. Surge protectors/outlets did not have childproof receptacle covers.
2. Open pull cords that are not closed loop.
3. Toys or other items small enough to be swallowed were present in the space where infants and/or toddlers were in care.
4. Electrical/extension cords attached to an object that would not likely result in a severe injury if pulled.
5. Stacked chairs.
6. Employee(s) purse(s).
7. Diaper bags.
8. Television not securely anchored.
9. Small or lightweight pieces of shelving units are not securely anchored to the wall.
10. Smoke detector needing batteries replaced.
11. An area rug did not have a nonskid backing.
12. An area rug presented a tripping hazard.
13. A floor surface that was unsafe in that [].
14. No platform was provided for the sink or toilet in the [] classroom.
15. The platform provided for the sink or toilet in the [] classroom was not sturdy.
16. The platform provided for the sink or toilet in the [] classroom posed a safety hazard in that [].
17. Telephone cords.
18. Staff member stepped over a barrier/gate while holding a child.
19. Emergency exits were blocked by the following classroom furniture: [].
20. A mercury thermometer was being used to take a child's temperature.
21. Methods of ventilation used did not provide protection from rodents, insects, or other hazards.
22. Other :baseboards in disrepair.

Provide staff training. Submit the program's corrective action plan, which includes a statement that training was provided, to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 12/18/2025

Domain: 04 Indoor/Outdoor Space

Rule: 5180:2-12-11 Outdoor Play Equipment

Code: The program is required to provide equipment that does not pose a safety risk and must follow the manufacturer's guidelines for assembling, installing and using the equipment.

Finding: During the inspection, it was determined that outdoor play equipment was unsafe or not used as intended as noted in number(s) 1 below:

1. There was rust exposed.
2. There were protruding bolts.
3. There were cracks.
4. There were holes.
5. There was splintering wood.
6. There were sharp edges or points.
7. There were lead hazards.
8. There were toxic substances.
9. There were tripping hazards.
10. There was chipped and/or peeling paint.
11. The sandbox was not covered when the program was closed or during non-daylight hours.
12. Outdoor equipment, [] was not developmentally appropriate.
13. Outdoor equipment, [], was placed in the main traffic pattern.
14. Outdoor play equipment, [], was positioned too closely together, posing a risk of injury if a child were to fall from one piece of equipment into another.
15. Outdoor equipment, [], was not securely anchored but did not present a risk of imminent danger of the structure collapsing when children are using the equipment
16. Outdoor equipment, [], was 30 inches or more from the ground and did not have a protective barrier that would prevent a child from falling off this piece of equipment.
17. The manufacturer's guidelines for assembly and installation were not followed for the [].
18. Functionally linked equipment was used by preschool-age children and the distance between two adjacent pieces of equipment exceeded 12 inches.
19. Functionally linked equipment was used by school-age children and the distance between two adjacent pieces of equipment exceeded 18 inches.
20. Other [].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 12/18/2025

Domain: 05 Health & Safety

Rule: 5180:2-12-16 First Aid/Standard Precautions

Code: The program is required to have a first aid kit onsite.

Finding: During the inspection, it was determined first aid kit(s) at the program had missing, or expired, items that are required by appendix A of this rule to be contained in a first aid kit, as noted in number(s) 3,4,9,10,15 below:

1. The program did not have a first aid kit [onsite, on the vehicle, on a field trip].
2. One roll of hypoallergenic first-aid tape.
3. Individually wrapped sterile gauze squares in assorted sizes.

4. Sterile adhesive bandages in assorted sizes.
5. Tweezers.
6. Gauze rolled bandage.
7. Triangular bandage.
8. Rounded end scissors.
9. Tooth preservation system or fresh chilled liquid milk in which to transport a lost permanent tooth, including a written reference indicating location of the refrigerator/freezer where milk is stored if a tooth preservation system is not part of the first aid kit (for programs serving school age children only).
10. A working digital thermometer.
11. Disposable non-latex gloves.
12. A working flashlight.
13. An instant cold pack that has not been activated or ice, including a written reference indicating location of the refrigerator/freezer where the ice is stored if an instant cold pack is not part of the first aid kit.
14. Sealable leak-proof plastic bags in assorted sizes or double bagged plastic bags that can be securely tied for materials soiled with blood or bodily fluids.
15. Pocket mask or face shield, appropriate for all ages of children in care, for cardiopulmonary resuscitation (CPR) administration.
16. Soap or waterless sanitizer (field trip or transporting away from the program only).
17. Bottled water (field trip or transporting away from the program only).

Technical assistance was provided at the time of the inspection, and as discussed, please correct this rule noncompliance. A written response for this rule noncompliance is not required at this time.

Domain: 06 Program Information

Rule: 5180:2-12-14 Transportation - Driver Requirements

Code: The program is required to have all drivers be an employee of the program, a public transportation driver, or employed by a contracted transportation service company and retain a copy of all licenses for drivers employed by the program.

Finding: During the inspection, it was determined that the requirements for drivers was not met as listed in number(s) 2below:

1. The driver(s) noted on the Employee Record Chart used for trips did not have a copy of a current driver's license on file.
2. At least one employee who is responsible for transporting children did not have documentation of completion of the prescribed driver training on file.
3. The driver used to transport children was not an employee of the program, a public transportation driver, or employed by a company contracted to provide transportation service.

Remove this individual from transporting children until the requirements are met. Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 12/18/2025

Domain: 06 Program Information

Rule: 5180:2-12-14 Transportation - Vehicle Requirements

Code: The program is required to have all vehicles used to transport children inspected annually by an ASE certified mechanic, FMCSA safety inspector or the Ohio State Highway Patrol, and correct all repairs that are listed on the vehicle inspection report.

Finding: During the inspection, it was determined information on the JFS 01230 "Vehicle Inspection Report For Child Care Centers" had not been completed in that the ASE Identification number was not completed. Submit the program's corrective action plan, which includes either discontinuing the use of the vehicle or a copy of the completed JFS 01230 "Vehicle Inspection Report for Child Care Centers", to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 12/18/2025

Domain: 08 Staff Files

Rule: 5180:2-12-08 Medical Statement

Code: The program staff's medical statements are required to be completed and on file at the program.

Finding: In review of the staff records, it was determined that the medical statements for the employees listed on the Employee Record Chart did not meet the requirements as listed in number(s) 2 below.

1. A medical statement was not on file for at least one employee;
2. The medical statement(s) on file did not have a date of examination within 12 months of the employee's first day of employment;
3. Date of examination was missing;
4. Signature, business address, or telephone number of the licensed physician, physician assistant, advanced practice nurse, certified midwife, or certified nurse practitioner who completed the examination was missing;
5. A statement was missing that verifies the employee is:
 - a. Physically fit for employment in a program caring for children;
 - b. Immunized against Tetanus, Diphtheria, Pertussis (Tdap);
 - c. Immunized against Measles, Mumps, and Rubella (MMR);
6. Tuberculosis (TB) screening/test information was missing:
 - a. Documentation of the screening process to determine if the employee resided in a country identified by the world health organization as having a high burden of TB and arrived in the United States within the five years preceding the date of application for employment.
 - b. Results of a TB test for employees meeting both criteria in 6a.

- c. Results of additional testing for employees with a positive TB test.
- d. Written statement, signed by a representative of the TB control unit, that the employee's TB is no longer infectious or the individual is receiving a TB treatment regimen for employees with a positive TB test.

Submit the program's corrective action plan, which includes a copy of the completed employee medical statement, or TB results/documentation, to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 12/18/2025

Rules In-Compliance/Not Verified

Rule	Status	Documenting Statement(s), If applicable
5180:2-12-16 Written Disaster Plan	Compliant	
5180:2-12-04 Building Department Inspection	Compliant	
5180:2-12-02 Current Information	Compliant	
5180:2-12-04 Fire Inspection	Compliant	
5180:2-12-04 Food Service Requirements	Compliant	
5180:2-12-07 Administrator Qualifications	Compliant	



5180:2-12-07 Written Program Policies and Procedures	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-08 Child Care Staff Member Educational Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-08 Orientation Training & Whistle Blower Protection	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-09 Background Check Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-10 Health Training Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-10 Professional Development Requirements	Not Verified	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-11 Indoor Space Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-11 Outdoor Space Requirements	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-11 Outdoor Play Fall Zones	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-12 Safe Equipment	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-13 Smoke Free Environment	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-16 Medical, Dental, and General Emergency Plan	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-17 Daily Schedule	Compliant	



Rule	Status	Documenting Statement(s), If applicable
5180:2-12-16 Management of Communicable Disease	Compliant	
5180:2-12-17 Materials and Equipment	Compliant	
5180:2-12-18 License Capacity	Compliant	
5180:2-12-20 Cribs	Compliant	