



Center Licensing Inspection Full Report

All licensed child care programs are inspected at least once each year. Non-compliances are documented and grouped as Serious, Moderate or Low risk violations. Documenting statements and supplemental information may be included in this report. Licensing inspection reports from the previous three years can be viewed on the child care website at <http://jfs.ohio.gov/CDC/childcare.stm>. This includes complaint investigation reports with substantiated allegations. For any other child care records, please contact the Child Care Help Desk at 1-877-302-2347, option 4.

Program Details			
Program Name A Blessing 2 Laugh & Learn Enrichment Center	Program Number 2250033054	Program Type Child Care Center	
Address 1485 E. Livingston Ave Columbus OH 43205		County FRANKLIN	
Building Approval Date 06/03/2009	Use Group/Code E	Occupancy Limit 19	Maximum Under 2 ½ Room
Fire Inspection Approval Date 01/30/2026	Food Service Risk Level Level II		

Inspection Information		
Inspection Type Pre-license	Inspection Scope Full	Inspection Notice Unannounced
Inspection Date 03/10/2026	Begin Time 12:50 PM	End Time 3:20 PM
Reviewer: Bradie McAfee		

Summary of Findings				
No. Rules Verified 58	No. Rules with Non-compliances 3	No. Serious Risk 0	No. Moderate Risk 0	No. Low Risk 3

License Capacity and Enrollment at the Time of Inspection				
Age Group	License Capacity	Enrollment		
	Totals	Full Time	Part Time	Total
Infant (Birth to < 18 m)		0	0	0
Young Toddler		0	0	0
Total Under 2 ½ Years		0	0	0
Older Toddler		0	0	0
Preschool		0	0	0
School Age		0	0	0
Total Capacity/Enrollment		0	0	0

Staff-Child Ratios at the Time of Inspection			
Group	Age Group/Range	Ratio Observed	Comment

--	--	--	--

Summary of Non-Compliances

If a program disagrees with a licensing finding, the program may request a review of the finding(s). Ohio Administrative Code 5180:2-12-03 and 5180:2-13-03 detail the process for submitting a request for review. The request for review must be submitted within seven business days from the receipt of the licensing report. In addition, if the program is star rated, the rating may be impacted if a serious or moderate risk non-compliance is cited.

Serious Risk Non-Compliances

No Serious Risk Non-Compliances were observed during this inspection

Moderate Risk Non-Compliances

No Moderate Risk Non-Compliances were observed during this inspection

Low Risk Non-Compliances

Domain: 02 Safe & Sanitary Environment

Rule: 5180:2-12-12 Safe Equipment

Code: The program is required to use equipment, that is safe and hazard free, according to the manufacturer's guidelines. Fans, air conditioners, heat pumps, and space heaters must be inaccessible to children. The program is required to refrain from using trampolines, ball pits and inflatable equipment intended for climbing and bouncing, including but not limited to slides and bounce houses.

Finding: During the inspection, equipment was determined to be unsafe, hazardous to children, or in need of repair as noted in number 10 and 17 below:

1. Manufacturer's guidelines for the [] were not followed in that [].
2. The straps were missing on the [].
3. The straps were attached, but were not used on the [].
4. The straps were attached and were used, but were not used in a safe manner.
5. The equipment had sharp points or corners.
6. The equipment had splinters.
7. The equipment had protruding nails.
8. The equipment had loose or rusty parts.
9. The equipment had paint which contains lead or other poisonous materials.
10. The equipment had hazardous features. (Interactive Table Infant/Toddler Room)
11. A fan was unstable and could easily tip over.
12. A fan had openings a finger could enter.
13. The pipes from the heat pump felt hot to the touch
14. A space heater felt hot to the touch
15. The position of a space heater was a tripping hazard
16. The air conditioning unit was not enclosed and was accessible to children on the playground.
17. A ball pit, trampoline, inflatable bounce house, inflatable slide, or inflatable equipment used for climbing and bouncing was used.
18. Other [].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 04/10/2026

Domain: 03 Postings & Equipment

Rule: 5180:2-12-17 Materials and Equipment

Code: The program is required to have enough equipment for all children in care.

Finding: During the inspection, it was determined that equipment and materials in the following categories were not provided in sufficient quantities for children in the Infant/Toddler Room classroom, as required: 4, 7 and 10.

1. Art supplies (excludes infants)
2. Manipulative materials and equipment

3. Blocks
4. Science-nature equipment (excludes infants) (Infant/Toddler Space)
5. Language arts and auditory materials and equipment
6. Pretend or dramatic play materials
7. Music equipment (Infant/Toddler)
8. Transportation materials and equipment
9. Gross motor equipment
10. Sensory motor equipment (Infant/Toddler)
11. School age children were not provided sufficient equipment and materials in at least five of the first nine categories above.

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 04/10/2026

Domain: 07 Diapering & Infant Care

Rule: 5180:2-12-20 Cribs

Code: The program is required to provide a safe and sufficient barrier to separate the play and sleeping space.

Finding: During the inspection, it was determined that the barrier between the play and sleeping space did not meet the requirements as noted in number 1 below:

1. No barrier had been provided
2. The barrier did not prevent the infants from entering the sleeping area.
3. The barrier was not safe.
4. The barrier was not sturdy.
5. The barrier impaired staff's ability to see and hear all sleeping infants in their cribs.
6. The barrier was inadequate.
7. Other [].

Submit the program's corrective action plan to the Department to verify compliance with the requirements of this rule.

Corrective Action Plan Due: 04/10/2026

Rules In-Compliance/Not Verified

Rule	Status	Documenting Statement(s), If applicable
5180:2-12-16 Written Disaster Plan	Compliant	
5180:2-12-04 Building Department Inspection	Compliant	
5180:2-12-04 Fire Inspection	Compliant	
5180:2-12-04 Food Service Requirements	Compliant	
5180:2-12-07 Administrator Qualifications	Compliant	
5180:2-12-07 Administrator Responsibilities/Requirements	Compliant	
5180:2-12-07 Written Program Policies and Procedures	Compliant	
5180:2-12-08 Child Care Staff Member Educational Requirements	Compliant	
5180:2-12-08 Medical Statement	Compliant	
5180:2-12-08 Orientation Training & Whistle Blower Protection	Compliant	
5180:2-12-09 Background Check Requirements	Compliant	

Rule	Status	Documenting Statement(s), If applicable
5180:2-12-10 Health Training Requirements	Compliant	
5180:2-12-11 Indoor Space Requirements	Compliant	
5180:2-12-11 Separation of Children Under 2 1/2 Years	Compliant	
5180:2-12-11 Outdoor Play Equipment	Compliant	
5180:2-12-11 Outdoor Space Requirements	Compliant	
5180:2-12-11 Outdoor Play Fall Zones	Compliant	
5180:2-12-12 Safe Environment	Compliant	
5180:2-12-13 Sanitary Equipment and Environment	Compliant	
5180:2-12-13 Smoke Free Environment	Compliant	
5180:2-12-16 Medical, Dental, and General Emergency Plan	Compliant	
5180:2-12-17 Daily Schedule	Compliant	
5180:2-12-16 Management of Communicable Disease	Compliant	
Rule	Status	Documenting Statement(s), If applicable

5180:2-12-16 First Aid/Standard Precautions	Compliant	
Rule	Status	Documenting Statement(s), If applicable
5180:2-12-17 Daily Outdoor Play	Compliant	
Rule	Status	Documenting Statement(s), If applicable
Rule: 5180:2-12-18 Ratio	Compliant	Documenting Statement: During the inspection, the requirements of the rule regarding staff/child ratios were discussed.